


DESCRIPTION
OF A
PLANETARIUM,
OR
ASTRONOMICAL MACHINE,
WHICH EXHIBITS THE MOST REMARKABLE
PHENOMENA, MOTIONS, AND REVOLUTIONS
OF THE
UNIVERSE.

Invented, and partly executed, by the celebrated
Mr. PHIL. MATTHEW HAHN,
MEMBER OF THE ACADEMY OF SCIENCES AT BRUNN,

And finished and completed,
By Mr. ALBERT DE MYLIUS.

London.

PRINTED IN THE YEAR M.DCC.LXXXVI.



DESCRIPTION, &c.

THIS Astronomical Machine is not to be classed among those trifling mechanic constructions, which, though they often exhibit great ingenuity, are of no further utility than to surprise, or amuse, the illiterate spectator, and are always found defective in the eyes of competent judges.

The circumstantial description, which we here propose to give, of this superb Machine, will convince our readers that it differs widely from the inventions mentioned above, and that it is even far superior to the many ingenious mechanical productions which have hitherto obtained general approbation, not only on account of the great exactitude of every Phænomena it represents, but also on account of the simplicity and solidity of its Mechanism: qualities, which undoubtedly place it among the most ingenious and remarkable Master-pieces of Mechanics, and which render it

t he

the fittest and most agreeable medium through which we may obtain a thorough knowledge of that most sublime and entertaining Science—the Science of Astronomy. We will only add here, that the Inventor of this Machine was one of the first geniuses, in mechanics, of this century, and universally known as such, by his invention of a MACHINE of CALCULATION, of a particular Balance, and various Watches, and Clock-works.

In order to prove more fully the superiority of this curious Machine over all others of the kind, it will be necessary to divide the description thereof into three different sections, in which we shall explain:

- I. The different Planetary systems which this Machine exhibits.
- II. Its Mechanism.
- III. Its Figure.

SECTION I.

Of the different Planetary Systems.

The different Planetary systems represented by this Machine are:

- I. The Solar system,
- II. The particular systems of the Planets which have Satellites, viz.
 1. The system of the Earth.
 2. The system of Jupiter.
 3. The system of Saturn.
- III. The Celestial sphere, or the Solar system as viewed from the Earth.
- VI. The Chronometer.

I. THE

I. THE SOLAR SYSTEM.

The Sun is placed in the centre of an horizontal ring of two feet diameter, representing the Ecliptic, and on which are delineated the 12 signs of the Zodiac, with their divisions. The Planets turn round the Sun in the following order and distances, which are proportioned to one another, as the numbers 4, 7, 10, 15, 52, 95, viz.

	Days.	Hours.	Min.	Seconds.
Mercury in	87.	23.	14.	17½.
Venus	224.	16.	41.	25.
The Earth	365.	5.	48.	45½.
The Moon round the Earth	27.	7.	43.	5.
Mars	686.	22.	21.	0.
Jupiter	4330.	12.	47.	0.
Saturn	10747.	3.	23.	0.

The construction of the wheel-work is so exact, that the distance of the Planets from their mean places in the Ecliptic, according to these determinations of time, does not amount to an error of a second, nor even a fraction. This assertion may be verified by the number of teeth of each wheel, which will be found conformable to the strictest rule in Mechanics.

We have, in general, followed the system of the celebrated MM. DE LA LANDE, and HELL, and wherever these learned Astronomers do not perfectly agree, in the determination of the time of the motion of different planets, we have taken the mean of their assertions.

This representation of these Planetary revolutions, so exactly calculated, is one of the greatest advantages of our Machine, by which it distinguishes itself from many others, where minutial variations

variations have been neglected; for, after the expiration of several years, the difference, or neglected rests of some seconds, must be considerable.

None of the wheels have more than 150 teeth, which renders them light, solid, and of a middle size, and contributes greatly to give a light and easy motion to the Machine; and the whole is arranged in so curious a manner, that the Planet which moves swiftest, puts in motion another of a slower course: by which arrangement it was not necessary to multiply the number of wheels.

The times of the planetary revolutions, as stated above, are to be understood as of their mean motion, by which the Planets describe, in equal times, equal parts of their orbits. We have, however, endeavoured to reduce that mean motion to true motion; and especially in the planets Mercury, Mars, Jupiter and Saturn, which describe very considerable Ellipses. As to the others, viz. Venus, the Earth, and the Moon, we have thought that reduction superfluous, the difference of their true and mean motion being scarcely perceptible, as well on account of the size of the system, as also because their orbits are almost circular, and their diameters very small.

But, in the determination of the motion of the former Planets, we have taken particular care of this difference, which, according to M. CASSINI, is 24 degrees in Mercury, $10\frac{1}{2}^{\circ}$ in Mars, $5\frac{1}{2}^{\circ}$ in Jupiter, $6\frac{1}{2}^{\circ}$ in Saturn; so that it may be seen distinctly when any one of these Planets is in its Aphelion or Perihelion.

The observations of Astronomers plainly prove what we have here asserted, for the conjunctions
of

of the Planets happen precisely in the times calculated in the Astronomical Ephemeris; whereas, if the difference above mentioned has not been attended to, there would be very often a mistake of several days.

The orbits of the Planets are circular planes, or rings, properly inclined to the orbit of the Earth, which is perfectly horizontal, under the angles determined by Astronomers. They intersect the Ecliptic in two points directly opposite, and represent the ascending and descending Nodes of the Planets. By these means not only the latitude and longitude of the planets is easily known, but also the time when they enter in their Nodes.

The Planets are represented by small globes, fastened to small rods of steel, which rise perpendicularly between the orbits, above the horizontal Mechanism.

The size of all these globes is in due proportion to each other, except that of the Sun. The diameter of the globe representing the Earth, which we accept for the unity, is $1\frac{1}{2}$ lines; the diameter of the Moon about $\frac{1}{2}$ of the former, that of Mercury rather more than one third part, and that of Venus $\frac{1}{3}$, Mars $\frac{1}{4}$, Jupiter $10\frac{1}{2}$, and Saturn $9\frac{1}{2}$. The size of the globe representing the Sun has been proportioned to the space which remained unoccupied. This globe, in its due proportion to the others, should have been of the same size as the celestial globe which represents the apparent motions, &c. of the Planets, and consequently its diameter would have been 107 lines, or 1 foot.

Saturn revolves round the Sun, being surrounded with its wonderful ring, which has an inclination
tion

tion of 30° . to the orbit of Saturn; and as, during its periodical revolution round the Sun, its axis always preserves its parallelism, the Planet does not always present the same figure to the Earth, for sometimes its anles only appear, and sometimes it is not visible at all.

In this representation of the Solar system we have, for the sake of simplicity, omitted the following objects:

1. The obliquity of the axis of the Sun, of Venus, and of the Earth; because the obliquity of the axis of the Sun, as well as that of the Earth, is particularly represented in the system of the Earth.

2. The diurnal rotation of the Planets; because the globes are too small for making any observation on them, and besides that this rotation of the Sun and the Earth is also particularly represented in the system of the Earth.

3. The satellites of Jupiter and Saturn, because the systems of these Planets are represented separately on the opposite side of the Machine.

4. The motions of the line of the Apfides, or the precession of the Aphelion and of the Nodes; because Astronomers do not agree in the determination of the times relative to those changes, which, besides this, are very slow, and almost imperceptible. We have, however, not quite neglected this point; for the machine is constructed in such a manner, that it is easy to advance, always for the space of a century, the place of the Aphelion and the Nodes, the difference not being sensible in a smaller part of time.

From this it will appear, that, by the assistance of this Machine, the different relations of the whole Solar system may be seen at one view; the various

various positions of the Planets may be known for any given time, without calculation; and all the revolutions of the Heavens, such as we perceive them from the Earth, may be easily explained.

II. THE PARTICULAR SYSTEMS OF THE PLANETS WHICH HAVE SATELLITES.

1. *The System of the Earth.*

Here the Sun is in the center; his Axis inclined 7° , and turns round that Axis in 25 Days, 19 Hours, and 8 Minutes, according to the calculation of M. DE LA LANDE.

The Sun is surrounded with a small ring, which represents the Plane of the Ecliptic, and a circle on his circumference, perpendicular to his Axis, representing the Solar Equator. These Rings, which intersect each other in two places under an angle of 7° , denote thereby the Nodes of the Sun, so that it is easily seen when the Earth is in the place of these Nodes; and consequently, when the spots of the Sun describe straight lines on his Disk; whilst they appear rather like Ellipses, when the Earth is removed three signs from the Node. But though the spots of the Sun perform their periodical revolutions within the time above mentioned, it is not till after the expiration of 27 Days and 12 Minutes, that they appear again in the place where they have been seen 27 Days before; because the Earth, during this time, is likewise advanced in the Ecliptic; and that is generally called the Synodic time of the Solar rotation.

The Earth turns round the Sun, and performs its tropic revolution in 365 days, 5 hours, 48 $\frac{1}{2}$ minutes. By means of a particular motion of the Plane of its orbit, which does not complete its intire revolution in less than 26,000 years, we have also represented the precession of the Equinoxes, or the apparent motion of the fixed Stars from West to East. By this contrivance the tropic revolution of the Earth is converted into siderial revolution, which is 365 days, 6 hours, and 9 minutes.

The globe representing the Earth is one inch in diameter. The four quarters of the world, as well as the principal kingdoms, are engraved on it. Its Axis makes an angle of 23 $\frac{1}{2}$ °, with the perpendicular line, and under that angle it performs a complete rotation in 23 hours, 56 minutes, 4 seconds, and 5 thirds. By means of a particular contrary motion, this Axis keeps its parallelism in its orbit. This serves to explain, in the easiest manner possible, the different seasons of the year, the inequalities of days and nights, as well as the rising and setting of the Sun: it also indicates what regions have exactly noon, when we have morning, evening, or midnight. It further exhibits our Earth revolving round its Axis in 24 hours, and round the Sun in the space of a year; these revolutions clearly shew the cause of the vicissitude of the seasons, and produce that Phenomenon which makes it appear to the inhabitants of the Earth as if it was the Sun that rises and sets, and passes through the different signs of the Zodiac.

The Moon revolves round the Earth in 27 days, 7 hours, 43 minutes, and 5 seconds, according to her mean motion; but this last is likewise converted

ted into eccentric motion, by means of another applied in a contrary direction. The line of Apfides, or the Apogée, passes through all the signs in 3231 days, 8 hours, and 35 minutes; so that the Moon always returns into her Apogée at the end of 27 days, 13 hours, 18 minutes, and 34 seconds.

As this Satellite passes very close to the edge of the ring which represents her oblique orbit, she may always be seen very distinctly when she is approaching to the Earth, and afterwards when receding from it; her orbit intersecting that of the Earth under an angle of 5°. The Moon rises also, of herself, from her Nodes over the orbit of the Earth, and descends again under it, following always the obliquity of her orbit, which, according to M. DE LA LANDE, performs likewise an entire revolution from East to West, in the course of 6798 days, 4 hours, and 53 minutes. It is therefore very easy to observe, at all times, the Eclipses happening in and near the Node.

The synodic month, where the Moon enters in conjunction with the Sun, is found of itself to be 29 days, 12 hours, 44 minutes, 3 $\frac{1}{2}$ seconds; from which it is easy to explain the new and full Moon, the first and last quarter, the place which the Moon occupies in the Zodiac, and all the other Phenomena.

2. *The System of Jupiter.*

In this system the Sun is in the center; the Earth describes a small circle round it; its distance from the Sun is, to that of Jupiter from the Sun, as 10 to 52.

Jupiter

Jupiter turns round the Sun and the Earth in 4330 days, 12 hours, according to its true eccentric motion. Its four Satellites turn round it in the following periodic and synodic times, exactly calculated by M. DE LA LANDE:

	Days.	Hours.	Min.	Sec.	Times.
First Satellite	1.	18.	27.	33.	Periodic.
	1.	18.	28.	36.	Synodic.
Second Satellite	3.	13.	13.	42.	Periodic.
	3.	13.	17.	54.	Synodic.
Third Satellite	7.	3.	42.	33.	Periodic.
	7.	3.	59.	36.	Synodic.
Fourth Satellite	16.	16.	32.	8.	Periodic.
	16.	18.	5.	7.	Synodic.

The contrivance and construction of the Wheel-work is such, that all these motions perfectly agree, even to a second, with those observed in the Heavens.

The Earth is also placed in this system, to shew the inequality of the conjunctions of the Satellites with their principal Planets inequality, which is occasioned by the annual parallax of the Ecliptic; and which, viewed from the Earth, may be esteemed at the utmost:

For the first Satellite,	at	1 hour,	25 min.
For the second do.	at	2	50
For the third do.	at	5	44
For the fourth do.	at	13	24

for if the observer was supposed to be in the Sun, this inequality would not happen.

From this it appears, that if any person wished to observe, in this Machine, the conjunctions of the Satellites, such as they are seen from the Earth, they will be found perfectly coinciding with those which happen in the heavens.

Besides

Besides this, if the primary Planet had not obtained in this system its eccentric motion proportioned to the elliptic line of its orbit, it would have been impossible to make the following differences obvious, which shew how much the synodic revolutions surpass the periodic ones,—the motion of Jupiter not being always uniform.

These differences are,

	Hours.	Min.	Sec.
For the first Satellite,	0.	39.	22.
For the second do.	1.	19.	13.
For the third do.	2.	39.	42.
For the fourth do.	6.	12.	59.

And this is the space of time for which the motion of the Satellites of the Machine would have differed from that which is observed in the heavens.

From this particular account of all these systems it will appear plainly, that it was not very easy to add to the eccentric motion of the primary Planet, the like eccentric motion of the Satellites; and at the same time to present to the view the effect of the parallax, by making the Earth a part of this system, in order to make all the revolutions of the Machine perfectly correspond with those in the heavens.

The Satellites are placed at their proportionable distances from their primary Planet; and the semidiameter of Jupiter being taken to be the unity, these distances are:

For the first Satellite	5 $\frac{1}{2}$.
For the second do.	9.
For the third do.	14.
For the fourth do.	25.

These Satellites have an oblique motion, and the

the Planes of their orbits are inclined 3° to the orbit of the primary Planet, which of itself has an inclination of $1^\circ 19'$ towards the Ecliptic. By this contrivance the Nodes of the Satellites present themselves to the eye, so that it may be seen at all times, if the conjunctions observed from the Earth happen in or near the Node; and consequently, if the Eclipses caused by these conjunctions, and the passages of the Satellites through the shadow of Jupiter be of long or short duration. One may also perceive if the fourth Satellite of Jupiter will be eclipsed or not; for when it is once at the distance of 55° from the Node, its Eclipse is no more possible. And, lastly, the time may also be known when each Satellite passes before the body of Jupiter, such as that passage is observed from the Earth, as well as the position of the Satellites against each other, and how they present themselves at all times when they are observed by a telescope; so that in looking for them in the heavens it is easily found, by the help of this Machine, which Satellite is the luminous point that is seen either on the right or on the left of Jupiter.

3. *The System of Saturn.*

This system is as perfect as that of Jupiter. The Sun is in its center, and the distance from the Earth to the Sun is, to that of Saturn from the Sun, as 10 to 95. Saturn performs his elliptic revolution round the Sun in 29,747 days, 3 hours, 23 minutes; its orbit has an inclination of $2\frac{1}{2}^\circ$ to that of the Earth, and the periodic and synodic revolutions of its five Satellites round the primary Planet, is performed under an angle of 30° .

The

The revolutions of these Satellites, according to M. PLOA, whose determinations are considered as the most accurate, and as such adopted by M. DE LA LANDE, are as follows:

	Days.	Hours.	Min.	Sec.	
First Satellite	1.	21.	18.	$26\frac{1}{2}$	Periodic.
	1.	21.	18.	$55\frac{1}{10}$	Synodic.
Second do.	2.	17.	44.	$51\frac{1}{2}$	Periodic.
	2.	17.	45.	$51\frac{2}{10}$	Synodic.
Third do.	4.	12.	15.	$11\frac{1}{10}$	Periodic.
	4.	12.	27.	$53\frac{1}{2}$	Synodic.
Fourth do.	15.	22.	41.	23.	Periodic.
	15.	23.	4.	$12\frac{9}{10}$	Synodic.
Fifth do.	79.	7.	49.	$10\frac{9}{10}$	Periodic.
	79.	21.	51.	$35\frac{7}{10}$	Synodic.

In this system, as well as in the Solar system where the scale is greater, the ring of Saturn has not only its proper obliquity, that is to say, an inclination of 30° towards the orbit of Saturn, but also its proportionable size. The distances of the Satellites from the primary Planet are all in due proportions, except the fifth, the distance of which would have been too great for the Machine: for if the semi-diameter of Saturn is taken as the unity, the inside edge of the ring is $1\frac{1}{2}$, the outside 2, the distance of the first Satellite $4\frac{2}{3}$, that of the second $6\frac{1}{2}$, that of the third $8\frac{2}{3}$, that of the fourth $20\frac{1}{2}$, and that of the fifth should have been 59, but, for want of room, we have been obliged to bring it as near to the fourth as possible; and as the four former Satellites turn in the same plane with the ring of Saturn, they have all one common Node, which is in the 19° of Virgo.

In observing, therefore, the motion of the Satellites

tellites, it may always be seen when they enter into the shadow of Saturn, when they pass before the body of that Planet, the observer being supposed to be upon our Earth, or what would be the difference caused by the parallax of the orbit of the Earth, in regard to the time of their conjunctions with Saturn, if the Earth was not in that system.

III. THE CELESTIAL SPHERE; or the SOLAR SYSTEM, as viewed from the EARTH.

This system consists of a globe of one foot diameter, made of copper, and painted in blue, on which the fixed stars and constellations are exactly delineated. It is suspended upon a pillar of the Tuscan order, so as to turn freely on its Axis, within a divided horizon and a graduated meridian. The former may be set to any given latitude, and the latter is fixed on the top of the pillar. The globe is encompassed by a separate circle, about 1 inch broad, representing the Ecliptic, and the twelve signs of the Zodiac; so that the globe, with its fixed stars, may not only turn freely within the Ecliptic, but may be changed in its position, by which means the precession of the Equinoxes may be observed.

In the inside of the globe are about one hundred wheels, which give motion to some sockets that project out of each pole, and to which the Planets, &c. are connected, one above the other, by wires bent to a certain curve. These Planets are even with the Ecliptic, and exhibit on that circle their apparent, direct, and retrograde motions;

tions, and sometimes they are stationary, so as perfectly to agree with the apparent places of the real Planets, as seen from the Earth; and consequently their rising, southing, and setting, may be ascertained to the greatest exactness.

In order to convey a more distinct idea of the different parts of this Machine, as also of its Mechanism and effect, we will give a more particular description thereof.

I.

This Celestial Sphere, with its 1500 fixed stars and the Milky Way, turns in 23 h. 56', 4", 5", round its Axis, by a motion from East to West, according to the diurnal rotation of the Earth, which is performed in the same time. By this the position, as well as the rising and setting of every fixed star, are determined for every hour of the day and of the night; so that this Machine offers a very easy and commodious method to obtain a knowledge of the fixed stars and of the constellations; for, after having set it to the meridian, it is sufficient to figure to oneself a straight line, drawn from the centre of the globe to the heavens, in order to find immediately, by the likeness of this sphere with the heavens, the same star, or the same constellation, which rises on the artificial globe, or which has attained its highest meridional altitude. It also indicates the apparent motion of the fixed stars, by which they advance every day 3' 55" 54"; so that after the expiration of six months there appear other stars on the horizon; and lastly, it shews the stars changing every day the time of their rising and setting, till at last, after a year's end, they always recover their first position.

II.

The Sun has the same figure as he is commonly represented; that is to say, from his centre are issuing golden beams in all directions, which are to the following use. It is well known, that on account of the Crepuscule (twilight), the night does not begin until the Sun has sunk 15 or 18 degrees below the horizon; we have therefore constructed these beams of the length of 15° of a vertical circle, reckoning from the centre of the Sun. By this contrivance it becomes easy to determine the beginning and the duration of the twilight, as well as the time during which the Planets, and the fixed stars, are concealed by the Sun-beams. For as the Sun moves every day, with all the fixed stars, from East to West, and as by means of another motion, particular to himself, he makes a revolution from West to East in 365 days, 5 hours, 49 min. he passes every year before all the Planets and fixed stars which are in his way, and covers them by his beams, so that those Planets and Stars which rise and set with the Sun cannot be perceived by us. It is therefore always easily seen on this Sphere, when a star approaches the Sun-beams, when it begins to hide itself in the evening-twilight, and when after a short time it appears again on the horizon, before the morning-twilight.

Besides this, we see not only when the center of the Sun rises over the horizon, or descends under it, in the various seasons, but also that, according to the different signs wherein he finds himself, his beams employ more or less time to hide themselves below the horizon, or to appear again before his rise; whereby they denote the true beginning

ginning of the day, and of the night. All these Phenomena of the apparent motion are represented here. Every 24 hours the Sun is seen to come back again under the Meridian, not retarding but a very few minutes, which is called the Equation of time. The reason of this difference is as follows: the Sun makes every day a whole revolution, with all the fixed stars, in 23 hours, 56', 4", 5", because his apparent motion is occasioned by the rotation of the Earth, which is accomplished in that time. Now if the Sun had no proper motion, he would always seem to come again under the Meridian in the time mentioned above; that is to say, in less than 24 hours: but as he has also every day a retrograde motion from West to East, by which he describes about one degree in the Ecliptic, it happens by that, that if his proper annual motion is supposed equal at all times, it is retarded exactly for 2' 55" 4" by this motion; and, consequently, he does not require, as the fixed stars, only 23 hours, 56' 4" 5" to come back under the Meridian, but exactly 24 hours.

As the Earth turns round the Sun, not in a circular, but in an elliptic orbit; it is not possible that the apparent motion of the Sun, which is produced by it, can be the same at all times: it must be the slowest in that place of its orbit which is the most remote from its center, and which happens in the beginning of the month of July. And whereas this proper motion of the Sun, or rather of the Earth, is sometimes slower and sometimes quicker, the little quantity of time which the Sun loses every day, and which changes the day of the stars into a natural day, must be sometimes greater and sometimes smaller, so that

he

he does not always require exactly 24 hours to come back again under the Meridian.

This elliptic motion of the Sun has been also imitated in the Mechanism of this sphere; and consequently the Sun offers, in this Machine, the same Phenomena; and performs his apparent diurnal motion, from East to West, sometimes faster than at others, on account of its eccentricity, as may be seen in the Astronomical tables, in which the difference of the true and mean time is calculated for every day. This unequal motion is likewise the reason why the Sun requires 8 days less to pass through the Southern signs than through the Northern ones.

Another consequence of this proper annual motion of the Sun from East to West (the center of which is the pole of the Ecliptic, distant $23^{\circ} 30'$ from the pole of the world, round which turns the whole sphere with the fixed stars, and consequently also the pole of the Ecliptic) is this, that the Sun rises more over the horizon in the Northern signs than in the Southern ones; that he rises in a spiral line from the Tropic of Capricorn to that of Cancer, where he begins his return towards the Equator: in the first Solstice he causes the shortest days, which increase by degrees till he arrives in the other, where the days are the longest.

III.

The Moon has—1). In the interior part of the sphere, her periodic complete revolution, which is performed in 27 days, 7 hours, 43 min. 5 sec. so that after a thousand years she does not find herself neither advanced nor retarded; which is the case in other Machines of this kind, the In-

ventors

of which were not able to represent her revolutions to the exactness of a minute.—2). Her mean motion is converted into true motion, by means of a small eccentric disk, which is applied to the wheel of her mean revolution, and which performs its revolution in a contrary direction in 27 days, 13 hours, 18 min. and 34 sec. that is to say, in the time of an Anomalistical month; its diameter is 6 degrees, so that her motion is slower in the Apelion, and quicker in the Perihelion, and that the Apogee completes its revolution from East to West in 3231 days, 8 hours, 35 minutes. If this eccentric motion was not represented in this sphere, the Moon would often be found distant 5 or 6 degrees of the Ecliptic from its true position, and consequently the full, as well as the new Moon, would sometimes happen on the Machine either ten hours too soon or too late; and would but seldom agree with the heavens. Thus the motion of the Moon, on this Celestial sphere, corresponds so exactly with that observed in the heavens, that all the other inequalities to which this Satellite is exposed from various causes, never produce even so much as one degree difference.

As the course of the Moon is here represented on a sphere, subject to the diurnal apparent motion of the starry heavens, it will be easily perceived, that with the assistance of this Machine one may observe the rising and setting of this Satellite, with its different changes, arising from the time of her distance from the Sun, and from the place which she occupies in the Zodiac; the unequal motion with which she passes through the signs of the Ecliptic, and which correspond with that in the heavens; the apparent and unequal spiral progression she describes; that

is

is to say, her different meridian elevation over the horizon, which changes according to the place she occupies in the Zodiac; her conjunctions and oppositions with the Sun, or the new and full Moons; and lastly, the fixed Stars and Planets with which she enters every month in conjunction during her passage through the Zodiac.

We should have likewise represented the Moon's orbit, and shown how she declines 5° from the course of the Sun, at the approach of the solstitial points, sometimes to the North, and sometimes to the South, if we had not been afraid to deviate from the principal object of this Machine, which is simplicity and solidity of its mechanism. If we had only had to imitate the motion of the Sun and of the Earth, without considering that of the other Planets, it could have been done as easily, as to represent mechanically the other small inequalities of the Moon, excepting however some of them, which it is impossible to combine with the revolutions of that Satellite. Instead therefore of her orbit, we have represented the motion of the Nodes of the Moon: these two points, (in which her orbit intersects the Ecliptic under an angle of 5° ; that is to say, in which the Moon, during her periodic revolution, goes twice through the orbit of the Sun, or of the Earth,) have been made moveable. According to the astronomical observations and calculations, they make an entire revolution from East to West; that is to say, in a contrary direction, in 6798 days, 5 hours. At the end of their rods there are two disks, with the signs Ω \Im , the first of which denote the ascending, and the other the descending node; so that when the Earth passes before the first of these signs, it may be easily seen that she is
in

in the Ecliptic, and that she begins to decline from it, in coming a little nearer to the North. When the Moon is removed 90° from her Node, it is then known that she is in her greatest southern or northern latitude, which is 5° , and that she is returning in the Ecliptic. As the utmost distances of the Nodes, in which any eclipse may happen, are known, a small index, which extends on both sides of the Ecliptic as far as to 15° , has been added to each sign of the node; that, when new or full Moons happen within this index, it may be soon determined whether any eclipse of the Sun or the Moon, will take place. To judge afterwards of its magnitude, it will be necessary to observe whether the conjunctions or oppositions of the Sun and of the Moon take place very near or in the Node: and to determine whether they will be visible or not, it is sufficient to observe whether they happen over our horizon, or under it.

The Nodes of the other Planets are denoted on the Zodiac by small disks, by means of which it may be perceived, when the Moon covers a Planet, and whether that is visible or not: that is to say, whether she enters in conjunction at night with the Planet, over the Horizon, at the place of the Planet's Node. These Nodes of the Planets have however no proper motion on this Machine, because the time of their revolution is not only very uncertain but also very slow. However in following the calculations of M. CASSINI these Nodes may be set back every hundred years from East to West, in the manner following, viz.

The Node of Mercury	$1^{\circ} 24'$	
That of Venus	$0 56'$	
That of Mars	$0 56'$	
That of Jupiter	$0 40'$	
That of Saturn	$1^{\circ} 35'$	ex-

except new discoveries should be made in that part of Astronomy, which might cause any alteration: but whether these Nodes are set back or not, the revolutions of the Planets, even after a great many years, will not fail to be very exact.

IV.

Mercury and Venus, whose orbits are surrounded by that of the Earth, appear always to be attending the Sun, to an observer, who, placed on our globe, makes himself an annual revolution round this center of our Planetary system. These two Planets continue their course from West to East, till they arrive at a certain distance from the Sun; after the setting of which they are seen yet for some time over the horizon; but they very soon return, and approach the Sun in the opposite direction; and advance by degrees towards the West to a certain distance, where they appear before sun-rising; and thence are called morning-stars. The following is the result of the observations made on this subject.—Mercury performs its revolution from West to East in about 93 days; it then becomes stationary during half a day, and afterwards returns, on the same course, by a motion from East to West, in only 22 days. Its greatest distance from the Sun is at from 18 to 28°, but never more. From similar observations we know, that Venus performs her revolution from East to West, in about 542 days; that it is then stationary during one day, and returning afterwards, performs the same course back in 42 days; and is never above 47° distant from the Sun.

In that determination of time, Mercury, above all, on account of its greater eccentricity, shows a very great inequality. The interval between one conjunction

conjunction of this Planet with the Sun, until its next conjunction being often 12 days longer than usual. According to the calculations of M. DE LA LANDE, referring to its mean motion, such an interval of a conjunction may be superior to another as follows, viz. for Mercury 115 days, 21 hours, 3' 22"; and for Venus 583 days, 22 hours, 7 6'.

In order to give all these motions, their different directions, positions and changes, it was necessary to have recourse to the source of these Phenomena, and to make some parts of the Copernic system, relative to this object, the base of all these apparent changes; we therefore made use of the wheel which produced the eccentric motion of the Earth, to represent likewise the mean revolutions of Mercury and Venus, such as they have been already described in the Copernic system; and having given to all these revolutions their proportionate eccentricity, we placed Mercury at 4, and Venus at 7 of the 10 parts which we supposed between the center of the Sun and the Earth: we then suspended the rod of every Planet within the slit of an arm, proportioned to the thickness of the rod, and descending in a straight line as long as the diameter of the orbit of the Planets required it.

These arms, connected to two sockets projecting out of the upper part of the globe, give unto the two Planets Mercury and Venus, which are fastened to the end of the steel rods above-mentioned, their motion, as it is observed from the Earth.

D

V. The

V.

The three superior Planets, Mars, Jupiter, and Saturn, differ in their motions from the two inferior ones, in that, that they describe their orbits without that of the Earth. Observed from the Earth, their motion appears quite different; for though Mars performs its mean revolution in 686 days, 22 hours and 21 min. this Planet is however seen advancing nearly 705 days in the Zodiac, remaining two days stationary, and afterwards retrograding 75 days.—It is likewise found retrograding 10 or 12° whenever it is in opposition with the Sun; and its retrograde motion is much slower than the direct one; for when it is in conjunction with the Sun, it advances 47' in one day, and in retrograding, it only makes 24' in the same space of time.

Its conjunctions with the Sun always take place at the end of 779 days, 22 hours, 28' and 26" of mean motion; but this time is often much prolonged or shortened on account of the eccentricity of Mars and the Sun.

The variations in the motions of Jupiter and Saturn which may be observed from the Earth, in regard to their synodic revolutions are as follows: the interval between one conjunction with the Sun to the other, is

For Jupiter 398 days 21 hours 15' 44"
 For Saturn 378 2 8 7"

In this time Jupiter advances during 284 days, and Saturn during 244 days; at the end of which they remain stationary, the first 4 days, and the second 8 days: and afterwards the first Planet appears retrograding during 119 days, and the second during 136 days; so that Jupiter goes back

back about 10° in the Zodiac, and Saturn about 7°; but both are slower in their retrograde motion than they are in their direct one.

When all these Phenomena, which result from the motion of the Earth, are properly considered, it would seem almost impossible to imitate in a Machine all these revolutions, which are sometimes much longer, and sometimes much shorter, on account of their eccentric motion; and which even may take place in different parts of the Zodiac; for Mercury does not resume the same position with regard to the Sun till after the expiration of 13 years and 3 days, Venus after 8 years and 2 days, Mars after 15 years and 19 days, Jupiter after 83 years and 1 day, and Saturn after 59 years and 2 days; or rather, to speak properly those Planets never return exactly to the same point.

But notwithstanding these difficulties all these motions are imitated in this Machine, and agree for more than a thousand years with those in the heavens: for even if the motion of the Planets is accelerated or retarded by their mutual attraction, that difference will never be so much as to be perceptible in a Machine so small, in comparison with the immense space of the Heavens, and the magnitude of the prodigious bodies there floating.

All these seeming unequal motions have been effected in the interior part of this sphere, by a contrivance and a mechanism founded on the Copernic system. In consequence, we have added to the mean and eccentric motion of each of the three superior Planets, and its proportionate distance from their center, the motion of the Earth, which is produced by the wheels of their eccentric revolutions.—Thus this Machine exhibits,

how these Planets run in their spiral line, with unequal celerity, and by a motion sometimes direct and sometimes retrograding, arrive at different periods to their solstitial points; their meeting each other, rising and setting, passing near certain fixed stars, and becoming invisible by hiding themselves in the beams of the Sun: so that this celestial sphere, representing the Universe in miniature, shews every Phenomena of the celestial bodies which may be observed either by day or by night; with this only difference, that this moveable celestial sphere is convex, whereas the heavens appear like a concave arch.

This view may be adapted to all latitudes, by placing the horizon to any given degree on the graduated meridian.

IV. THE CHRONOMETER.

This part of the Machine consists of three enamelled dials, one above another, and is put in motion by a Clock.—The uppermost dial, being the dial of the Clock, shews the hours and minutes; and by advancing the hand that points out the minutes in this dial, not only the Chronometer, but all the other parts of this Astronomical Machine are put in motion: the second, or middle dial, has four indexes, one of which also shews the hours of the day, and makes its revolution every 24 hours; the second shews the day of the week; the third shews the day of the month: this last has five points, under each of which is found the name of some month; and that under which the
name

name of the current month is found, shews the day of that month. And by this contrivance the exact day of every month is found during the whole year, whether the month has 30 or 31 days. It is only on the last of February that this index must be advanced 7 days in every common year, and 6 days every Bissextile or Leap year. The fourth index shews the current month. Two indexes on the lowermost dial shew the years we live in; one of them revolves once in 100 years, and the other in 8000. This last points out the two first figures, and the former the two last, of the christian æra, and the years passed since the creation of the world.

This Chronometer regulates all the different parts of the whole Astronomical Machine. If therefore it should happen, that the Clock should be forgotten to be wound up, not only all the systems would stop in their motion, but also all the indexes in the Chronometer, and which would point out in what year, what month, what day, what hour, and what minute the whole Machine was stopt.

The hand which marks the hour, consists of two indexes, one over another, and fastened together by a screw. The uppermost is connected with the Astronomical systems, and the other with the Clock only. Thus, if by undoing the screw the superior hand is loosened, and separated from the inferior, the hand which denotes the day may be turned, until all the other indexes of the Chronometer, which mark the time, are exactly upon the present day, hour, and minute; and fastening again the superior hand as before to the inferior one, and setting the hand which denotes the minute to the present minute, all the different
system,

systems will agree again with the then present appearance of the heavens.

By means of the same screw and a handle, some of these systems may be either stop'd, advanced, or set back for 10, 50, or 100 years, in order to make observations upon them, and be set again unto their primitive positions without either interrupting the motion of the Clock, or putting any thing in the Machine out of order. And though whole days, or months, should be taken up in making such observations, the revolutions of the Planets would not vary for a second. It is sufficient to loosen the hand as mentioned above, and turning that which denotes the days until all the others are brought again to the year, the month, the day, and the hour then present, and having again fastened that hand, by means of the screw, to the inferior one, and set these joint hands to the exact minute, all the systems will perfectly agree again with those in the heavens.

SECTION II.

Of the Mechanism.

The Clock, which puts the whole in motion, as well as all the other parts of the Astronomical systems, are very accurately made of steel and brass. It has a pendulum, which beats seconds, and is put in motion by a weight of 12 pounds, and must be wound up every eight days.

As to the solidity of this Machine, and the friction to which its various parts are subject, there

is

is not the least apprehension to be entertained: since the slow motion of the wheels has been effected by so small a force that it meets but little resistance. This may be concluded from the small weight by which the Clock, and by its means, the whole Machine, is put in motion. The weight, it is true, is 12 pounds; but as the Clock is wound up but every 8 days, the proportion thereof, which applies upon the wheel that shews the hours, and with which all the other parts of the Machine are connected, is scarcely $1\frac{1}{2}$ pound.

The reason why such a small force is sufficient for the motion of so many works, is the horizontal arrangement and situation of all the parts of the Machine; as no weight is to be raised, and all the wheels turn round their centre.

SECTION III.

Of the Exterior Figure.

The outward appearance of this Machine is represented in the plate here annexed:

Fig. 1, 2, 3, and 4, represent the elevation of this Machine.

Fig. 5, the plan of the same.

Fig. 1. The Chronometer.

Fig. 2. Is a glass case, with a globular top, that contains the Copernic system without Satellites.

Fig. 3. Within this case are the systems of the Earth, Jupiter, and Saturn, with their Moons.

Fig.

Fig. 4. Is the Celestial globe upon its pillar, detached from the Machine, as it would hide some part of the Chronometer: its proper place is marked with the letter *a* on the plan, Fig. 5.

All the outward parts are made of hard wood, and executed with the greatest care and perfection. The ornaments are chased and double gilt. The systems are surrounded and covered with glass; so that all the motions may be observed without taking off the covers.

The Chronometer.




Fig. 5.

*The Chronometer,
and
Planetary Systems.*

Fig. 1.




Fig. 2.



Fig. 3.



Fig. 4.




Fig. 5.