

- Elliott, P.N.C., Ford-Hutchinson, A.W., Harford, D.J., Insley, M.Y., Smith, M.J.H., and Sturgess, E.A.** 1973. Anti-inflammatory activity in human plasma. *J. Pharm. Pharmacol.* 25: 408.
- Elliott, P.N.C., Ford-Hutchinson, A.W., and Smith, M.J.H.** 1974. Anti-inflammatory and irritant effects of a fraction from normal human plasma. *Br. J. Pharmacol.* 50: 253-257.
- Emerson, L., and Kerkut, G.A.** 1974. Effect of oral administration of degraded carrageenan on the induction of gastric ulcers in rats treated with glucocorticoids. *J. Comp. Pathol.* 84: 151-160.
- Emmons, D.R., Beckett, D.C., and Larmond, E.** 1972. Physical properties and storage stability of milk-based puddings made with various starches and stabilizers. *Can. Inst. Food Sci. Tech. J.* 5: 72-76.
- Engster, M., and Abraham, R.** 1976. Cecal response to different molecular weights and types of carrageenan in the guinea pig. *Toxicol. Appl. Pharmacol.* 38: 265-282.
- Enright, C.T.** 1977. *Competitive Interaction between Chondrus crispus (Rhodophyceae) and the Weed Species Ulva lactuca (Chlorophyceae) in Chondrus Aquaculture.* M.Sc. Thesis, Dalhousie University, Halifax, N.S.
- Enright, C.T.** 1978. Competitive interaction between *Chondrus crispus* (Florideophyceae) and *Ulva lactuca* (Chlorophyceae) in *Chondrus* aquaculture. *Proc. Int. Seaweed Symp.* 9: 209-218.
- Ercoli, N.** 1975. Experimental and clinical investigations on an anti-inflammatory preparation for topical use: 10 undecen 1-yl-thiopseudourea (AHR 1911). *Med. Cutanea Ibero-Lat. Am.* 3: 393-397. (in Spanish)
- Esterly, J.R., and Schreider, J.P.** 1972. Carrageenan granuloma enzyme histochemistry in the adult and new born rat. *Am. J. Pathol.* 66: 36A-37A. (Abstr.)
- Evaluation of a new Irish moss (*Chondrus crispus*) harvesting method and a survey of potential harvesting sites. 1974. Nova Scotia Research Foundation, Dartmouth, N.S., Project 9025/9026, 75 pp.
- Evaluation of the health aspects of carrageenan as a food ingredient. 1973. U.S. NTIS, PB-266877, 22 pp.
- Evans, D., Smith, C.E., and Williamson, W.R.N.** 1977. Synthesis and anti-inflammatory activity of some 2-substituted 4- and 7-benzoxazoleacetic acids and alpha-methylacetic acids. *J. Med. Chem.* 20: 169-171.
- Eveleigh, M.J., Vollmer, C.M., and McCandless, E.L.** 1978. Differentiation of lambda carrageenans from Rhodophyta with immunological and spectroscopic techniques. *J. Phycol.* 14: 89-91.
- Everson, N.W., Stacey, R.L., and Bell, P.R.F.** 1977. Effect of lambda-carrageenan on the survival of rat heart transplants. *Transplantation* 24: 393-394.
- Exemptions from the requirements of a tolerance. 1978. *Fed. Regist.* 43: 55403.
- Fabian, R.J., Abraham, R., Coulston, F., and Golberg, L.** 1973. Carrageenan-induced squamous metaplasia of the rectal mucosa in the rat. *Gastroenterology* 65: 265-276.
- Famaey, J.P., and Colinet, E.** 1975. Rofenid in the treatment of hip arthrosis. Double blind study. *Brux. Med.* 55: 23-29. (in French)
- Fanelli, O., Trallori, L., Mazzoncini, V., and Bianchi, G.** 1973. Anti-inflammatory activity of the uricosuric agent 2-phenyl-5-bromoindandione (Uridion). *Boll. Chim. Farm.* 112: 401-408. (in Italian)
- Fanshawe, W.J., Bauer, V.J., and Safir, S.R.** 1972. Synthesis and alkylation of tetrahydrofuro[3, 4-c] pyrazolols. *J. Med. Chem.* 15: 980-982.
- Faulkner, C.S., Harris, E.D., and Connolly, K.S.** 1975. Rheumatoid arthritis, histological and ultrastructural observations in the articular cartilage. *Lab. Invest.* 32: 445. (Abstr.)
- Felix, W., and Remien, J.** 1976. Influence of drugs on transcapillary fluid exchange in the hind leg of cat in vivo. *Arzneim. Forsch.* 26: 1237.

- Fernbach, B.R., Kirchner, H., Bonnard, G.D., and Herberman, R.B.** 1976. Suppression of mixed lymphocyte response in mice bearing primary tumors induced by murine sarcoma virus. *Transplantation* 21: 381-386.
- Ferraresi, R.W., Rooks, W.H., Nakano, G.M., Ringold, H.J., and Kidson, C.** 1975. A selective inhibitor of the elicitation of immune-mediated reactions. *J. Allergy Clin. Immunol.* 55: 25-34.
- Ferraresi, R.W., Roszkowski, A.P., Kepel, E., and White, A.** 1974. Sodium 7-methylsulfinylxantone-2-carboxylate (SMX), a potent inhibitor of rat reaginic-mediated inflammation. *Fed. Proc.* 33: 762. (Abstr.)
- Ferreira, S.H.** 1974. Contribution of prostaglandins to the inflammatory signs and symptoms. *Biochem. Soc. Trans.* 2: 1189-1192.
- Ferreira, S.H.** 1976. Inhibition of prostaglandin biosynthesis as the mechanism of action and the therapeutic effect of non-steroid anti-inflammatory agents. In *Inflammatory Arthropathies* (ed. Huskisson, E.C., and Velo, G.P.) Excerpta Medica, Amsterdam. pp. 31-44.
- Ferreira, S.H., Flower, R.J., Parsons, M.F., and Vane, J.R.** 1974. Reduction of the inflammatory response in rats immunized against prostaglandins. *Prostaglandins* 8: 433-437.
- Ferreira, S.H., Harvey, E.A., Higgs, G.A., and Vane, J.R.** 1976. The effect of anti-inflammatory drugs on the production of prostaglandins in vivo. *Adv. Prostaglandin Thromboxane Res.* 2: 850. (Abstr.)
- Ferreira, S.H., Harvey, E.A., and Vane, J.R.** 1977. Hyperalgesia inflammatory edema and prostaglandins. *6th Int. Congr. Pharmacol., Pharmacol. Abstr.:* 429.
- Ferreira, S.H., Lorenzetti, B.B., and Correa, F.M.A.** 1978. Antialgesic effect of nonsteroid anti-inflammatory drugs and the synergism between central and local hyperalgesic effects of prostaglandins. *Prostaglandins* 15: 703-704. (Abstr.)
- Ferreira, S.H., Lorenzetti, B.B., and Correa, F.M.A.** 1978. Blockade of central and peripheral generation of prostaglandins explains the analgesic effect of aspirin-like drugs. *Pol. J. Pharmacol. Pharm.* 30: 133-140.
- Ferreira, S.H., Moncada, S., Parsons, M., and Vane, J.R.** 1974. The concomitant release of bradykinin and prostaglandin in the inflammatory response to carrageenan. *Br. J. Pharmacol.* 52: 108P-109P.
- Ferreira, S.H., Moncada, S., and Vane, J.R.** 1974. Prostaglandins and signs and symptoms of inflammation. In *Prostaglandin Synthetase Inhibitors* (ed. Robinson, H.J., and Vane, J.R.) Raven, New York. pp. 175-187.
- Ferreira, S.H., Nakamura, M., and De Abreu Castro, M.S.** 1978. The hyperalgesic effects of prostacyclin and prostaglandin E<sub>2</sub>. *Prostaglandins* 16: 31-38.
- Ferreira, S.H., Ubatuba, F.B., and Vane, J.R.** 1976. Platelets, acute inflammation and inflammatory mediators. *Agents Actions* 6: 313-319.
- Ferreira, S.H., Zanin, M.T., and Lorenzetti, B.B.** 1977. Relationships between increased vascular permeability edema hyperalgesia and the effect of nonsteroid anti-inflammatory drugs. In *Perspectives in Inflammation* (ed. Willoughby, D.A., Giroud, J.P., and Velo, G.P.) University Park Press, Baltimore. pp. 507-513.
- Ferreira, S.H., Zanin, T., Lorenzetti, B.B., De Souza, M.Z.A., Medeiros, M.C., and Garcia Leme, J.** 1978. Increased vascular permeability edema and hyperalgesia caused by carrageenan in the rat paw. *Agents Actions* 8: 159.
- Fialova, E., and Hnik, P.** 1977. Changes in integrated vagal afferent activity induced by model lung diseases in rats. *Physiol. Bohemoslov.* 26: 209-218.
- Fitzgerald, M.P., Husain, A., Hutber, G.N., and Rogers, L.J.** 1977. Studies on the flavodoxins from a cyanobacterium and a red alga. *Biochem. Soc. Trans.* 5: 1505-1506.
- Fitzgerald, M.P., Husain, A., and Rogers, L.J.** 1978. A constitutive flavodoxin from a eukaryotic alga. *Biochem. Biophys. Res. Commun.* 81: 630-635.
- Flavored beverage composition. 1972. *British Patent* 1,260,776.

- Flower, R.J., Harvey, E.A., and Kingston, W.P. 1976. Inflammatory effects of prostaglandin D<sub>2</sub> in rat and human skin. *Br. J. Pharmacol.* 56: 229-233.
- Foerster, H. 1977. Physiological aspects during the consumption of plant hydrocolloids. *Ber. Getreidechem.-Tag., Detmold*: 193-198. (in German)
- Foerster, H. 1977. Physiological aspects with the consumption of vegetable hydrocolloids. *Getreide Mehl. Brot.* 31: 301-304. (in German)
- Foerster, H., and Hoos, I. 1977. Experimental animal studies on the effects of plant hydrocolloids (swelling substances) on intestinal absorption. *Z. Ernährungswiss.* 16: 140-149. (in German)
- Foerster, H., and Hoos, I. 1977. Influence of gums on intestinal absorption. *Nutr. Metab.* 21 (Suppl. 1): 262-264.
- Foerster, O. 1976. The effect of deplementation on model experimental inflammatory responses (rat paw oedema). *Wien. Klin. Wochenschr.* 88: 105-112. (in German)
- Fontagne, J., Timsit, J., Giroud, J.P., and Lechat, P. 1973. Inflammatory and anti-inflammatory properties of some oxidizing substances. *Arch. Int. Pharmacodyn. Ther.* 206: 242-252. (in French)
- Forbes, R.V., and Rosenberg, F.A. 1972. Interrelationships of some marine bacteria with marine algae. *Abstr. Annu. Meet. Am. Soc. Microbiol.* 72: 21.
- Ford-Hutchinson, A.W., Elliott, P.N.C., Bolam, J.P., and Smith, M.J.H. 1974. The effects of a human plasma fraction on carrageenan-induced paw edema in the rat. *J. Pharm. Pharmacol.* 26: 878-881.
- Ford-Hutchinson, A.W., Insley, M.Y., Elliott, P.N.C., and Sturgess, E.A. 1973. Anti-inflammatory activity in human plasma. *J. Pharm. Pharmacol.* 25: 881-886.
- Ford-Hutchinson, A.W., and MacIntyre, D.E. 1978. Effects of prostaglandin analogues on rat carrageenan-induced paw oedema. *J. Pharm. Pharmacol.* 30: 527-528.
- Ford-Hutchinson, A.W., Smith, M.J.H., Elliott, P.N.C., Bolam, J.P., Walker, J.R., Lobo, A.A., Badcock, J.K., Colledge, A.J., and Billimoria, F.J. 1975. Effects of a human plasma fraction on leukocyte migration into inflammatory exudates. *J. Pharm. Pharmacol.* 27: 106-112.
- Ford-Hutchinson, A.W., Walker, J.R., Davidson, E.M., and Smith, M.J.H. 1978. Prostaglandin I<sub>2</sub>, a potential mediator of inflammation. *Prostaglandins* 16: 253-258.
- Fowler, E.F., and Thomson, A.W. 1978. Effect of carrageenan on activity of the mononuclear phagocyte system in the mouse. *Br. J. Exp. Pathol.* 59: 213-219.
- Fowler, E.F., Thomson, A.W., and Horne, C.H.W. 1977. Alleviation of carrageenan-induced hepatotoxicity and acronecrosis by aprotinin. *Br. J. Exp. Pathol.* 58: 260-267.
- Fraizier, A. 1974. Relation between the physicochemical form of ruthenium-106 and contamination phenomena observed experimentally in various marine species. In *Comparative Studies of Food and Environmental Contamination* (ed. Beck, E.R.A.) International Atomic Energy Agency, Vienna. pp. 135-148. (in French)
- Fralick, R.A., and Ryther, J.H. 1976. Uses and cultivation of seaweeds. *Oceanus* 19: 33-39.
- Francis, A.J., and Marks, R. 1977. The effects of anti-prostaglandin agents on epidermal proliferation induced by dermal inflammation. *Br. J. Dermatol.* 97: 395-400.
- Francis, A.J., and Marks, R. 1977. Factors responsible for dermally induced epidermal hyperplasia. *Arch. Dermatol. Forsch.* 258: 275-280.
- Fregnan, G.B., and Torsello, A.L. 1975. Topical anti-inflammatory activity of dexamethasone 17-valerate and other corticosteroids. *Curr. Ther. Res. Clin. Exp.* 17: 375-381.
- Fregnan, G.B., Torsello, A.L., and Brunet, S. 1974. Local anti-inflammatory properties of etoclofene. New fenamate derivative. *Pharmacology* 11: 213-219.
- Freire, M., and Ribas, I. 1975. Chemical study of *Chondrus crispus*. *An. Quim.* 71: 418-422. (in Spanish)

- Fujihiro, E., Tarumoto, Y., Ajioka, M., Mori, T., and Nakazawa, M. 1973. Analgesic effect of *o*-isobutyrylthiamine disulfide on experimentally induced pain. *Yakugaku Zasshi* 93: 388-391. (in Japanese)
- Fujimoto, K., Hayashi, S., Sakurai, M., Kitatani, T., Moriyama, Y., and Sakaguchi, T. 1975. Pharmacological action of 9-fluoro-11 $\beta$ , 21-dihydroxy-16 $\alpha$ -methylpregna-1,4-diene-3,20-dione (A 41304). *Oyo Yakuri* 10: 207-217. (in Japanese)
- Fujimura, H., Tsurumi, K., Hiramatsu, Y., Tamura, Y., Kokuba, S., and Yanagihara, M. 1975. Pharmacological studies on 5-benzoyl-alpha-methyl-2-thiophene acetic acid (RU-15060). I. Anti-inflammatory and analgesic activities. *Oyo Yakuri* 9: 715-725. (in Japanese)
- Fujimura, H., Tsurumi, K., Nozaki, M., and Kyuki, K. 1977. Anti-inflammatory property of 6-chloro-5-cyclohexyl-1-indancarboxylic acid (TAI-284). *Folia Pharmacol. Jpn.* 73: 837-850. (in Japanese)
- Fujita, H., and Toyoshima, S. 1975. Anti-inflammatory activity of new amino acid derivatives. *Jpn. J. Pharmacol.* 25 (Suppl.): 107P. (Abstr.)
- Fujiwara, M. 1977. Cellular mechanisms of the resistance to the induction of immunological tolerance. *Immunology* 32: 783-791.
- Fukawa, K., Irino, O., Bando, K., Kawano, O., Kanazuka, T., and Misaki, N. 1977. Studies on the anti-inflammatory agents. I. Anti-inflammatory, analgesic and antipyretic effects of clofezone. *Oyo Yakuri* 13: 363-371. (in Japanese)
- Fukuhara, M. 1972. Modifications of collagen and nonfibrillar proteins and cathepsin activity in the carrageenin granuloma. *Pathol. Biol.* 20: 887-894. (in French)
- Fukuhara, M. 1972. Modifications of protein metabolism caused by hydrocortisone in carrageenin granulomas. *C.R. Acad. Sci. Ser. D* 274: 2826-2829. (in French)
- Fukuhara, M., and Takabatake, E. 1977. Modification of the drug-metabolizing enzyme activity of rats in carrageenin-induced inflammation. *Chem. Pharm. Bull.* 25: 3107-3110.
- Furnadziev, G., and Sipocliev, T. 1976. Studies upon the anti-inflammatory action of medical herbs included in the composition of certain antiparadontosis medicines. *Stomatologiya (Sofia)* 58: 272-277. (in Bulgarian)
- Furusawa, Y., Kurosawa, Y., and Chuman, I. 1973. Trypsin inhibitor in oriental drug plants and its anti-inflammatory effect. *Nippon Nogei Kagaku Kaishi* 47: 359-365. (in Japanese)
- Gabor, M., and Blazso, G. 1978. Effect of *O*-(beta-hydroxyethyl)-rutin on rat-paw edema induced by carrageenin and prostaglandin E<sub>1</sub>. In *Flavonoids and Bioflavonoids* (ed. Farkas, L., Gabor, M., Kallay, F.) Elsevier, Amsterdam. pp. 381-386.
- Gabor, M., and Blazso, G. 1978. Effect of *O*-( $\beta$ -hydroxyethyl) rutin on rat food edema elicited by carrageenin and prostaglandin E<sub>1</sub>. *Orvostud. Aktual. Probl.* 31: 25-30. (in Hungarian)
- Gallagher, E.T., Harris, N., Morin, P.D., and Wight, T.N. 1978. Effects of carrageenan on chick embryo fibroblasts in vitro, a preliminary study. *Scanning Electron Microsc.* 2: 779-784.
- Gangolli, S.D., Wright, M.G., and Grasso, P. 1973. Identification of carrageenan in mammalian tissues, an analytical and histochemical study. *Histochem. J.* 5: 37-48.
- Garay, P., Luz, O., Fuertes, R.C., and Ching Puente, O.A. 1976. Isolation and structural observations of the polysaccharide content of *Gigartina chamissoi* collected on the shores of Chancay. *Bol. Soc. Quim. Peru* 43: 57-66. (in Spanish)
- Garcia Leme, J., Bechara, G.H., and Sudo, L.S. 1977. The pro-inflammatory function of lymphocytes in nonimmune inflammation: Effect of steroidal and nonsteroidal anti-inflammatory agents. *Br. J. Exp. Pathol.* 58: 703-711.
- Garcia Leme, J., Bohm, G.M., Migliorini, R.H., and De Souza, M.Z.A. 1974. Possible participation of insulin in the control of vascular permeability. *Eur. J. Pharmacol.* 29: 298-306.



- Garcia Leme, J., Hamamura, L., Leite, M.P., and Rocha e Silva, M.** 1973. Pharmacological analysis of the acute inflammatory process induced in the rat's paw by local injection of carrageenin and by heating. *Br. J. Pharmacol.* 48: 88-96.
- Garcia Leme, J., Hamamura, L., Migliorini, R.H., and Leite, M.P.** 1973. Influence of diabetes upon the inflammatory response of the rat, a pharmacological analysis. *Eur. J. Pharmacol.* 23: 74-81.
- Garcia Leme, J., Morato, M., and Souza, M.Z.A.** 1975. Anti-inflammatory action of glucagon in rats. *Br. J. Pharmacol.* 55: 65-68.
- Garcia Leme, J., Ramos de Oliveira, J.C., Sudo, L.S., and Verissimo de Mello, S.B.** 1978. Persistent inflammatory responses enhance the pro-inflammatory activity of lymphocytes. *Br. J. Exp. Pathol.* 59: 345-353.
- Garcia Leme, J., and Schapoval, E.E.S.** 1975. Stimulation of the hypothalamo-pituitary-adrenal axis by compounds formed in inflamed tissue. *Br. J. Pharmacol.* 53: 75-83.
- Gatfield, I.L., and Stute, R.** 1972. Enzymatic reactions in the presence of polymers: The competitive inhibition of trypsin by gamma carrageenan. *FEBS Lett.* 28: 29-31.
- Gatfield, I.L., and Stute, R.** 1975. Enzymatic reactions in the presence of polymers: Influence of pH upon the interaction between horseradish peroxidase and ionic polymers. *Lebensm. Wiss. Technol.* 8: 121-122.
- Gemsa, D., Seitz, M., Kramer, W., Till, G., and Resch, K.** 1978. The effects of phagocytosis, dextran sulfate and cell damage on PGE<sub>1</sub> sensitivity and PGE<sub>1</sub> production of macrophages. *J. Immunol.* 120: 1187-1194.
- Genu carrageenan.* [1977]. Copenhagen Pectin Factory Ltd., Lille Skensved, Denmark.
- Gerbzer, G.M.** 1972. Gelled electrolyte for batteries. *French Patent* 1,605,048.
- Ghatak, N., and Basu, N.** 1972. Sodium curcuminatate as an effective anti-inflammatory agent. *Indian J. Exp. Biol.* 10: 235-237.
- Ghosh, M.N., and Singh, H.** 1974. Inhibitory effect of a pyrrolizidine alkaloid, crotalaburnine, on rat paw edema and cotton-pellet granuloma. *Br. J. Pharmacol.* 51: 503-508.
- Gianni, A.M., and Gaggi, R.** 1975. Preliminary investigations on a new anti-inflammatory steroid (cortivazol). *Boll. Chim. Farm.* 114: 279-286.
- Gieldanowski, J., and Szaga, B.** 1974. Anti-inflammatory and immunosuppressive activity in the group of cyclic N-substituted hydroxypyrimidine derivatives. *Arch. Immunol. Ther. Exp.* 22: 261-269.
- Gilchrest, H., and Watnick, A.S.** 1977. Edema formation and neutrophil mobilization in the neutropenic rat. *Agents Actions* 7: 529-532.
- Gillard, G.C., and Lowther, D.A.** 1976. Carrageenin-induced arthritis. II. Effect of intraarticular injection of carrageenin on the synthesis of proteoglycan in articular cartilage. *Arthritis Rheum.* 19: 918-922.
- Gillberg, L., and Tornell, B.** 1976. Preparation of rapeseed protein isolates: Precipitation of rapeseed proteins in the presence of polyacids. *J. Food Sci.* 41: 1070-1075.
- Giroud, J.P., and Timsit, J.** 1972. Relation between the anti-inflammatory and anticomplement properties of protamine sulfate and hexadimethrine bromide. *Therapie* 27: 297-307. (in French)
- Giroud, J.P., and Timsit, J.** 1973. Studies of various anticoagulant polysaccharides on the inflammatory response and on the complement system. *Therapie* 28: 889-905. (in French)
- Giroud, J.P., Velo, G.P., Dunn, C.J., Timsit, J., and Willoughby, D.A.** 1974. Distribution of prostaglandins in inflammatory exudate. In *Future Trends in Inflammation* (ed. Velo, G.P., Willoughby, D.A., and Giroud, J.P.) Piccin Medical Books, Padua, Italy. pp. 19-36.

- Giroud, J.P., Willoughby, D.A., and Dunn, C.J.** 1978. Interrelationships of cyclic nucleotides and prostaglandins in the inflammatory process. *Front. Matrix Biol.* 6: 185-192.
- Glankowski, E.J., Gal, G., and Sletzinger, M.** 1973. The aldehyde analog of indomethacin. *J. Med. Chem.* 16: 176-177.
- Glenn, E.M., Bowman, B.J., and Rohloff, N.A.** 1977. Anti-inflammatory and PG inhibitory effects of phenacetin and acetaminophen. *Agents Actions* 7: 513-516.
- Glicksman, M.** 1973. Art et manière de choisir un hydrocolloïde végétal et un émulsifiant dans une formulation alimentaire. In *Gommes et Colloïdes Végétaux Naturels Hydrosolubles, Troisième Symposium Européen*. Société Iranex, Marseille. pp. 113-136.
- Glicksman, M.** 1976. Present and future uses of hydrocolloids in foodstuffs. In *Gums and Hydrosoluble Natural Vegetal Colloids, Fourth International Symposium*. Iranex, Marseille. pp. 185-214.
- Go, K., Hayashi, M., Tsurumi, K., and Fujimura, H.** 1974. Action of flavonoids on increased vascular permeability and fragility. *Gifu Daigaku Igakubu Kiyo* 22: 582-596. (in Japanese)
- Go, K., et al.** 1975. Pharmacology of diftalone (phthalazino (2, 3-b) phthalazine-5(14H),12(7H)-dione,-b)phthalazine 5(14H)-dione, (L 5418). *Nippon Yakurigaku Zasshi* 71: 23P-24P. (in Japanese)
- Godhwani, J.L., Madan, B.R., and Vyas, D.S.** 1975. Anti-inflammatory and related activities of some recently synthesized thiamine derivatives. Experimental study. *Indian J. Med. Res.* 63: 1008-1017.
- Godlewski, J., Fontagne, J., Tissot, M., Loizeau, M., and Lechat, P.** 1976. Influence of mepyramine and compound 48/80 on the histamine content of pleural exudates in the rat. *Arch. Int. Pharmacodyn. Ther.* 223: 142-154. (in French)
- Gohl, B., and Gohl, I.** 1977. The effect of viscous substances on the transit time of barley digesta in rats. *J. Sci. Food Agric.* 28: 911-915.
- Golberg, L.** 1977. Challenges presented by macromolecular food additives. *6th. Int. Congr. Pharmacol., Pharmacol. Abstr.*: 349.
- Goldenberg, M.M., and Ilse, A.C.** 1977. Anti-inflammatory activity of EU-2972, 2-(3,4-dichlorophenylamino)quinolinizinium bromide. *Arch. Int. Pharmacodyn. Ther.* 228: 153-161.
- Goldman, J.C., Ryther, J.H., and Gifford, C.E.** 1974. Removal of inorganic nitrogen in an integrated food chain system. In *The Use of Flowing Biological Systems in Aquaculture, Sewage Treatment, Pollution Assay and Food-Chain Studies* (Ryther, J.H.) U.S. NTIS, PB-241529. pp. 91-109.
- Goldsmith, L.A., and Carlson, G.P.** 1974. Pharmacological activities of a toxin from *Asterias forbesi*. *Pharmacologist* 16: 208. (Abstr.)
- Golovtchenko, A.M., Seval, R., Jardillier, J.C., Buret, J.P., and Agneray, J.** 1972. Characterization of a bacterial glycoprotein with anti-inflammatory activity and which stimulates the organisms nonspecific defence mechanisms. *C.R. Acad. Sci. Ser. D* 274: 955-958. (in French)
- Gomarasca, P., D'Atri, G., Cerutti, S., and Forlani, A.** 1976. Antiedema activity of a nonsteroid physiological anti-inflammatory substance. *Muench. Med. Wochenschr.* 118: 173-176. (in German)
- Gommes et Colloïdes Végétaux Naturels Hydrosolubles, Troisième Symposium Européen*. 1973. Société Iranex, Marseille.
- Gordon, E.M., and McCandless, E.L.** 1973. Ultrastructure and histochemistry of *Chondrus crispus* Stackhouse. *Proc. N.S. Inst. Sci.* 27 (Suppl., *Chondrus crispus*): 111-133.
- Gordon, J.L., MacIntyre, D.E., and McMillan, R.M.** 1977. Stimulation of platelets and macrophages by carrageenin. *Br. J. Pharmacol.* 61: 140P-141P.

- Gordon-Mills, E.M., and McCandless, E.L.** 1975. Carrageenans in the cell walls of *Chondrus crispus* Stack. (Rhodophyceae, Gigartinales). I. Localization with fluorescent antibody. *Phycologia* 14: 275-281.
- Gordon-Mills, E.M., and McCandless, E.L.** 1977. Carrageenans in the cell walls of *Chondrus crispus* (Rhodophyceae, Gigartinales). II. Birefringence. *Phycologia* 16: 169-177.
- Gordon-Mills, E.M., Tas, J., and McCandless, E.L.** 1978. Carrageenans in the cell walls of *Chondrus crispus* (Rhodophyceae, Gigartinales). III. Metachromasia and the topo-optical reaction. *Phycologia* 17: 95-104.
- Gorog, P., and Kovacs, I.B.** 1972. Inhibitory effect of phenformin in adjuvant arthritis of the rat. *Pharmacology* 7: 96-100.
- Gorog, P., and Kovacs, I.B.** 1978. Anti-inflammatory effect of sialic acid. *Agents Actions* 8: 543-545.
- Goto, K., Hisadome, M., and Imamura, H.** 1976. Studies on anti-inflammatory agents. XXXIX. Effects of 2-(5H-[1] benzopyrano-[2,3-b]pyridin-7-yl)propionic acid (Y-8004) on leukocyte emigration and enzyme release from emigrated leukocytes in vivo. *Yakugaku Zasshi* 96: 1013-1021. (in Japanese)
- Gouret, C., Mocquet, G., and Raynaud, G.** 1976. Use of Freund's adjuvant arthritis test in anti-inflammatory drug screening in the rat: Value of animal selection and preparation at the breeding center. *Lab. Anim. Sci.* 26: 281-287.
- Graham, H.D.** 1972. o-Tolidine and sodium hypochlorite for the determination of carrageenan and other ester sulfates. *J. Dairy Sci.* 55: 1675-1682.
- Graham, H.D.** 1977. Analytical methods for major plant hydrocolloids. In *Food Colloids* (ed. Graham, H.D.) Avi, Westport, Conn. pp. 540-579.
- GRAS (generally recognized as safe) food ingredients: Carrageenan. 1972. *U.S. NTIS*, PB-221206, 70 pp.
- Grasso, P., Gangolli, S.D., Butterworth, K.R., and Wright, M.G.** 1975. Studies on degraded carrageenan in rats and guinea pigs. *Food Cosmet. Toxicol.* 13: 195-202.
- Grasso, P., Sharratt, M., Carpanini, F.M.B., and Gangolli, S.D.** 1973. Studies on carrageenan and large-bowel ulceration in mammals. *Food Cosmet. Toxicol.* 11: 555-564.
- Gremil, H., and Wild, J.** 1974. Turbidity-producing agent for nonalcoholic drinks. *French Patent* 2,218,841.
- Gringauz, A.** 1976. Synthesis of 2'-acetoxybiphenyl-2-carboxylic acid and its derivatives as potential anti-inflammatory and analgesic agents. *J. Pharm. Sci.* 65: 291-294.
- Grisar, J.M., Claxton, G.P., Wiech, N.L., Lucas, R.W., and MacKenzie, R.D.** 1973. Benzhydryl and fluorenyl lactamimides with hypoglycemic, diuretic, blood platelet aggregation inhibitory, and anti-inflammatory activities. *J. Med. Chem.* 16: 885-893.
- Groupe, V., and Donovick, R.** 1977. Experiences in the search for anti-inflammatory agents of microbial origin. *J. Antibiot.* 30: 1080-1086.
- Gryglewski, R.J.** 1977. Some experimental models for the study of inflammation and anti-inflammatory drugs. *Agents Actions Suppl.* 3: 17-23.
- Guegueniat, P., Ancellin, J., and Bovard, P.** 1972. Observations on in situ contamination of several marine species with ruthenium-106 and zirconium-95. *Rapp. P.-V. Reun.* 21: 311-313. (in French)
- Guht, F.** 1972. Lactose from whey. *German Patent* 2,053,673.
- Guiseley, K.B.** 1978. Modified kappa-carrageenan. *U.S. Patent* 4,096,327.
- Guiseley, K.B.** 1978. Some novel methods and results in the sulfation of polysaccharides. *ACS Symp. Ser.* 77: 148-162.
- Gums and Hydrosoluble Natural Vegetal Colloids, Fourth International Symposium.* 1976. Iranex, Marseille.

- Gupta, A.K., and Bhargava, K.P.** 1977. Piperazino carbamides as anti-inflammatory agents. *Indian J. Pharm.* 39: 155. (Abstr.)
- Gupta, S.K., Sharma, R.C., Aggarwal, O.P., and Arora, R.B.** 1972. Anti-inflammatory activity of the oil isolated from *Cyperus scariosus* (R.Br.) *Indian J. Exp. Biol.* 10: 41-42.
- Gupta, S.S., Chandra, D., and Mishra, N.** 1972. Anti-inflammatory and anti-hyaluronidase activity of volatile oil of *Curcuma longa*. *Indian J. Physiol. Pharmacol.* 16: 264. (Abstr.)
- Hadert, H.** 1974. Alginates and carrageenates in cosmetics. *Kosmetika (Zurich)* 2: 18-20. (in German)
- Haines, K.C.** 1976. Growth of the carrageenan-producing tropical red seaweed *Hypnea musciformis* in surface water, 870 m deep water effluent from a clam mariculture system, and in deep water enriched with artificial fertilizers or domestic sewage. *Tenth European Symposium on Marine Biology*, 1: 207-220.
- Hamor, G.H., and Rubessa, F.** 1972. Heterocyclic O-substituted hydroxylamines: Anti-inflammatory activity and possible inhibition of histamine biosynthesis. *J. Med. Chem.* 15: 470-471.
- Han, K.S., and Shim, B.S.** 1977. Mechanism of hyperhaptoglobinemia by carrageenan. *Korean J. Biochem.* 9: 59 (Abstr.)
- Hanic, L.A.** 1973. Cytology and genetics of *Chondrus crispus*, Stackhouse. *Proc. N.S. Inst. Sci.* 27 (Suppl., *Chondrus crispus*): 23-52.
- Hanic, L.A.** 1977. Growing *Chondrus crispus* (Irish moss) in the sea. *J. Phycol.* 13 (Suppl.): 26. (Abstr.)
- Hanic, L.A., and Pringle, J.D.** 1978. Outplant method for phenological studies of *Chondrus crispus* in mechanically harvested beds. *J. Fish. Res. Board Can.* 35: 336-338.
- Hanic, L.A., and Pringle, J.D.** 1978. Pottery, a substrate for algal culture. *Br. Phycol. J.* 13: 25-34.
- Hanna, N., and Leskowitz, S.** 1973. Structural requirements for in vivo and in vitro immunogenicity in hapten-specific delayed hypersensitivity. *Cell. Immunol.* 7: 189-197.
- Hansen, J.E., and Doyle, W.T.** 1976. Ecology and natural history of *Iridaea cordata* (Rhodophyta; Gigartinales): Population structure. *J. Phycol.* 12: 273-278.
- Hansen, P.M.T., and Renoll, M.W.** 1974. Heat-induced changes in the zone electrophoretic patterns of carrageenan stabilizers. *J. Food Sci.* 39: 103-107.
- Hanson, J.M., Morley, J., and Soria-Herrera, C.** 1974. Anti-inflammatory property of 401 (MCD-peptide), a peptide from the venom of the bee *Apis mellifera*. *Br. J. Pharmacol.* 50: 383-392.
- Harding, J.** 1976. Fibrous batts impregnated with aqueous dispersions based on heat-hardenable phenolic resins. *U.S. Patent* 3,944,703.
- Harding, S.M.** 1974. *Studies of Variations in Carrageenan and Effects of Growth Regulators in Chondrus crispus*. M.Sc. Thesis, Dalhousie University, Halifax, N.S.
- Hardtmann, G.E., Huegi, B., Koletar, G., Kroin, S., Ott, H., Perrine, J.W., and Takesue, E.I.** 1974. Synthesis and anti-inflammatory activity of some 1-alkyl-4-phenylpyrido-[2,3-d]pyrimidin-2(1H)-ones. *J. Med. Chem.* 17: 636-639.
- Harlin, M.M.** 1978. Nitrate uptake by *Enteromorpha* spp. (Chlorophyceae): Applications to aquaculture systems. *Aquaculture* 15: 373-376.
- Harlin, M.M., and Lindbergh, J.M.** 1977. Selection of substrata by seaweeds: Optimal surface relief. *Mar. Biol.* 40: 33-40.
- Harper, D., and West, G.B.** 1976. Anaphylactoid reactions in rats and the blood sugar level. *Int. Arch. Allergy Appl. Immunol.* 52: 407-411.

- Harrison, E.A., Rice, K.C., and Rogers, M.E.** 1977. Synthesis, phosphodiesterase inhibition and anti-inflammatory activity of 2-aryl-3-hydroxythieno[2,3-b]quinoline, 1,1-dioxides: Application of sodium chlorite as a novel reagent for the (stepwise) oxidation of sulfides to sulfones. *J. Heterocycl. Chem.* 14: 909-916.
- Harvesting Irish moss from the sea. 1978. *FMC Progress* 3: 6-10.
- Harvey, M.J., and McLachlan, J.** (editors). 1973. *Chondrus crispus*. *Proc. N.S. Inst. Sci.* 27(Suppl., *Chondrus crispus*): 1-155.
- Hastings, R.C., Morales, M.J., and Shannon, E.J.** 1976. Studies on the mechanism of action of thalidomide in leprosy. *Pharmacologist* 18: 218. (Abstr.)
- Hata, M., and Yokohama, Y.** 1976. Photosynthesis temperature relationships in seaweeds and their seasonal changes in the colder region of Japan. *Bull. Jpn. Soc. Phycol.* 24: 1-7. (in Japanese)
- Haug, A.** 1974. Chemistry and biochemistry of algal cell-wall polysaccharides. In *Plant Biochemistry* (ed. Northcote, D.H.) Butterworths, London, pp. 51-88.
- Hayashi, R.** 1978. Characteristics of carrageenan. *New Food Ind.* 20: 35-41. (in Japanese)
- Heilman, W.P., Battershell, R.D., Pyne, W.J., Goble, P.H., Magee, T.A., and Matthews, R.J.** 1978. Synthesis and anti-inflammatory evaluation of substituted isophthalonitriles, trimesonitriles, benzonitriles, and terephthalonitriles. *J. Med. Chem.* 21: 906-913.
- Hellenbrand, K.** 1978. Effect of pulp mill effluent on productivity of seaweeds. *Proc. Int. Seaweed Symp.* 9: 161-171.
- Heller, J.** 1976. The taxonomy and distribution of the *Enidae* (Mollusca: Pulmonata) of the Aegean Islands. *J. Molluscan. Stud.* 42: 371-393.
- Herberman, R.B., Nunn, M.E., Holden, H.T., and Lavrin, D.H.** 1975. Natural cytotoxic reactivity of mouse lymphoid cells against syngeneic and allogeneic tumors. II. Characterization of effector cells. *Int. J. Cancer* 16: 230-239.
- Herget, J., Vizek, M., Preclik, P., Palecek, F., and Cermakova, M.** 1978. The effect of repeated lung inflammations on pulmonary circulation in the rat. *Physiol. Bohemoslov.* 27: 245. (Abstr.)
- Herring, F., and MacBeth, C.** 1972. Quantity survey of *Chondrus crispus* and other marine plants, Northern Kings County of Prince Edward Island. Prince Edward Island Department of Fisheries, Charlottetown, P.E.I., and Department of the Environment, Industrial Development Branch, Ottawa, 88 pp.
- Herring, F., and MacBeth, C.** 1973. Quantity survey of *Chondrus crispus* and other marine plants: Covehead to Naufrage, Prince Edward Island. Prince Edward Island Department of Fisheries, Charlottetown, P.E.I., Tech. Rep. 130: 78 pp.
- Heyd, A., and Dhabhar, D.J.** 1975. Enhancing fluidity of concentrated antacid suspensions. *J. Pharm. Sci.* 64: 1697-1699.
- Higgs, E.A., Moncada, S., and Vane, J.R.** 1978. Inflammatory effects of prostacyclin (prostaglandin I<sub>2</sub>) and 6-oxo-prostaglandin F<sub>1</sub>α in the rat paw. *Prostaglandins* 16: 153-162.
- Hikino, H., Taguchi, T., Fujimura, H., and Hiramatsu, Y.** 1977. Anti-inflammatory principles of *Caesalpinia sappan* wood and of *Haematoxylon campechianum* wood. *Planta Med.* 31: 214-220.
- Himeno, K., Nomoto, K., and Takeya, K.** 1978. Effects of carrageenan and dextran sulfate on the expression and development of delayed hypersensitivity. *Microbiol. Immunol.* 22: 585-589.
- Hirai, K., and Sugimoto, H.** 1977. Synthesis of 2-disubstituted-amino-4-arylthiazol-5-ylalkanoic acids. *Chem. Pharm. Bull.* 25: 2292-2299.
- Hirase, S., and Wantanabe, K.** 1972. Presence of pyruvate residues in λ-carrageenan and a similar polysaccharide. *Bull. Inst. Chem. Res. Kyoto Univ.* 50: 332-336.
- Hirase, S., and Wantanabe, K.** 1972. Structure of kappa-carrageenan from *Gigartina tenella*. *Bull. Chem. Soc. Jpn.* 45: 1839-1843.

- Hirase, S., Watanabe, K., and Takano, R.** 1978. Silar-10C as a liquid phase for gas liquid chromatography of alditol acetates. *Agric. Biol. Chem.* 42: 1065-1066.
- Hirose, N., Kuriyama, S., Kato, Y., and Toyoshima, S.** 1976. Anti-inflammatory activity of some 2,3-dihydrobenzofuran-5-acetic acids and related compounds. *J. Med. Chem.* 19: 303-308.
- Hirschelmann, R.** 1977. Biochemical changes in the blood during adjuvant arthritis in rats as an indicator of inflammation intensity and treatment effects. *Wiss. Z. Martin Luther Univ. Halle-Wittenberg Math. Naturwiss. Reihe* 26: 23-41. (in German)
- Hirschelmann, R., and Bekemeier, H.** 1972. Comparison of edema-causing and kinin-liberating action of the carrageenins Viscarin, Satiagum B and Satiagel GS 350 in porpoises and rats. *Acta Biol. Med. Ger.* 29: 743-746. (in German)
- Hirschelmann, R., and Bekemeier, H.** 1973. Examination of dipeptides, amino acids, and substituted amino for anti-inflammatory activity in carrageenan edema. *Acta Biol. Med. Ger.* 31: 899-901.
- Hirschelmann, R., and Bekemeier, H.** 1978. Experimental comparison of the anti-inflammatory effect of cytostatics, peptides, proteins, protease inhibitors, neuroleptics, narcotic and non-narcotic analgesics, adrenaline, histamine-serotonin antagonists and anti-inflammatory/antirheumatic drugs. *Wiss. Z. Martin Luther Univ. Halle-Wittenberg Math. Naturwiss. Reihe* 27: 35-49. (in German)
- Hirschelmann, R., Bekemeier, H., Hannig, E., and Kollmorgen, C.** 1974. Influence of compound 48/80, reserpine, and carrageenin on 6-sulfanilaminoindazole arthritis. *Pharmazie* 29: 59-60. (in German)
- Hirschelmann, R., Bekemeier, H., Metzner, J., Giessler, A.J., and Stelzner, A.** 1975. Effects of carrageenin, compound 48/80, histamine and serotonin antagonists, nonsteroidal anti-inflammatory agents, and protease inhibitors on adjuvant arthritis and their possible relations with mediators of inflammation. *Acta Biol. Med. Ger.* 34: 1397-1406. (in German)
- Hirschelmann, R., Bekemeier, H., and Stelzner, A.** 1977. Acute-phase reactants of the blood in rat adjuvant arthritis as indicators of the degree of inflammation and of specific and non-specific anti-inflammatory effects. *Z. Rheumatol.* 36: 305-315.
- Hirschelmann, R., Bekemeier, H., and Stelzner, A.** 1978. Influence of counter-irritation by carrageenin on inflammatory reactions induced by prostaglandins, serotonin, histamine, compound 48/80, carrageenin and Freund's complete adjuvant. *Acta Biol. Med. Ger.* 37: 913-915.
- Ho, I.** 1973. A pharmacological action of flufenamic acid metal compounds. *J. Pharm. Soc. Korea* 17: 260. (Abstr.)
- Hojima, Y., Moriya, H., Moriwaki, C., and Tajima, T.** 1972. Studies on kallikrein inhibitors from potatoes. III. Some pharmacological actions of potato-kallikrein-inhibitors. *Chem. Pharm. Bull.* 20: 1312-1320.
- Hong, K.C., Cruess, R.L., and Skoryna, S.C.** 1972. Effect of sulfated galactan from *Hypnea japonica* on bone metabolism in rat. *Can. J. Physiol. Pharmacol.* 50: 784-790.
- Hong, K.C., Cruess, R.L., and Skoryna, S.C.** 1972. The effects of *Hypnea japonica* extract on bone metabolism in the rat. *Proc. Int. Seaweed Symp.* 7: 566-568.
- Honma, M., and Ui, M.** 1974. Changes of the level of cyclic AMP in carrageenan granuloma. *Jpn. J. Pharmacol.* 24 (Suppl.): 48. (Abstr.)
- Hood, L.F.** 1972. Hydrocolloids in fabricated foods. *N.Y. Food Life Sci. Q.* 5: 17-18.
- Hood, L.F., and Allen, J.E.** 1977. Ultrastructure of carrageenan-milk sols and gels. *J. Food Sci.* 42: 1062-1065.
- Horisaka, K., Nakayama, S., Morimoto, Y., and Yamakawa, A.** 1974. Pharmacology of L carnosine (N-2-M). II. Anti-inflammatory action and effects on wound healing. *Showa Igakkai Zasshi* 34: 73-81. (in Japanese)



- Horne, C.H.W., et al. 1975. A possible role for rat serum alpha macroglobulin in immune reactivity. *Behring Inst. Mitt.* 57: 50-56.
- Hornsey, I.S., and Hide, D. 1974. The production of antimicrobial compounds by British marine algae. I. Antibiotic-producing marine algae. *Br. Phycol. J.* 9: 353-361.
- Hornsey, I.S., and Hide, D. 1976. The production of antimicrobial compounds by British marine algae. II. Seasonal variation in production of antibiotics. *Br. Phycol. J.* 11: 63-67.
- Hornsey, I.S., and Hide, D. 1976. The production of antimicrobial compounds by British marine algae. III. Distribution of antimicrobial activity within the algal thallus. *Br. Phycol. J.* 11: 175-181.
- Horodniak, J.W., Matz, E.D., Walz, D.T., Cramer, R.D., Sutton, B.M., Berkoff, C.E., Zarembo, J.E., and Bender, A.D. 1977. Inhibition of prostaglandin synthetase and carrageenan-induced edema by analogs of flufenamic acid. *Drugs Exp. Clin. Res.* 2: 35-45.
- Horodniak, J.W., Matz, E.D., Walz, D.T., Sutton, B.M., Berkoff, C.E., Zarembo, J.E., and Bender, A.D. 1975. Inhibition of prostaglandin synthetase and carrageenan-induced edema by tricyclic analogs of flufenamic acid. *Res. Commun. Chem. Pathol. Pharmacol.* 11: 533-542.
- Horstman, U., Colina, A., and Schramm, W. 1977. Some aspects of the culture of *Eucheuma*. *Mar. Res. Indones.* 17: 145 (Abstr.)
- Hosford, S.P.C., and McCandless, E.L. 1975. Immunochemistry of carrageenans from gametophytes and sporophytes of certain red algae. *Can. J. Bot.* 53: 2835-2841.
- Howells, N.C. 1973. Mold wash composition. *U.S. Patent* 3,770,465.
- Huang, F., and Rha, C. 1978. Formation of single-cell protein filament with hydrocolloids. *J. Food Sci.* 43: 780-782,786.
- Huang, F., and Rha, C. 1978. Rheological properties and spinnability of single-cell protein/additive mixtures. *J. Food Sci.* 43: 772-774.
- Huber, W., Menander-Huber, K.B., Saifer, M.G.P., and Dang, P.H.C. 1977. Studies on the clinical and laboratory pharmacology of drug formulations of bovine copper-zinc superoxide dismutases (orgotein). In *Perspectives in Inflammation* (ed. Willoughby, D.A., Giroud, J.P., and Velo, G.P.) University Park Press, Baltimore. pp. 527-571.
- Huguenin, J.E. 1977. A subjective analysis of alternate approaches to the mass culturing of seaweeds. *Proc. Annu. Meet. World Mariculture Soc.* 8: 387-400.
- Humm, H.J., and Kreuzer, J. 1975. On the growth rate of the red alga, *Hypnea musciformis* in the Caribbean Sea. *Carribb. J. Sci.* 15: 1-4.
- Hunter, C.J. 1975. Edible seaweeds: A survey of the industry and prospects for farming the Pacific northwest. *Mar. Fish. Rev.* 37: 19-26.
- Hurley, J.V., and Willoughby, D.A. 1973. Acute inflammation, a combined topographical and electron microscopic study of the mode of action of carrageenan. *Pathology* 5: 9-21.
- Husain, A., Hutson, K.G., Andrew, P.W., and Rogers, L.J. 1976. Flavodoxin from a red alga. *Biochem. Soc. Trans.* 4: 488. (Abstr.)
- Hutchinson, I.V., and Zola, H. 1978. Antigen-reactive cell opsonization: A mechanism of antibody-mediated immune suppression. *Cell Immunol.* 36: 161-169.
- Huth, K., Stiehl, A., Michalsky, U., and Lerche, D. 1976. The influence of different bulking agents on the metabolism of bile acids and lipids. *Ernaehr. Umschau.* 23: 174. (in German)
- Iatrides, M.C., Artaud, J., Derbesy, M., and Estienne, J. 1978. Identification of lipid constituents in red algae. Carrageen source. V. *Eucheuma spinosum*, *Eucheuma cottonii*, *Chondrus crispus*. *Ann. Falsif. Expert. Chim.* 71: 9-15. (in French)

- Iatropoulos, M.J., Golberg, L., and Coulston, F. 1975. Intestinal carcinogenesis in rats using 1,2-dimethylhydrazine with or without degraded carrageenan. *Exp. Mol. Pathol.* 23: 386-401.
- Ichikawa, A., Nagasaki, M., Umezu, K., Hayashi, H., and Tomita, K. 1972. Effect of cyclic AMP on edema and granuloma induced by carrageenan. *Biochem. Pharmacol.* 21: 2615-2626.
- Iizuka, H., Shimada, A., Imamura, H., Nakamura, S., and Yanagita, T. 1975. General pharmacology of Sch 12041. *Jitchuken Zenrinsho Kenkyuho* 1: 185-194. (in Japanese)
- Iizuka, Y., Matsuda, K., and Tanaka, K. 1972. Anti-inflammatory effect of bimetopyrol. III. Possible active substance and site of action. *Yakugaku Zasshi* 92: 305-310. (in Japanese)
- Iki, Y., Ogawa, H., and Sugama, M. 1976. Tolmetin sodium in urological practice. *Acta Urol. Jpn.* 22: 701-703. (in Japanese)
- Inion, H., De Vogelaer, H., Descamps, M., Bauthier, J., Colot, M., Richard, J., and Charlier, R. 1977. Investigation in the indole series. IV. 2-Alkyl or 2-aryl 3-(4-aminoalkoxybenzoyl) indoles as potential antianginal and anti-inflammatory compounds. *Eur. J. Med. Chem.* 12: 483-487. (in French)
- Inoki, R., et al. 1974. General pharmacologic effects of L-cysteine and L-cysteine D-glucose. *Pharmacometrics* 8: 721-735. (in Japanese)
- Ishizaka, S., Otani, S., and Morisawa, S. 1977. Effects of carrageenan on immune responses. I. Studies on the macrophage dependency of various antigens after treatment with carrageenan. *J. Immunol.* 118: 1213-1218.
- Ishizaka, S., Otani, S., and Morisawa, S. 1978. Effects of carrageenan on immune responses. II. A possible regulatory role of macrophages in the immune responses of low responder mice. *J. Immunol.* 120: 61-65.
- Iso, T., Yamauchi, H., Suda, H., Nakajima, N., Nishimura, K., and Iwao, J. 1978. Potentiative effects of sulfhydryl compounds on carrageenin-induced edema in rats and relationship to their potencies as inhibitors of angiotensin-converting enzyme in vivo. *Experientia* 34: 1202-1203.
- Ito, A., Kitamura, K., Ishii, H., and Mori, Y. 1978. Dipeptidase activity in rat carrageenin granuloma. *Chem. Pharm. Bull.* 26: 2679-2683.
- Ito, A., Kitamura, K., and Mori, Y. 1977. Isolation and partial characterization of hyaluronidase and exopolysaccharidases in rat carrageenan granuloma. *Chem. Pharm. Bull.* 25: 1010-1016.
- Ito, K., and Tsuchiya, Y. 1972. The effect of algal polysaccharides on the depressing of plasma cholesterol levels in rats. *Proc. Int. Seaweed Symp.* 7: 558-561.
- Ito, R., Irie, D., Kawamura, H., Aizawa, A., Chang, H.S., Uchiyama, T., Mukoo, M., Sumiyama, H., and Motegi, S. 1972. Pharmacology of a new antiallergic peptide MS-antigen. IV. Pharmacological survey II. *Toho Igakkai Zasshi* 19: 95-110. (in Japanese)
- Ito, R., et al. 1976. Pharmacology of yeast extract (YE) and autolysed yeast residue (AYR), fractions from autolysate of Brewer's yeast. I. *J. Med. Soc. Toho Univ.* 23: 295-313. (in Japanese)
- Ito, Y., and Iwaida, M. 1975. Measurement of sulfate and viscosity of carrageenan. *Shokuhin Eiseigaku Zasshi* 16: 116-118. (in Japanese)
- Iwata, H., Yamamoto, I., Kariya, K., Shimizu, T., Hamakawa, H., Kuroda, K., Tozuka, T., Takayanagi, N., and Morishita, D. 1977. Studies on the general pharmacological properties of guanazodine, [(octahydro-2-azocinyl)methyl]guanidine. *Oyo Yakuri* 14: 235-249. (in Japanese)
- Iwata, H., Yamamoto, I., Masukawa, T., Komoriya, K., Iwaki, H., and Ninomiya, I. 1977. Anti-inflammatory activity of benzo[c]phenanthridine derivatives and possible mechanisms. *Nippon Yakurigaku Zasshi* 73: 527-539. (in Japanese)
- Iyer, R.P., Brown, J.K., Chaubal, M.G., and Malone, M.H. 1977. *Brunfelsia hopeana*. I. Hippocratic screening and anti-inflammatory evaluation. *Lloydia* 40: 356-360.

- Izaka, K., Yamada, M., Kawano, T., and Suyama, T. 1972. Gastrointestinal absorption and anti-inflammatory effect of bromelain. *Jpn. J. Pharmacol.* 22: 519-534.
- Jacker, H.J., and Richter, J. 1975. Possibilities and limitations of the use of rat paw edemas as models of inflammation. I. Review on edemas as models and their possible use. *Pharmazie* 30: 417-422. (in German)
- Jacker, H.J., and Richter, J. 1975. Possibilities and limitations of the use of rat paw edemas as models of inflammation. II. Possible influence of the results in examinations on paw edemas. *Pharmazie* 30: 489-492. (in German)
- Jackson, G.A. 1977. Biological constraints on seaweed culture. In *Biological Solar Energy Conversion* (ed. Mitsui, A., Miyachi, S., San Pietro, A., Tamura, S.) Academic, New York. pp. 437-448.
- Jacobi, H., Breier, P., and Dell, H.D. 1977. Pharmacology and toxicology of etofenamate. III. *Arzneim. Forsch.* 27: 1340-1349. (in German)
- Jahn, U., and Wagner-Jauregg, T. 1974. Comparison of the activities of inflammation inhibitors in the bradykinin, ultraviolet erythema, and rat paw edema tests. *Arzneim. Forsch.* 24: 494-499. (in German)
- James, A.M., and Goddard, G.H. 1972. Barium meals. Physical chemical study of the adsorption of hydrocolloids by barium sulfate. *Pharm. Acta Helv.* 47: 244-256.
- Jeanes, A. 1975. Digestibility of food polysaccharides by man. Review. *ACS Symp. Ser.* 15: 336-347.
- Jensen, A. 1978. Industrial utilization of seaweeds in the past, present and future. *Proc. Int. Seaweed Symp.* 9: 17-34.
- Johnston, K.H., and McCandless, E.L. 1973. Enzymic hydrolysis of the potassium chloride soluble fraction of carrageenan properties of lambda carrageenases from *Pseudomonas carrageenovora*. *Can. J. Microbiol.* 19: 779-788.
- Johnston, M.G., Hay, J.B., and Movat, H.Z. 1978. Kinetics of prostaglandin production in lymph draining inflammatory lesions. *Fed. Proc.* 37: 711 (Abstr.)
- Jolles, B., Harrison, R.G., and Moore, E.A. 1973. Effects of the anticoagulant degraded carrageenan on experimental tumor growth. *Br. J. Cancer* 28: 82. (Abstr.)
- Jones, R., Pittz, E.P., Rourke, D., and Rosenblum, I. 1977. Alterations of sulfhydryl and amino groups in membranes in relation to their interactions with sulfated polysaccharides. *Toxicol. Appl. Pharmacol.* 41: 168-169. (Abstr.)
- Jones, R.A., Staples, E.J., and Penman, A. 1973. Helix-coil transition of iota carrageenan segments by light scattering and membrane osmometry. *J. Chem. Soc. Perkin Trans. II*: 1608-1612.
- Juby, P.F., Goodwin, W.R., Hudyma, T.W. and Partyka, R.A. 1972. Anti-inflammatory activity and structure-activity relationships of some 1,2,3,4-tetrahydro-1-naphthoic acids. *J. Med. Chem.* 15: 1306-1310.
- Juby, P.F., Goodwin, W.R., Hudyma, T.W., and Partyka, R.A. 1972. Anti-inflammatory activity of some indan-1-carboxylic acids and related compounds. *J. Med. Chem.* 15: 1297-1306.
- Juby, P.F., Hudyma, T.W., and Partyka, R.A. 1972. 5-Cyclohexyl-1-hydroxyacetylindans as potential anti-inflammatory agents. *J. Med. Chem.* 15: 120-121.
- Jugel, H., Wieser, H., and Belitz, H.D. 1976. Occurrence of bitter taste after roasting of proteins. *Z. Lebensm. Unters. Forsch.* 161: 267-269. (in German)
- Julou, L., Guyonnet, J.C., Ducrot, R., Fournel, J., and Pasquet, J. 1976. Ketoprofen (19, 583 R.P.) (2-(3-benzoylphenyl)-propionic acid): Main pharmacological properties: Outline of toxicological and pharmacokinetic data. *Scand. J. Rheumatol. Suppl.* 14: 33-44.
- Kadin, S.B. 1972. Anti-inflammatory 2,3-dihydro-2-oxobenzofuran-3-carboxanilides. *J. Med. Chem.* 15: 551-552.
- Kadin, S.B. 1976. Synthesis and anti-inflammatory properties of N-substituted 4,5-dioxopyrrolidine-3-carboxanilides. *J. Med. Chem.* 19: 172-173.

- Kagiwada, K., Kano, S., Osada, E., Ishizaki, O., Amemiya, K., and Saito, G. 1973. Pharmacological study of glycopyrrolate. II. General pharmacology. *Oyo Yakuri* 7: 557-574. (in Japanese)
- Kagiwada, K., Kano, S., Osada, E., Uematsu, T., Amemiya, K., Ishizaki, O., and Saito, G. 1973. Pharmacological effects of 1-(tert-butylamino)-3-(2-chloro-5-methylphenoxy)-2-propanol hydrochloride (KL 255). *Oyo Yakuri* 7: 53-64. (in Japanese)
- Kahnberg, K.E., Lindhe, J., and Attstrom, R. 1977. The effect of decomplementation by carrageenan on experimental initial gingivitis in hyperimmune dogs. *J. Periodontal Res.* 12: 479-490.
- Kalab, M., Emmons, D.B., and Sargent, A.G. 1975. Milk-gel structure. IV. Microstructure of yogurts in relation to the presence of thickening agents. *J. Dairy Res.* 42: 453-458.
- Kalbhen, D.A., and Smalla, H.D. 1977. Pharmacological studies on the anti-inflammatory effect of pentosan polysulfate in combination with metamizol. *Arzneim. Forsch.* 27: 1050-1057. (in German)
- Kambayashi, Y., and Mizushima, Y. 1975. Anti-inflammatory action of an s-triazine derivative in rats. *Arzneim. Forsch.* 25: 230-231.
- Kametani, T., Kigasawa, K., Hiiragi, M., Ishimaru, H., and Saito, S. 1972. Synthesis of analgesic. XXIX. Synthesis and pharmacological activity of N-(2-aminoethyl)-2-indanamine derivatives. *Yakugaku Zasshi* 92: 431-436. (in Japanese)
- Kametani, T., Kigasawa, K., Hiiragi, M., Ishimaru, H., and Shiroyama, K. 1976. Syntheses of 1-carboxy-1,2,3,4-tetrahydroisoquinoline derivatives, 6-carboxy-1,2,3,4,4a,5,6,10b-octahydrophenanthridine derivatives and 6-carboxy-dibenzo[b,d]pyran derivatives by phenolic cyclization: Studies on the syntheses of heterocyclic compounds: DCLXIV. *Yakugaku Zasshi* 96: 1031-1035. (in Japanese)
- Kameyama, T., Ina, M., Tsuruta, M., and Sato, H. 1974. Anti-inflammatory and analgesic effects of metiazinic acid metabolites. *Oyo Yakuri* 8: 1403-1411. (in Japanese)
- Kashiwa, I., Hirabayashi, T., and Sadahide, K. 1975. Liquid cleanser compositions. *Japanese Patent* (unexamined) 75 104208.
- Kato, H., Takizawa, Y., Hanazawa, S., Kato, S., Koide, K., Yamaura, K., and Yamaguchi, Y. 1977. Studies on the anti-tumor mechanism of *Corynebacterium anaerobium* with nude mice. *Jpn. J. Bacteriol.* 32: 813-820. (in Japanese)
- Katona, G. 1977. Difficulties in the clinical evaluation of new anti-inflammatory drugs. In *Perspectives in Inflammation* (ed. Willoughby, D.A., Giroud, J.P., and Velo, G.P.) University Park Press, Baltimore. pp. 561-571.
- Katori, M., Ikeda, K., Harada, Y., Uchida, Y., Tanaka, K., and Oh-ishi, S. 1978. A possible role of prostaglandins and bradykinin as a trigger of exudation in carrageenin-induced rat pleurisy. *Agents Actions* 8: 108-112.
- Kawagoe, M., Takahashi, H., Inoki, R., and Yamamoto, I. 1977. Studies on chemical mediators of the experimental pulpitis in the rat. *J. Osaka Univ. Dent. Sch.* 17: 85-95.
- Keller, R. 1976. Promotion of tumor growth in vivo by antimacrophage agents. *J. Natl. Cancer Inst.* 57: 1355-1361.
- Kerschensteiner, D.A., and Klippenstein, G.L. 1978. Purification mechanism and state of copper in hexose oxidase. *Fed. Proc.* 37: 1816. (Abstr.)
- Khadzhai, Y.I., and Chaika, L.A. 1974. The effect of ethyl-3,5,6-tri-O-benzyl-D-glucofuranoside on the permeability of skin microvessel walls. *Farmakol. Toksikol. (Moscow)* 37: 430-432. (in Russian)
- Khedouri, E., Warne, P.J., and West, G.B. 1976. Anti-inflammatory activity of esters of acetic acid. *J. Pharm. Pharmacol.* 28: 839-840.
- Khedouri, E., Warne, P.J., and West, G.B. 1978. Anti-inflammatory activity of ethyl esters of straight chain fatty acids. *Biochem. Pharmacol.* 27: 832.
- Kher, N.J., Naik, P.Y., Sabnis, S.S., and Bhide, M.B. 1977. Synthesis and screening of Schiff bases as anti-inflammatory agents. II. *Bull. Haffkine Inst.* 5: 64-68.

- Kher, N.J., Sabnis, S.S., and Bhide, M.B.** 1977. Synthesis and screening of Schiff bases as anti-inflammatory agents. I. *Bull. Haffkine Inst.* 5: 60-63.
- Kher, N.J., Sabnis, S.S., and Bhide, M.B.** 1977. Synthesis and screening of Schiff bases as anti-inflammatory agents. III. *Bull. Haffkine Inst.* 5: 69-71.
- Kieseker, F.G., and Zadow, J.G.** 1973. Factors influencing the preparation of U.H.T. (ultraheat treatment) whipping cream. *Aust. J. Dairy Technol.* 28: 165-169.
- Kiessling, R., Hochman, P.S., Haller, O., Shearer, G.M., Wiggzell, H., and Cudkowicz, G.** 1977. Evidence for a similar or common mechanism for natural killer cell activity and resistance to hemopoietic grafts. *Eur. J. Immunol.* 7: 655-663.
- Kim, D.H.** 1976. A study of the development of cystocarps and tetrasporangial sori in Gigartinales (Rhodophyta, Gigartinales). *Nova Hedwigia* 27: 1-146.
- Kim, D.H., and Henríquez, N.P.** 1978. Yields and gel strengths of agar from cystocarpic and tetrasporic plants of *Gracilaria verrucosa* (Florideophyceae). *Proc. Int. Seaweed Symp.* 9: 257-262.
- Kim, I.K., Lee, T.H., and Shim, B.S.** 1977. Mode of action of carrageenan on serum haptoglobin level in rabbits. *Korean J. Biochem.* 9: 49-54.
- Kim, I.K., and Shim, B.S.** 1977. Increase of serum haptoglobin may not be mediated through hepatic cyclic AMP. *Korean J. Biochem.* 9: 1-4.
- Kimishima, K., Tanabe, K., Yamasaki, M., Kinoshita, Y., Tamaki, H., Hanada, Y., Shimabukuro, T., and Fukushima, H.** 1974. Action of prostaglandin  $F_{2\alpha}$  on the central nervous system. *Yonago Igaku Zasshi* 25: 281-295. (in Japanese)
- Kimura, H.** 1976. Measurement of endotoxin. II. Comparison of reactivities measured by radioimmunoassay and with the Limulus test. *Acta Med. Okayama* 30: 257-270.
- Kirchner, H., Muchmore, A.V., Chused, T.M., Holden, H.T., and Herberman, R.B.** 1975. Inhibition of proliferation of lymphoma cells and thymic lymphocytes by suppressor cells from spleens of tumor-bearing mice. *J. Immunol.* 114: 206-210.
- Kishore, V., Kumar, S., Narain, N.K., Parmar, S.S., and Stenberg, V.I.** 1976. Protection of carrageenan edema and trypsin hydrolysis of bovine serum albumin by naphthylthio-semicarbazides and their cyclized oxadiazoles. *Pharmacology* 14: 390-396.
- Kishore, V., Kumar, S., Parmar, S.S., and Stenberg, V.I.** 1975. Anti-inflammatory and antiproteolytic properties of naphthylthiosemicarbazides and cyclized oxadiazoles. *Res. Commun. Chem. Pathol. Pharmacol.* 11: 581-594.
- Kishore, V., Kumar, S., Parmar, S.S., and Stenberg, V.I.** 1976. Anti-inflammatory and antiproteolytic properties of 1-(1-naphthylacetyl)-3-substituted carbamides. *J. Pharm. Sci.* 65: 1078-1081.
- Kishore, V., Narain, N.K., Kumar, S., and Parmar, S.S.** 1976. Relationship between anti-inflammatory and antiproteolytic properties of substituted oxothiazolyl acetic acids. *Pharmacol. Res. Commun.* 8: 43-51.
- Kishore, V., Parmar, S.S., and Brumleve, S.J.** 1978. Synthesis characterization and anti-inflammatory activity of substituted tetrazoles. *Proc. N. D. Acad. Sci.* 32: 29. (Abstr.)
- Kishore, V., Parmar, S.S., Kumar, S., and Barthwal, J.P.** 1977. Anti-inflammatory and antiproteolytic properties of substituted guanidines. *Pharmacology* 15: 97-103.
- Kita, Y., Isono, M., Misaki, A., Endo, K., and Yamasaki, H.** 1974. The isolation of bacterial polysaccharides with anti-inflammatory activity. *Agric. Biol. Chem.* 38: 1407-1408.
- Kita, Y., Nakanishi, I., and Isono, M.** 1974. Isolation and characterization of biologically active polysaccharides produced by *Serratia piscatorum*. *Agric. Biol. Chem.* 38: 423-431.
- Kitagawa, H., Mohri, T., and Kitagawa, M.** 1972. Comparative studies on anti-inflammatory effect and biological fates of 21-phosphates and -sulfates of dexamethasone and prednisolone. *Arzneim. Forsch.* 22: 402-410.

- Kleckner, J., Rearick, N., and Thomson, W.A.B.** 1977. Quantitative determination of carrageenan in infant formulas. *J. Food Sci.* 42: 252-254.
- Klose, R.E., and Glicksman, M.** 1972. Gums. In *Handbook of Food Additives*, 2nd edition (ed. Furia, T.E.) Chemical Rubber Company Press, Cleveland. pp. 295-359.
- Knapp, W., and Baumgartner, G.** 1978. Monocyte mediated suppression of human B lymphocyte differentiation in vitro. *J. Immunol.* 121: 1177-1183.
- Knyszynski, A., and Danon, D.** 1977. The role of macrophages in defense against the development of Rauscher virus leukemia. *Res. J. Reticuloendothel. Soc.* 22: 341-348.
- Kobayashi, K.** 1977. Water-holding gels. *Japanese Patent* (unexamined) 77 61183.
- Kocialski, A.B., Marozzi, F.J., and Malone, M.H.** 1972. Effects of certain nonsteroid anti-inflammatory drugs, tolbutamide, and tetrahydroalstonine on blood glucose and carrageenin-induced pedal edema in rats. *J. Pharm. Sci.* 61: 1202-1205.
- Kogo, H., Yamada, K., Arai, Y., Akita, J., Fukui, T., and Aizawa, Y.** 1975. Anti-inflammatory action of aescin. II. Oral administration. *Oyo Yakuri* 9: 895-900. (in Japanese)
- Kohlmuenger, S., Quinn, M.L., Benoit, P.S., and Farnsworth, N.R.** 1977. Anti-inflammatory activity of *Tylopilus felleus*. *Pol. J. Pharmacol. Pharm.* 29: 539-542.
- Kohut, A., and Nicak, A.** 1973. Modification of the anti-inflammatory effect of phenylbutazone by its combination with adrenaline, propranolol, or phen-tolamine in rats of various age. *Zb. Lek. Fak. Kosice* 16: 65-71. (in Slovak)
- Kohut, A., and Nicak, A.** 1975. Antiphlogistic action of phenylbutazone in normal and adrenalectomized rats of different ages in relation to the 5-hydroxytryptamine blood concentration. *Physiol. Bohemoslov.* 24: 369-376.
- Kolb, J.P., Quan, P.C., and Lespinats, G.** 1978. Stimulation of different subpopulations of B cells in mouse with LPS, dextran sulfate and carrageenan. *Ann. Immunol.* 129C: 121. (Abstr., in French)
- Koltai, M., and Mecs, E.** 1973. Inhibition of the acute inflammatory response by interferon inhibitors. *Nature (London)* 242: 525-526.
- Komoriya, K., Ohmori, H., Azuma, A., Kurozumi, S., and Hashimoto, Y.** 1978. Prostaglandin I<sub>2</sub> as a potentiator of acute inflammation in rats. *Prostaglandins* 15: 557-564.
- Kondo, K.** 1974. Collagenolysis in carrageenin granuloma. I. Collagenolytic activity in carrageenin granuloma. *Juzen Igakkai Zasshi* 83: 163-173. (in Japanese)
- Kondo, K.** 1974. Collagenolysis in carrageenin granuloma. II. Interactions between collagen and carrageenin in vitro. *Juzen Igakkai Zasshi* 83: 174-180. (in Japanese)
- Kondo, K.** 1974. Collagenolysis in carrageenin granuloma. III. Effect of carrageenin-collagen complexes on the activity of collagenase and lysosomal enzymes. *Juzen Igakkai Zasshi* 83: 181-189. (in Japanese)
- Konieczny, M., Teodorczyk, J., Bierowska, D., and Szaga, B.** 1972. Synthesis and pharmacological properties of cyclohexylureide-diallylmalonic acid and its derivatives. *Arch. Immunol. Ther. Exp.* 20: 939-950.
- Kosersky, D.S., Dewey, W.L., and Harris, L.S.** 1973. Antipyretic, analgesic and anti-inflammatory effects of delta-9-tetrahydrocannabinol in the rat. *Eur. J. Pharmacol.* 24: 1-7.
- Koshihara, Y., Yamagishi, M., and Murota, S.** 1976. Effect of salicylic acid on glucocorticoid receptors in cultured fibroblasts derived from rat carrageenin granuloma. *Biochim. Biophys. Acta* 437: 221-228.
- Koshihara, Y., Yamagishi, M., Murota, S., and Tsurufuji, S.** 1975. Cortisol-binding protein in the cytosol of rat carrageenin granuloma. *Jpn. J. Pharmacol.* 25: 271-280.



- Kowblansky, A., Sasso, R., Spagnuola, V., and Ander, P.** 1977. Interactions of multivalent coions with sodium iota carrageenan and sodium alginate by self-diffusion measurements. *Macromolecules* 10: 78-83.
- Kowblansky, M., and Ander, P.** 1977. Electric transport in polyelectrolyte solutions. *J. Phys. Chem.* 81: 2024-2032.
- Kowblansky, M., Tomasula, M., and Ander, P.** 1978. Mean and single ion activity coefficients of sodium halides in aqueous sodium polyphosphate and sodium carrageenan solutions. *J. Phys. Chem.* 82: 1491-1496.
- Kragen, H., and Bourdais, A.** 1973. Carrageenans. *Ind. Aliment. Agr.* 90: 1217-1223. (in French)
- Krauss, R.W.** (editor). 1977. *The Marine Plant Biomass of the Pacific Northwest Coast.* Oregon State University Press, Corvallis.
- Krausz, F., Breliere, J.C., Vaillant, J., Brunaud, M., and Navarro, J.** 1974. Nonsteroidal anti-inflammatory agent. Bucloxic acid (804 CB). *Arzneim. Forsch.* 24: 1364-1367. (in French)
- Kraybill, H.F.** 1976. Food chemicals and food additives. In *Trace Substances and Health: A Handbook, Part I* (ed. Newberne, P.M.) Dekker, New York. pp. 245-318.
- Kreiberg, H.** 1974. A new drag cutter, its potential; [intended to operate in beds of Irish moss]. New Brunswick Department of Fisheries and Environment, Research and Development Branch, Buctouche, N.B., 28 pp.
- Kremer, B.P.** 1978. Studies on carbon-14 dioxide-assimilation in marine Rhodophyceae. *Mar. Biol.* 48: 47-55.
- Krupinska, J., Cebo, B., Sobanski, H., Dembinska, A., and Zmude, A.** 1976. Nordihydroguaiaretic acid enhances antiphlogistic action of indomethacin. *Adv. Prostaglandin Thromboxane Res.* 2: 850. (Abstr.)
- Krupinska, J., Dembinska, A., and Cebo, B.** 1976. Correlation between the inhibition of prostaglandin synthetase and the anti-inflammatory effects of some phenox-yacetamides. *Naunyn-Schmiedeberg's Arch. Pharmacol.* 294 (Suppl.): R6. (Abstr., in German)
- Krupp, P.J., Menasse-Gdynia, R., Sallmann, A., Wilhelmi, G., Ziel, R., and Jaques, R.** 1973. Sodium[*o*-(2,6-dichlorophenyl)-amino[phenyl]acetate (GP 45 840), a new nonsteroidal anti-inflammatory agent. *Experientia* 29: 450-452.
- Kurakata, N., and Kondo, H.** 1977. Fat-water emulsion for food. *Japanese Patent* (unexamined) 77 125641.
- Kurti, M., and Fekete, M.** 1976. Indirect role of prostaglandins in experimental allergic diseases. *Congr. Hung. Pharmacol. Soc. [Proc.]* 2: 211-216.
- Kurti, M., Fekete, M., Borsy, J., and Ambrus, G.** 1974. The role of prostaglandins in several allergic and inflammatory processes. *Pol. J. Pharmacol. Pharm.* 26: 109-115.
- Kurti, M., and Fust, G.** 1977. A potential role of E type prostaglandins in the very first phase of inflammatory process. *6th Int. Congr. Pharmacol., Pharmacol. Abstr.*: 593.
- Kurti, M., Huszti, Z., Fekete, M., and Kasztreiner, E.** 1973. Studies of histidine decarboxylase inhibitors in inflammatory models. *Acta Physiol. Acad. Sci. Hung.* 44: 361. (Abstr.)
- Kuznetsky, R.D., Adler, S., and Trobaugh, F.E.** 1977. Effects of silica and carrageenan in hemopoiesis in mice. *Fed. Proc.* 36: 1079. (Abstr.)
- Kuzuna, S., Matsumoto, N., and Kawai, K.** 1974. Biological activities of metabolites of 6-chloro-5-cyclohexylindan-1-carboxylic acid (TAI-284): Anti-inflammatory agent. *Jpn. J. Pharmacol.* 24: 687-693.
- Labrecque, G., Laperriere, A., Perusse, F., and Belanger, P.** 1978. Daily variations in inflammation and the anti-inflammation action of indomethacin. *Chronobiologia* 5: 197. (Abstr.)

- La Claire, J.W., and Dawes, C.J.** 1976. An autoradiographic and histochemical localization of sulfated polysaccharides in *Eucheuma nudum* (Rhodophyta). *J. Phycol.* 12: 368-375.
- Laemmerhirt, K.** 1977. Therapeutic gels. *Mater. Med. Nordmark* 29: 101-112. (in German)
- Lang, S.A., and Cohen, E.** 1975. Beta-aminocinnamonitriles as potential anti-inflammatory agents. *J. Med. Chem.* 18: 441-443.
- Lang, S.A., and Cohen, E.** 1975. 4-Amino-5-arylpyrimidines as anti-inflammatory agents. *J. Med. Chem.* 18: 623-625.
- Lang, S.A., Johnson, B.D., Cohen, E., Sloboda, A.E., and Greenblatt, E.** 1976. Aryl-s-tetrazines with anti-inflammatory activity. *J. Med. Chem.* 19: 1404-1409.
- Lassman, H.B., Kirby, R.E., Wilker, J.C., McFadden, A.R., Aultz, D.E., Hoffman, D., Helsley, G.C., and Novick, W.J.** 1977. Pharmacology of a new non-steroidal, anti-inflammatory agent: 6,11-Dihydro-11-oxidibenz[b,e]joxepin-2-acetic acid (HP-549). *Arch. Int. Pharmacodyn. Ther.* 227: 142-154.
- Lassman, H.B., Wilker, J.C., Anderson, V.B., Agnew, M.N., Allen, R.C., and Novick, W.J.** 1978. Fendosal (HP 129), a potent anti-inflammatory and analgesic compound. *Agents Actions* 8: 209-217.
- Lawson, C.J., Rees, D.A., Stancioff, D.J., and Stanley, N.F.** 1973. Carrageenans. VIII. Repeating structures of galactan sulfates from *Furcellaria fastigiata*, *Gigartina canaliculata*, *Gigartina chamissoi*, *Gigartina atropurpurea*, *Ahnfeltia durvillaei*, *Gymnogongrus furcellatus*, *Eucheuma cottonii*, *Eucheuma spinosum*, *Eucheuma isiforme*, *Eucheuma uncinatum*, *Agardhiella tenera*, *Pachymenia hymantophora*, and *Gloiopeltis cervicornis*. *J. Chem. Soc. Perkin Trans. I*: 2177-2182.
- Laycock, M.V., and Craigie, J.S.** 1977. The occurrence and seasonal variation of gigartinine and L-citrullinyl-L-arginine in *Chondrus crispus* Stackh. *Can. J. Biochem.* 55: 27-30.
- Le Blond, J., Denis, J., and Flouvat, B.** 1973. Carrageenans and antipeptic activity. *Ann. Pharm. Fr.* 31: 189-198. (in French)
- Lecomte, J., and Van Cauwenberge, H.** 1974. Pharmacological effects of mono(O-beta hydroxyethyl)7 rutoside in the rats. *Arch. Int. Pharmacodyn. Ther.* 208: 317-327. (in French)
- Lee, H.J., Trottier, R.W., McMillan, J., and Barnes, P.** 1976. Anti-inflammatory activity of pregnan-21-oic acid esters. *Pharmacologist* 18: 218. (Abstr.)
- Lee, L.F., Sharma, J.M., Nazerian, K., and Witter, R.L.** 1978. Suppression of mitogen-induced proliferation of normal spleen cells by macrophages from chickens inoculated with Marek's disease virus. *J. Immunol.* 120: 1554-1559.
- Lefort, J., and Vargaftig, B.B.** 1978. In vivo and in vitro effects of carrageenan on rabbit platelets: Patterns of drug inhibition. *Agents Actions* 8: 169.
- Leme, J.G., see Garcia Leme, J.**
- Lerman, S.P., Carswell, E.A., Chapman, J., and Thorbecke, G.J.** 1976. Properties of reticulum cell sarcomas in SJL/J mice. III. Promotion of tumor growth in irradiated mice by normal lymphoid cells. *Cell. Immunol.* 23: 53-67.
- Lerner, L.J., Carminati, P., and Schiatti, P.** 1975. Correlation of anti-inflammatory activity with inhibition of prostaglandin synthesis activity of nonsteroidal antiestrogens and estrogens. *Proc. Soc. Exp. Biol. Med.* 148: 329-332.
- Levine, S., and Torrelino, M.** 1977. Cerebral inflammation and edema: A model in rats for testing anti-inflammatory drugs. *Exp. Neurol.* 56: 361-369.
- Levring, T.** 1977. Potential yields of marine algae, with emphasis on European species. In *The Marine Plant Biomass of the Pacific Northwest Coast* (ed. Krauss, R.W.) Oregon State University Press, Corvallis. pp. 251-270.
- Levy, L.** 1974. Effect of predosing animals with immunosuppressive drugs on immune and nonimmune induced inflammatory responses. *Arch. Int. Pharmacodyn. Ther.* 211: 8-17.

- Levy, L., and Kerley, T.L.** 1974. The use of DPPD (N,N'-diphenyl-p-phenylenediamine) as an anti-inflammatory agent. *Life Sci.* 14: 1917-1925.
- Levy, L., and McLure, D.** 1972. R-760 (Flazalone), a new and unique anti-inflammatory agent. *Proc. West. Pharmacol. Soc.* 15: 229-232.
- Lewicki, P.P., Busk, G.C., and Labuza, T.P.** 1978. Measurement of gel water-binding capacity of gelatin, potato starch, and carrageenan gels by suction pressure. *J. Colloid Interface Sci.* 64: 501-509.
- Lewis, A.J., Nelson, D.J., and Sugrue, M.F.** 1974. Potentiation by prostaglandin E<sub>1</sub> and arachidonic acid of oedema in the rat paw induced by various phlogogenic agents. *Br. J. Pharmacol.* 50: 468P-469P.
- Lewis, A.J., Nelson, D.J., and Sugrue, M.F.** 1975. Ability of prostaglandin E<sub>1</sub> and arachidonic acid to modulate experimentally induced edema in the rat paw. *Br. J. Pharmacol.* 55: 51-56.
- Lewis, D.A., Capstick, R.B., and Best, R.** 1976. The control of rheumatic disease by endogenous protein. *Biochem. Pharmacol.* 25: 1435-1436.
- Lietti, A., Cristoni, A., and Picci, M.** 1976. Studies on *Vaccinium myrtillus* anthocyanosides. I. Vasoprotective and anti-inflammatory activity. *Arzneim. Forsch.* 26: 829-832.
- Lii, C.Y.** 1978. The effect of kappa carrageenan on the gelatin solution. *Bull. Inst. Chem. Acad. Sin.* 25: 97-104.
- Lin, C.F.** 1975. Air freshening gel. *German Patent* 2,511,191.
- Lin, C.F., and Blanch, J.E.** 1976. Eliminating traces of heavy metals contaminating algae. *French Patent* 2,296,648.
- Lindner, A., Rudas, B., and Selzer, H.** 1972. Effect of antibacterial substances on inflammation and wound healing in rats. *Wien. Klin. Wochenschr.* 84: 288-291. (in German)
- Lines, A.D.** 1977. Value of the potassium salt of carrageenan as an agar substitute in routine bacteriological media. *Appl. Environ. Microbiol.* 34: 637-639.
- Lock, R., Hawley, P.R., Coates, M.E., and Rolls, B.A.** 1977. Failure to produce inflammatory bowel disease in germ-free rabbits. *Eur. Surg. Res.* 9 (Suppl. 1): 159. (Abstr.)
- Lombardino, J.G., Otterness, I.G., and Wiseman, E.H.** 1975. Acidic anti-inflammatory agents. Correlations of some physical, pharmacological, and clinical data. *Arzneim. Forsch.* 25: 1629-1635.
- Lombardino, J.G., and Wiseman, E.H.** 1974. Preparation and anti-inflammatory activity of some nonacidic trisubstituted imidazoles. *J. Med. Chem.* 17: 1182-1188.
- Lombardino, J.G., Wiseman, E.H., and Chiaini, J.** 1973. Potent anti-inflammatory N-heterocyclic 3-carboxamides of 4-hydroxy-2-methyl-2H-1,2 benzothiazine 1,1-dioxide. *J. Med. Chem.* 16: 493-496.
- Lotzova, E., Gallagher, M.T., and Trentin, J.J.** 1975. Involvement of macrophages in genetic resistance to bone marrow grafts: Studies with two specific antimacrophage agents, carrageenan and silica. *Biomedicine* 22: 387-392.
- Lotzova, E., Gallagher, M.T., and Trentin, J.J.** 1976. Macrophage involvement in genetic resistance to bone marrow transplantation. *Transplant. Proc.* 8: 479-482.
- Lotzova, E., and Richie, E.R.** 1977. Promotion of incidence of adenovirus type 12 transplantable tumors by carrageenan, a specific antimacrophage agent. *J. Natl. Cancer Inst.* 58: 1171-1172.
- Lotzova, E., and Savary, C.A.** 1977. Possible involvement of natural killer cells in bone marrow graft rejection. *Biomed. Express.* 27: 341-344.
- Lowther, D.A., and Gillard, G.C.** 1976. Carrageenin-induced arthritis. I. The effect of intra-articular carrageenin on the chemical composition of articular cartilage. *Arthritis Rheum.* 19: 769-776.

- Lowther, D.A., Gillard, G.C., Baxter, E., Handley, C.J., and Rich, K.A. 1976. Carrageenin-induced arthritis. III. Proteolytic enzymes present in rabbit knee joints after a single intra-articular injection of carrageenin. *Arthritis Rheum.* 19: 1287-1294.
- Lubchenco, J., and Menge, B.A. 1978. Community development and persistence in a low rocky intertidal zone. *Ecol. Monogr.* 48: 67-94.
- Luczynska, A., Bijok, F., Kazimierzak, W., Wajnert, T., Kosikowska, M., Lipinska, E., Jakubczyk, E., Lipniewska, D., and Madej, D. 1977. Effect of some stabilizers on the rheological properties of yogurt. *Rocz. Inst. Przem. Mlecz.* 19: 87-98. (in Polish)
- Lukic, M.L., Cowing, C., and Leskowitz, S. 1975. Strain differences in ease of tolerance induction to bovine gamma globulin: Dependence of macrophage function. *J. Immunol.* 114: 503-506.
- Lukic, M.L., and Leskowitz, S. 1974. Tolerance induction with bovine gamma globulin in mouse radiation chimaeras depends on macrophages. *Nature (London)* 252: 605-607.
- Lumachi, B. 1972. Pharmacological investigations of 4-prenyl-1,2-diphenyl-3,5-pyrazolidinedione (DA 2370). IV. Analgesic activity on bradykinin-evoked pain in rats. *Arzneim. Forsch.* 22: 201-202.
- McArthur, J.N., Smith, M.J.H., and Freeman, P.C. 1972. Anti-inflammatory substance in human serum. *J. Pharm. Pharmacol.* 24: 669-671.
- McCall, E., Whittle, B.J.R., and Youtlen, L.J.F. 1976. Effects of prostaglandin E<sub>2</sub> methyl analogues on the anti-inflammatory and gastric erosive activity of indomethacin. *J. Pharm. Pharmacol.* 28: 588-589.
- McCall, E., and Youtlen, L.J.F. 1974. The effect of indomethacin and depletion of complement on cell migration and prostaglandin levels in carrageenin induced air bleb inflammation. *Br. J. Pharmacol.* 52: 452P.
- McCandless, E.L. 1978. The importance of cell wall constituents in algal taxonomy. In *Modern Approaches to the Taxonomy of Red and Brown Algae* (ed. Irvine, D.E.G., and Price, J.H.) Academic, London. pp. 63-85.
- McCandless, E.L., and Craigie, J.S. 1974. Reevaluation of seasonal factors involved in carrageenan production by *Chondrus crispus*. Carrageenans of carposporic plants. *Bot. Mar.* 17: 125-129.
- McCandless, E.L., Craigie, J.S., and Hansen, J.E. 1975. Carrageenans of gametangial and tetrasporangial stages of *Iridaea cordata* (Gigartinales). *Can. J. Bot.* 53: 2315-2318.
- McCandless, E.L., Craigie, J.S., and Walter, J.A. 1973. Carrageenans in the gametophytic and sporophytic stages of *Chondrus crispus*. *Planta* 112: 201-212.
- McCandless, E.L., Eveleigh, M.J., Vollmer, C.M., and Di Ninno, V.L. 1978. Immunological characterization of lambda carrageenans. *Proc. Int. Seaweed Symp.* 9: 347-352.
- McCandless, E.L., Okada, W.T., Lott, J.N.A., Vollmer, C.M., and Gordon-Mills, E.M. 1977. Structural studies of *Chondrus crispus*: The effect of extraction of carrageenan. *Can. J. Bot.* 55: 2053-2064.
- McCandless, E.L., and Richer, S. 1972. Carbon-14 studies of carrageenan synthesis. *Proc. Int. Seaweed Symp.* 7: 477-484.
- McEvoy, F.J., and Allen, G.R. 1972. 2-Phenyl-4H-cyclo-pentathiazole-4-carboxylic acids as potential anti-inflammatory agents. *J. Med. Chem.* 15: 850-851.
- McGill, H.C., McMahan, C.A., Wigodsky, H.S., and Sprinz, H. 1977. Carrageenan in formula and infant baboon development. *Gastroenterology* 73: 512-517.
- McIntire, C.D. 1977. Marine plant production and utilization, a systems perspective. In *The Marine Plant Biomass of the Pacific Northwest Coast* (ed. Krauss, R.W.) Oregon State University Press, Corvallis. pp. 315-333.