

Omission in thesis

# TRACKING GLOBAL FISHERIES FROM SPACE: PATTERNS, PROBLEMS, AND PROTECTED AREAS

by

Kristina Boerder

Some references are missing in the bibliography due to complications with the citation software used.

The complete bibliography is as follows:

## Bibliography

- Adam MS, Sibert J, Itano D, Holland K (2003) Dynamics of bigeye (*Thunnus obesus*) and yellowfin (*T. albacares*) tuna in Hawaii's pelagic fisheries: Analysis of tagging data with a bulk transfer model incorporating size-specific attrition. *Fish Bull* 101:215–228
- Agardy T, Sciara GN di, Christie P (2011) Mind the gap: Addressing the shortcomings of marine protected areas through large scale marine spatial planning. *Mar Policy* 35:226–232
- Agnew DJ, Pearce J, Pramod G, Peatman T, Watson R, Beddington JR, Pitcher TJ (2009) Estimating the worldwide extent of illegal fishing. *PLoS One* 4:e4570
- Aires-da-Silva A, Maunder MN (2014) Status of bigeye tuna in the Eastern Pacific Ocean in 2014 and outlook for the future. IATTC Report
- Aleman D, Iribarne OO, Acha EM (2013) Effects of a large-scale and offshore marine protected area on the demersal fish assemblage in the Southwest Atlantic. *ICES J Mar Sci* 70:123–134
- Altman DG, Bland JM (1994) Diagnostic tests 2: Predictive values. *BMJ* 309:102
- Anderson DJ, Huyvaert KP, Wood DR, Gillikin CL, Frost BJ, Mouritsen H (2003) At-sea distribution of waved albatrosses and the Galápagos Marine Reserve. *Biol Conserv* 110:367–373
- Apostolaki P, Milner-Gulland EJ, McAllister MK, Kirkwood GP (2002) Modelling the effects of establishing a marine reserve for mobile fish species. *Can J Fish Aquat Sci* 59:405–415
- Babcock RC, Shears NT, Alcala AC, Barrett NS, Edgar GJ, Lafferty KD, McClanahan TR, Russ GR (2010) Decadal trends in marine reserves reveal differential rates of change in direct and indirect effects. *Proc Natl Acad Sci* 107:18256–18261
- Bailey M, Ishimura G, Paisley R, Rashid Sumaila U (2013) Moving beyond catch in allocation approaches for internationally shared fishstocks. *Mar Policy* 40:124–136
- Bailey M, Rashid Sumaila U, Lindroos M (2010) Application of game theory to fisheries over three decades. *Fish Res* 102:1–8
- Ban NC, Bax NJ, Gjerde KM, Devillers R, Dunn DC, Dunstan PK, Hobday AJ, Maxwell SM, Kaplan DM, Pressey RL, Ardron J a., Game ET, Halpin PN (2014) Systematic Conservation Planning: A Better Recipe for Managing the High Seas for Biodiversity Conservation and Sustainable Use. *Conserv Lett* 7:41–54
- Ban NC, Davies TE, Aguilera SE, Brooks C, Cox M, Epstein G, Evans LS, Maxwell SM, Nenadovic M (2017) Social and ecological effectiveness of large marine protected areas. *Glob Environ Chang* 43:82–91
- Barrett NS, Edgar GJ, Buxton CD, Haddon M (2007) Changes in fish assemblages following 10 years of protection in Tasmanian marine protected areas. *J Exp Mar Bio Ecol* 345:141–157
- Baskett ML, Barnett LAK (2015) The Ecological and Evolutionary Consequences of Marine Reserves. *Annu Rev Ecol Evol Syst*:1–26
- Baum JK, Myers RA, Kehler DG, Worm B, Harley SJ, Doherty PA (2003) Collapse and Conservation of Shark Populations in the Northwest Atlantic. *Science* 299:389–392
- Baum JK, Worm B (2009) Cascading top-down effects of changing oceanic predator abundances. *J Anim Ecol* 78:699–714
- Beddington JR, Agnew DJ, Clark CW (2007) Current problems in the management of marine fisheries. *Science* 316:1713–1716

- Bergseth BJ, Williamson DH, Russ GR, Sutton SG, Cinner JE (2017) A social–ecological approach to assessing and managing poaching by recreational fishers. *Front Ecol Environ* 15:67–73
- Bertrand S, Burgos JM, Gerlotto F, Atiquipa J (2005) Lévy trajectories of Peruvian purse-seiners as an indicator of the spatial distribution of anchovy (*Engraulis ringens*). *ICES J Mar Sci* 62:477–482
- Bez N, Walker E, Gaertner D, Rivoirard J, Gaspar P (2011) Fishing activity of tuna purse seiners estimated from vessel monitoring system (VMS) data. *Can J Fish Aquat Sci* 68:1998–2010
- Biau G, Scornet E (2016) A Random Forest Guided Tour. *TEST* 25:197–227
- Block BA, Dewar H, Blackwell SB, Williams TD, Prince D, Farwell CJ, Boustany A, Teo SLH, Seitz A, Walli A, Fudge D (2001) Migratory movements, depth preferences, and thermal biology of Atlantic Bluefin Tuna. *Science* 293:1310–1314
- Block BA, Jonsen ID, Jorgensen SJ, Winship a J, Shaffer S a, Bograd SJ, Hazen EL, Foley DG, Breed GA, Harrison A-L, Ganong JE, Swithenbank A, Castleton M, Dewar H, Mate BR, Shillinger GL, Schaefer KM, Benson SR, Weise MJ, Henry RW, Costa DP (2011) Tracking apex marine predator movements in a dynamic ocean. *Nature* 475:86–90
- Block BA, Teo SLH, Walli A, Boustany A, Stokesbury MJW, Farwell CJ, Weng KC, Dewar H, Williams TD (2005) Electronic tagging and population structure of Atlantic blue-fin tuna. *Nature* 434:1121–1127
- Boerder K, Bryndum-Buchholz A, Worm B (2017) Interactions of Tuna Fisheries with the Galápagos Marine Reserve. *Mar Ecol Prog Ser* 585:1–15
- Bottrill MC, Joseph LN, Carwardine J, Bode M, Cook C, Game ET, Grantham H, Kark S, Linke S, McDonald-Madden E, Pressey RL, Walker S, Wilson KA, Possingham HP (2008) Is conservation triage just smart decision making? *Trends Ecol Evol* 23:649–654
- Breen P, Posen P, Righton D (2015) Temperate Marine Protected Areas and highly mobile fish: A review. *Ocean Coast Manag* 105:75–83
- Bucaram SJ, Hearn A, Trujillo AM, Rentería W, Bustamante RH, Morán G, Reck G, García JL (2018) Assessing fishing effects inside and outside an MPA: The impact of the Galapagos Marine Reserve on the Industrial pelagic tuna fisheries during the first decade of operation. *Mar Policy* 87:212–225
- Buxton CD, Hartmann K, Kearney R, Gardner C (2014) When Is Spillover from Marine Reserves Likely to Benefit Fisheries? *PLoS One* 9:e107032
- Cairns WR (2005) AIS and Long Range Identification & Tracking. *J Navig* 58:181–189
- Calenge C (2006) The package “adehabitat” for the R software: A tool for the analysis of space and habitat use by animals. *Ecol Modell* 197:516–519
- Camhi MD, Pikitch EK, Babcock EA (Eds) (2008) *Sharks of the open ocean: biology, fisheries and conservation*. Vol. 15. Blackwell Publishing
- Carson-Jackson J (2012) Satellite AIS – Developing Technology or Existing Capability? *J Navig* 65:303–321
- Castrejón M, Charles A (2013) Improving fisheries co-management through ecosystem-based spatial management: The Galapagos Marine Reserve. *Mar Policy* 38:235–245
- CCSBT (2017) Report of the Twenty Second Meeting of the Scientific Committee. Yogyakarta, Indonesia
- Cervera MA, Ginesi A (2008) On the Performance Analysis of a Satellite-based AIS System. In: *Signal Processing for Space Communications, 2008. SPSC 2008. 10th International Workshop*.p 8

- Cervera MA, Ginesi A, Eckstein K (2011) Satellite-based vessel Automatic Identification System: A feasibility and performance analysis. *Int J Satell Commun Netw* 29:117–142315
- Chang S, Yuan T (2014) Deriving high-resolution spatiotemporal fishing effort of large-scale longline fishery from vessel monitoring system (VMS) data and validated by observer data. *Can J Fish Aquat Sci* 1370:1363–1370
- Chapman DD, Feldheim KA, Papastamatiou YP, Hueter RE (2015) There and Back Again: A Review of Residency and Return Migrations in Sharks, with Implications for Population Structure and Management. *Ann Rev Mar Sci* 7:547–570
- Charles C, Gillis D, Wade E (2014) Using hidden Markov models to infer vessel activities in the snow crab (*Chionoecetes opilio*) fixed gear fishery and their application to catch standardization. *Can J Fish Aquat Sci* 71:1817–1829
- Christie MR, Tissot BN, Albins MA, Beets JP, Jia Y, Ortiz DM, Thompson SE, Hixon MA (2010) Larval connectivity in an effective network of marine protected areas. *PLoS One* 5:e15715
- Chuenpagdee R, Liguori L, Palomares MLD, Pauly D (2006) Bottom-Up, Global Estimates of Small-Scale Marine Fisheries Catches. *Fish Cent Res Reports* 14:105
- Chuenpagdee R, Morgan LE, Maxwell SM, Norse EA, Pauly D (2003) Shifting gears: Assessing collateral impacts of fishing methods in US waters. *Front Ecol Environ* 1:517–524
- Chuenpagdee R, Rocklin D, Bishop D, Hynes M, Greene R, Lorenzi MR, Devillers R (2017) The global information system on small-scale fisheries (ISSF): A crowdsourced knowledge platform. *Mar Policy*:1–9 (in press)
- Clark MR, Watling L, Rowden AA, Guinotte JM, Smith CR (2011) A global seamount classification to aid the scientific design of marine protected area networks. *Ocean Coast Manag* 54:19–36
- Clarke SC, Harley SJ, Hoyle SD, Rice JS (2012) Population Trends in Pacific Oceanic Sharks and the Utility of Regulations on Shark Finning. *Conserv Biol* 27:197–209
- Claudet J, Osenberg CW, Benedetti-Cecchi L, Domenici P, Garcia-Charton J-A, Perez-Ruzafa A, Badalamenti F, Bayle-Sempere J, Brito A, Bulleri F, Culioli JM, Dimech M, Falcon JM, Guala I, Milazzo M, Sanchez-Meca J, Somerfield PJ, Stobart B, Vandeperre F, Valle C, Planes S (2008) Marine reserves: Size and age do matter. *Ecol Lett* 11:481–489
- Collette BB, Carpenter KE, Polidoro BA, Boustany A, Die DJ, Elfes C, Fox W, Graves J, Harrison LR, Mcmanus R, Nelson R, Restrepo V, Schratwieser J, Sun C-L, Amorim A, Brick Peres M, Canales C, Cardenas G, Chang S-K, Chiang W-C, Oliveira Leite Jr N de, Harwell H, Lessa R, Fredou FL, Oxenford HA, Serra R, Shao K-T, Sumaila R, Wang S-P, Watson R, Yáñez E (2011) High value and long life — double jeopardy for tunas and billfishes. *Science* 333:291–292
- Compagno LJ (2001) *Sharks of the world: an annotated and illustrated catalogue of shark species known to date*. Vol. 1. Food and Agriculture Organization of the United Nations
- Conn PB, Silber GK (2013) Vessel speed restrictions reduce risk of collision-related mortality for North Atlantic right whales. *Ecosphere* 4:1–16
- Costello MJ (2014) Long live Marine Reserves: A review of experiences and benefits. *Biol Conserv* 176:289–296
- Craigie ID, Pressey RL, Barnes M (2014) Remote regions - The last places where conservation efforts should be intensified. A reply to McCauley et al. (2013). *Biol Conserv* 172:221–222

- Cressey D (2011) Uncertain sanctuary. *Nature* 480:166–167
- Cullis-Suzuki S, Pauly D (2010) Failing the high seas: A global evaluation of regional fisheries management organizations. *Mar Policy* 34:1036–1042
- Davidson LNK (2012) Shark Sanctuaries: Substance or Spin? *Science* 338:2011–2013
- Davies TE, Epstein G, Aguilera SE, Brooks CM, Cox M, Evans LS, Maxwell SM, Nenadovic M, Ban NC (2018) Assessing trade-offs in large marine protected areas. *PLoS One* 13:e0195760
- Davies TK, Martin S, Mees C, Chassot E, Kaplan DM (2012) A review of the conservation benefits of marine protected areas for pelagic species associated with fisheries. *ISSF Tech Rep* 2012-02:1–37
- Davies TE, Maxwell SM, Kaschner K, Garilao C, Ban NC (2017) Large marine protected areas represent biodiversity now and under climate change. *Sci Rep* 7:1–7
- Dawson MN, Grosberg RK, Botsford LW (2006) Connectivity in Marine Protected Areas. *Science* 313:43–45
- Day JC (2002) Zoning-lessons from the Great Barrier Reef Marine Park. *Ocean Coast Manag* 45:139–156
- Day J, Dudley N, Hockings M, Holmes G, Laffoley D, Stolton S, Wells S (2012) Guidelines for Applying the IUCN Protected Area Management Categories to Marine Protected Areas. Gland, Switzerland: IUCN
- Denkinger J, Vinuela L (eds) (2014) *The Galapagos Marine Reserve: A dynamic social-ecological system*. Springer International Publishing, Quito, Ecuador
- Devillers R, Pressey RL, Grech A, Kittinger JN, Edgar GJ, Ward T, Watson R (2014) Reinventing residual reserves in the sea: are we favouring ease of establishment over need for protection? *Aquat Conserv Mar Freshw Ecosyst* 25:25
- Diamond SL, Kleisner KM, Duursma DE, Wang Y (2010) Designing marine reserves to reduce bycatch of mobile species: a case study using juvenile red snapper (*Lutjanus campechanus*). *Can J Fish Aquat Sci* 67:1335–1349
- Dormann CF, McPherson JM, Araújo MB, Bivand R, Bolliger J, Carl G, Davies RG, Hirzel A, Jetz W, Daniel Kissling W, Kühn I, Ohlemüller R, Peres-Neto P, Reineking B, Schröder B, Schurr FM, Wilson R (2007) Methods to account for spatial autocorrelation in the analysis of species distributional data: a review. *Ecography (Cop)* 30:609–628
- Dudley N (Editor) (2008) *Guidelines for Applying Protected Area Management Categories*. Gland, Switzerland: IUCN
- Dueri S, Maury O (2013) Modelling the effect of marine protected areas on the population of skipjack tuna in the Indian Ocean. *Aquat Living Resour* 26:171–178
- Dulvy NK (2013) Super-sized MPAs and the marginalization of species conservation. *Aquat Conserv Mar Freshw Ecosyst* 23:357–362
- Dulvy NK, Baum JK, Clarke S, Compagno EC, Domingo A, Fordham S, Fowler S, Francis MP, Gibson C, Martínez J, Musick JA, Soldo A, Stevens JD, Valenti S (2008) You can swim but you can't hide: the global status and conservation of oceanic pelagic sharks and rays. *Aquat Conserv Mar Freshw Ecosyst* 18:459–482
- Dulvy NK, Simpfendorfer CA, Davidson LNK, Fordham S V., Bräutigam A, Sant G, Welch DJ (2017) Challenges and Priorities in Shark and Ray Conservation. *Curr Biol* 27:565–572
- Dulvy NK, Yvonne S, Reynolds JD (2003) Extinction vulnerability in marine populations. *Fish Fish* 4:25–64

- Dunn DC, Jablonicky C, Crespo GO, McCauley DJ, Kroodsma DA, Boerder K, Gjerde KM, Halpin PN (2018) Empowering high seas governance with satellite vessel tracking data. *Fish Fish* 19:1–11
- Dunn DC, Maxwell SM, Boustany AM, Halpin PN (2016) Dynamic ocean management increases the efficiency and efficacy of fisheries management. *Proc Natl Acad Sci U S A* 113:668–673
- Edgar GJ, Stuart-Smith RD, Willis TJ, Kininmonth S, Baker SC, Banks S, Barrett NS, Becerro MA, Bernard ATF, Berkhout J, Buxton CD, Campbell SJ, Cooper AT, Davey M, Edgar SC, Försterra G, Galván DE, Irigoyen AJ, Kushner DJ, Moura R, Parnell PE, Shears NT, Soler G, Strain EMA, Thomson RJ (2014) Global conservation outcomes depend on marine protected areas with five key features. *Nature* 506:1–13
- Edgar GJ, Ward TJ, Stuart-Smith RD (2018) Rapid declines across Australian fishery stocks indicate global sustainability targets will not be achieved without an expanded network of “no-fishing” reserves. *Aquat Conserv Mar Freshw Ecosyst*:1–14
- Elvidge CD, Ghosh T, Baugh K, Zhizhin M (2018) Rating the Effectiveness of Fishery Closures With Visible Infrared Imaging Radiometer Suite Boat Detection Data. *Front Mar Sci* 5:1–15
- Ewell C, Cullis-Suzuki S, Ediger M, Hocevar J, Miller D, Jacquet J (2017) Potential ecological and social benefits of a moratorium on transshipment on the high seas. *Mar Policy* 81:293–300
- FAO Fishing Gear Type Fact-Sheet: Bottom trawls. Food and Agriculture Organization of the United Nations
- FAO Fishing Techniques Fact-Sheet: Industrial Tuna Longlining. Food and Agriculture Organization of the United Nations
- FAO (2002) Implementation of the international plan of action to prevent, deter and eliminate illegal, unreported and unregulated fishing. Food and Agriculture Organization of the United Nations, Rome
- FAO (2007) National fishery sector overview: The Russian Federation. Food and Agriculture Organization of the United Nations
- FAO (2011) FAO TECHNICAL GUIDELINES FOR RESPONSIBLE FISHERIES - Fisheries Management Suppl. 4. Marine protected areas and fisheries. Food and Agriculture Organization of the United Nations, Rome
- FAO (2012) Performance Reviews by Regional Fishery Bodies: Introduction, summaries, synthesis and best practices, Volume I: CCAMLR, CCSBT, ICCAT, IOTC, NAFO, NASCO, NEAFC. Food and Agriculture Organization of the United Nations
- FAO (2016) The state of world fisheries and aquaculture 2016. Contributing to food security and nutrition for all. Food and Agriculture Organization of the United Nations, Rome
- FAO (2018) The State of World Fisheries and Aquaculture 2018 - Meeting the sustainable development goals. Food and Agriculture Organization of the United Nations, Rome
- Fauchald P, Tveraa T (2003) Using First-Passage Time in the Analysis of Area-Restricted And Habitat Selection. *Ecology* 84:282–288
- Ferrà C, Tasseti AN, Grati F, Pellini G, Polidori P, Scarcella G, Fabi G (2018) Mapping change in bottom trawling activity in the Mediterranean Sea through AIS data. *Mar Policy* 94:275–281
- Fiedler PC, Philbrick V, Chavez FP (1991) Oceanic upwelling and productivity in the eastern tropical Pacific. *Limnol Ocean* 36:1834–1850
- Follesa MC, Cannas R, Cau A, Cuccu D, Gastoni A, Ortu A, Pedoni C, Porcu C, Cau A (2011) Spillover effects of a Mediterranean marine protected area on the European spiny lobster *Palinurus elephas* (Fabricius, 1787) resource. *Aquat Conserv Mar Freshw Ecosyst* 21:564–572

- Forcada A, Bayle-Sempere JT, Valle C, Sánchez-Jerez P (2008) Habitat continuity effects on gradients of fish biomass across marine protected area boundaries. *Mar Environ Res* 66:536–547
- Franco A Di, Thiriet P, Carlo G Di, Dimitriadis C, Francour P, Gutiérrez NL, Jeudy De Grissac A, Koutsoubas D, Milazzo M, Otero MDM, Pianta C, Plass-Johnson J, Sainz-Trapaga S, Santarossa L, Tudela S, Guidetti P (2016) Five key attributes can increase marine protected areas performance for small-scale fisheries management. *Sci Rep* 6:1–9
- Friedlander AM, Golbuu Y, Ballesteros E, Caselle JE, Gouezo M, Olsudong D, Sala E (2017) Size, age, and habitat determine effectiveness of Palau’s Marine Protected Areas. *PLoS One* 12:e0174787
- Friedman JH (2001) Greedy Function Approximation: A Gradient Boosting Machine. *Ann Stat* 29:1189–1232
- Froese R, Pauly D (2018) FishBase. World Wide Web electronic publication. [www.fishbase.org](http://www.fishbase.org), version 06/2018
- Gaines SD, White C, Carr MH, Palumbi SR (2010) Designing marine reserve networks for both conservation and fisheries management. *Proc Natl Acad Sci* 107:18286–18293
- Galland G, Rogers A, Nickson A (2016) Netting Billions: A Global Valuation of Tuna. The PEW Charitable Trusts, Philadelphia
- Game ET, Grantham HS, Hobday AJ, Pressey RL, Lombard AT, Beckley LE, Gjerde K, Bustamante R, Possingham HP, Richardson AJ (2009) Pelagic protected areas: the missing dimension in ocean conservation. *Trends Ecol Evol* 24:360–9
- Gell FR, Roberts CM (2003) Benefits beyond boundaries: the fishery effects of marine reserves. *Trends Ecol Evol* 18:448–455
- Gerber LR, Botsford LW, Hastings A, Possingham HP, Gaines SD, Palumbi SR, Andelman S (2003) Population Models for Marine Reserve Design: A Retrospective and Prospective Synthesis. *Ecol Appl* 13:547–564
- Gerritsen H, Lordan C (2011) Integrating vessel monitoring systems (VMS) data with daily catch data from logbooks to explore the spatial distribution of catch and effort at high resolution. *ICES J Mar Sci* 68:245–252
- Ghahramani Z (2001) An introduction to hidden Markov models and Bayesian networks. *Int J Pattern Recognit Artif Intell* 15:9–42
- Giakoumi S, Scianna C, Plass-Johnson J, Micheli F, Grorud-Colvert K, Thiriet P, Claudet J, Carlo G Di, Franco A Di, Gaines SD, García-Charton JA, Lubchenco J, Reimer J, Sala E, Guidetti P (2017) Ecological effects of full and partial protection in the crowded Mediterranean Sea: A regional meta-analysis. *Sci Rep* 7:1–12
- Gianni M, Simpson W (2006) The changing nature of high seas fishing. How flags of convenience provide cover for illegal, unreported and unregulated fishing. *Aust Dep Agric Fish For Int Transp Work Fed WWF Int*
- Gill DA, Mascia MB, Ahmadi GN, Glew L, Lester SE, Barnes M, Craigie I, Darling ES, Free CM, Geldmann J, Holst S, Jensen OP, White AT, Basurto X, Coad L, Gates RD, Guannel G, Mumby PJ, Thomas H, Whitmee S, Woodley S, Fox HE (2017) Capacity shortfalls hinder the performance of marine protected areas globally. *Nature* 543:665–669
- Gilman E (2011) Bycatch governance and best practice mitigation technology in global tuna fisheries. *Mar Policy* 35:590–609

- Gilman E, Clarke S, Brothers N, Alfaro-Shigueto J, Mandelman J, Mangel J, Petersen S, Piovano S, Thomson N, Dalzell P, Donoso M, Goren M, Werner T (2008) Shark interactions in pelagic longline fisheries. *Mar Policy* 32:1–18
- Gilman E, Suuronen P, Chaloupka M (2017) Discards in global tuna fisheries. *Mar Ecol Prog Ser* 582:231–252
- Goñi R, Adlerstein S, Alvarez-Berastegui D, Forcada A, Reñones O, Criquet G, Polti S, Cadiou G, Valle C, Lenfant P, Bonhomme P, Pérez-Ruzafa A, Sánchez-Lizaso JL, García-Charton JA, Bernard G, Stelzenmüller V, Planes S (2008) Spillover from six western Mediterranean marine protected areas: Evidence from artisanal fisheries. *Mar Ecol Prog Ser* 366:159–174
- Goñi R, Quetglas A, Reñones O, García-Charton JA, Pérez-Ruzafa Á, Sánchez-Jerez P, Bayle-Sempere JT, Reñones O, Moreno D, Galal N, Ormond RFG, Hassan O, Barrett NS, Edgar GJ, Buxton CD, Haddon M (2006) Spillover of spiny lobsters *Palinurus elephas* from a marine reserve to an adjoining fishery. *Mar Ecol Prog Ser* 53:161–182
- Graham F, Rynne P, Estevanez M, Luo J, Ault JS, Hammerschlag N (2016) Use of marine protected areas and exclusive economic zones in the subtropical western North Atlantic Ocean by large highly mobile sharks. *Divers Distrib* 22:534–546
- Green AL, Maypa AP, Almany GR, Rhodes KL, Weeks R, Abesamis RA, Gleason MG, Mumby PJ, White AT (2015) Larval dispersal and movement patterns of coral reef fishes, and implications for marine reserve network design. *Biol Rev* 90:1215–1247
- Greenstreet SPR, Fraser HM, Piet GJ (2009) Using MPAs to address regional-scale ecological objectives in the North Sea: Modelling the effects of fishing effort displacement. *ICES J Mar Sci* 66:90–100
- Greenwell BM (2017) pdp: An R Package for Constructing Partial Dependence Plots. :421–436
- Grüss A (2014) Modelling the impacts of marine protected areas for mobile exploited fish populations and their fisheries: what we recently learnt and where we should be going. *Aquat Living Resour* 27:107–133
- Grüss A, Kaplan DM, Guénette S, Roberts CM, Botsford LW (2011) Consequences of adult and juvenile movement for marine protected areas. *Biol Conserv* 144:692–702
- Guénette S, Pitcher TJ (1999) An age-structured model showing the benefits of marine reserves in controlling overexploitation. *Fish Res* 39:295–303
- Guyader D Le, Ray C, Gourmelon F, Brosset D (2017) Defining high-resolution dredge fishing grounds with Automatic Identification System (AIS) data. *Aquat Living Resour* 30:1–10
- Halpern BS (2003) The Impact of Marine Reserves: Do Reserves Work and Does Reserve Size Matter? *Ecol Appl* 13:117–137
- Halpern BS, Gaines SD, Warner RR (2004) Confounding effects of the export of production and the displacement of fishing effort from marine reserves. *Ecol Appl* 14:1248–1256
- Halpern BS, Walbridge S, Selkoe KA, Kappel CV, Micheli F, D'agrosa C, Bruno JF, Casey KS, Ebert C, Fox HE, Fujita R, Heinemann D, Lenihan HS, Madin EMP, Perry MT, Selig ER, Spalding M, Steneck R, Watson R (2008) A Global Map of Human Impact on Marine Ecosystems. *Science* 319:948–953
- Hanich Q, Campbell B, Bailey M, Molenaar E (2015) Research into fisheries equity and fairness-addressing conservation burden concerns in transboundary fisheries. *Mar Policy* 51:302–304
- Hanich Q, Ota Y (2013) Moving beyond rights-based management: a transparent approach to distributing the conservation burden and benefit in tuna fisheries. *Int J Mar Coast Law* 28:135–170



- Hanich Q, Parris H, Tsamenyi M (2010) Sovereignty and cooperation in regional Pacific tuna fisheries management: Politics, economics, conservation and the vessel day scheme. *Aust J Marit Ocean Aff* 2:2–15
- Hazen EL, Jorgensen S, Rykaczewski RR, Bograd SJ, Foley DG, Jonsen ID, Shaffer SA, Dunne JP, Costa DP, Crowder LB, Block BA (2013) Predicted habitat shifts of Pacific top predators in a changing climate. *Nat Clim Chang* 3:234–238
- Hilborn R, Micheli F, Leo GA De (2006) Integrating marine protected areas with catch regulation. *Can J Fish Aquat Sci* 63:642–649
- Hilborn R, Stokes K, Maguire J-JJ, Smith T, Botsford LW, Mangel M, Orensanz J, Parma A, Rice J, Bell J, Cochrane KL, Garcia S, Hall SJ, Kirkwood G. P, Sainsbury K, Stefansson G, Walters C (2004) When can marine reserves improve fisheries management? *Ocean Coast Manag* 47:197–205
- Hobday AJ, Evans K, Eveson JP, Farley JH, Hartog JR, Basson M, Patterson TA (2015) Distribution and Migration—Southern Bluefin Tuna (*Thunnus maccoyii*) - Biology and Ecology of Bluefin Tuna. In: Kitagawa T, Kimura S (eds) *Biology and Ecology of Bluefin Tuna*. CRC Press, Boca Raton, p 1–22
- Hobday AJ, Hartmann K (2006) Near real-time spatial management based on habitat predictions for a longline bycatch species. *Fish Manag Ecol* 13:365–380
- Hobday AJ, Hartog JR, Timmiss T, Fielding J (2010) Dynamic spatial zoning to manage southern bluefin tuna (*Thunnus maccoyii*) capture in a multi-species longline fishery. *Fish Oceanogr* 19:243–253
- Holland KN, Grubbs DR (2007) Fish visitors to seamounts. In: Pitcher TJ, Morato T, Hart PJB, Clark MR, Haggan N, Santos RS (eds) *Seamounts: Ecology, Fisheries & Conservation*. Blackwell Publishing, p 189–202
- Horta e Costa B, Batista MI, Gonçalves L, Erzini K, Caselle JE, Cabral HN, Gonçalves EJ (2013) Fishers' Behaviour in Response to the Implementation of a Marine Protected Area. *PLoS One* 8:e65057
- Howard BC (2016) World's Largest Marine Reserve Created Off Antarctica. *Natl Geogr Mag*
- Howell EA, Kobayashi DR, Parker DM, Balazs GH, Polovina JJ (2008) TurtleWatch: A tool to aid in the bycatch reduction of loggerhead turtles *Caretta caretta* in the Hawaii-based pelagic longline fishery. *Endanger Species Res* 5:267–278
- Hueter RE, Heupel MR, Heist EJ, Keeney DB (2004) Evidence of philopatry in sharks and implications for the management of shark fisheries. *J Northwest Atl Fish Sci* 35:239–247
- Hutchings JA, Baum JK (2005) Measuring marine fish biodiversity: Temporal changes in abundance, life history and demography. *Philos Trans R Soc B Biol Sci* 360:315–338
- Hyrenbach KD, Forney KA, Dayton PK (2000) Marine protected areas and ocean basin management. *Aquat Conserv Mar Freshw Ecosyst* 10:437–458
- IATTC (2004) C-04-09: Resolution on a Multiannual Program for the Conservation of Tuna in the Eastern Pacific Ocean. Lima, Peru
- IATTC (2006) Letter on EPO closure experience. Inter-American Tropical Tuna Commission, La Jolla, California
- IATTC (2015) Tunas, Billfishes and Other Pelagic Species in the Eastern Pacific Ocean in 2014. Guayaquil, Ecuador
- IATTC (2016) IATTC-90 INF-C Safety at sea for IATTC and AIDCP observers on tuna purse-seine vessels. La Jolla, California

IATTC (2017) Resolution C-17-02: Conservation measures for tropical tunas in the eastern Pacific Ocean during 2018-2020 and amendment to Resolution C-17-01. Mexico City, Mexico

IATTC Scientific Committee (2015) SAC-06 INF-B Scenarios of the Impact on the Tuna Resources in the EPO of Various Increases in Fleet Capacity. La Jolla, California

ICCAT (1993) 93-5: Recommendation by ICCAT on the management of bluefin tuna fishing in the western Atlantic. Madrid, Spain

ICCAT (2004) 04-01: Recommendation by ICCAT on a multi-year conservation and management program for bigeye tuna. Madrid, Spain

ICCAT (2006) Recommendation by ICCAT establishing a programme for transshipment. International Commission for the Conservation of Atlantic Tunas

ICCAT (2007) ICCAT recommendation [07-01] on Mediterranean swordfish. Madrid, Spain

ICCAT (2010) Report of the 2010 ICCAT Mediterranean swordfish stock assessment meeting. Madrid, Spain

ICCAT (2011a) 11-01: Recommendation by ICCAT on a multi-annual conservation and management program for bigeye and yellowfin tunas. Madrid, Spain

ICCAT (2011b) 11-03: Recommendation for management measures for mediterranean swordfish in the framework of ICCAT. Madrid, Spain

ICCAT (2016a) 16-05: Recommendation by ICCAT replacing the Recommendation [13-04] and establishing a multi-annual recovery plan for Mediterranean swordfish. Madrid, Spain

ICCAT (2016b) Report of the 2016 Mediterranean Swordfish Stock Assessment Meeting. Casablanca, Morocco

ICCAT (2016c) 16-01: Recommendation by ICCAT on a multi-annual conservation and management programme for tropical tunas. Madrid, Spain

ICCAT (2017a) Report of the 2017 ICCAT bluefin stock assessment meeting. Madrid, Spain

ICCAT (2017b) 17-06: Recommendation by ICCAT for an interim conservation and management plan for western Atlantic bluefin tuna. Madrid, Spain

ICCAT (2017c) Report of the standing committee on research and statistics (SCRS). Madrid, Spain

International Labour Office (2013) Caught at Sea: Forced labour and trafficking in fisheries. Geneva, Switzerland

IOTC-WPB15 (2017) Report of the 15th Session of the IOTC Working Party on Billfish. San Sebastian, Spain

IOTC (2010) Resolution 10/01 for the conservation and management of tropical tuna stocks in the IOTC area of competence

IOTC (2012) Resolution 12/13 for the conservation and management of tropical tunas in the IOTC area of competence

IOTC (2014) RESOLUTION 14/06 On establishing a programme for transshipment by large-scale fishing vessels.

IOTC (2017) Executive Summary: Status of the Indian Ocean yellowfin tuna (YFT: *Thunnus albacares*) resource

IOTC Scientific Committee (2010) Estimates of the catch reductions that might have been achieved historically through the application of the time/area closures proposed in IOTC resolution 10/01.

- ISC (2015) Stock assessment update for striped marlin (*Kajikia audax*) in the western and central North Pacific Ocean. Kona, Hawaii
- ISC (2016a) Stock Assessment Update for Blue Marlin (*Makaira nigricans*) in the Pacific Ocean through 2014. Sapporo, Japan
- ISC (2016b) 2016 Pacific Bluefin Tuna Stock Assessment. Hokkaido, Japan
- Itano DG, Holland KN (2000) Movement and vulnerability of bigeye (*Thunnus obesus*) and yellowfin tuna (*Thunnus albacares*) in relation to FADs and natural aggregation points. *Aquat Living Resour* 13:213–223
- IUCN (2018a) Applying IUCN's Global Conservation Standards to Marine Protected Areas (MPA). Delivering effective conservation action through MPAs, to secure ocean health & sustainable development. International Union for Conservation of Nature, Gland, Switzerland
- IUCN (2018b) The IUCN Red List of Threatened Species. International Union for Conservation of Nature, version 2018-1
- Jackson JBC, Alexander KE, Sala E (Eds) (2012) Shifting baselines: the past and the future of ocean fisheries. Island Press
- Jackson JB, Kirby MX, Berger WH, Bjorndal K a, Botsford LW, Bourque BJ, Bradbury RH, Cooke R, Erlandson J, Estes J a, Hughes TP, Kidwell S, Lange CB, Lenihan HS, Pandolfi JM, Peterson CH, Steneck RS, Tegner MJ, Warner RR (2001) Historical Overfishing and the Recent Collapse of Coastal Ecosystems. *Science* 293:629–37
- James M, Mendo T, Jones EL, Orr K, McKnight A, Thompson J (2018) AIS data to inform small scale fisheries management and marine spatial planning. *Mar Policy* 91:113–121
- Jensen OP, Ortega-Garcia S, Martell SJD, Ahrens RNM, Domeier ML, Walters CJ, Kitchell JF (2010) Local management of a "highly migratory species": The effects of long-line closures and recreational catch-and-release for Baja California striped marlin fisheries. *Prog Oceanogr* 86:176–186
- Johnson DR, Funicelli NA, Bohnsack JA (1999) Effectiveness of an Existing Estuarine No-Take Fish Sanctuary within the Kennedy Space Center, Florida. *North Am J Fish Manag* 19:436–453
- Johnson AR, Milne BT, Wiens JA (1992) Diffusion in Fractal Landscapes: Simulations and Experimental Studies of Tenebrionid Beetle Movements. *Ecology* 73:1968–1983
- Jones PJS, Qiu W, Santo E De (2011) Governing Marine Protected Areas: Getting the Balance Right. Technical Report, United Nations Environment Programme
- Jorgensen SJ, Reeb CA, Chapple TK, Anderson S, Perle C, Sommeran SR Van, Fritz-Cope C, Brown AC, Klimley AP, Block BA (2009) Philopatry and migration of Pacific white sharks. *Proc R Soc London B Biol Sci*:1–10
- Juan-Jordá MJ, Mosqueira I, Cooper AB, Freire J, Dulvy NK (2011) Global population trajectories of tunas and their relatives. *Proc Natl Acad Sci U S A* 108:1–6
- Juan-Jordá MJ, Mosqueira I, Freire J, Dulvy NK (2013) The Conservation and Management of Tunas and Their Relatives: Setting Life History Research Priorities. *PLoS One* 8:e70405
- Kanjir U, Greidanus H, Oštir K (2018) Vessel detection and classification from spaceborne optical images: A literature survey. *Remote Sens Environ* 207:1–26
- Kaplan DM, Chassot E, Amandé JM, Dueri S, Demarcq H, Dagorn L, Fonteneau A (2014) Spatial management of Indian Ocean tropical tuna fisheries: potential and perspectives. *ICES J Mar Sci* 71:1728–1749

- Kellner JB, Tetreault I, Gaines SD, Nisbet RM (2007) Fishing the Line near Marine Reserves in Single and Multispecies Fisheries. *Ecol Soc Am* 17:1039–1054
- Kelly S, Scott D, MacDiarmid AB, Babcock RC (2000) Spiny lobster, *Jasus edwardsii*, recovery in New Zealand marine reserves. *Biol Conserv* 92:359–369
- Kerwath SE, Winker H, Götz A, Attwood CG (2013) Marine protected area improves yield without disadvantaging fishers. *Nat Commun* 4:2347
- Kliffen N, Berkes J (2015) Catch 22 - The Galapagos Marine Reserve from a tuna fishery perspective. Quito, Ecuador
- Kroodsmas DA, Mayorga J, Hochberg T, Miller NA, Boerder K, Ferretti F, Wilson A, Bergman B, White TD, Block BA, Woods P, Sullivan B, Costello C, Worm B (2018) Tracking the global footprint of fisheries. *Science* 908:904–908
- Kroodsmas DA, Miller NA, Roan A (2017) The global view of transshipment: preliminary findings. *Glob. Fish. Watch and SkyTruth* (Available online at: <http://globalfishingwatch.org>).
- Kuparinen A, Boit A, Valdovinos FS, Lassaux H, Martinez ND (2016) Fishing-induced life-history changes degrade and destabilize harvested ecosystems. *Sci Rep* 6:1–9
- Kyne PM, Carlson JK, Ebert DA, Fordham S V., Bizzarro JJ, Graham RT, Kulka DW, Tewes EE, Harrison LR, Dulvy NK (2012) The Conservation Status of North American, Central American, and Caribbean Chondrichthyans (PM Kyne, Ed.). IUCN Species Survival Commission Shark Specialist Group
- Lambert GI, Jennings S, Hiddink JG, Hintzen NT, Hinz H, Kaiser MJ, Murray LG (2012) Implications of using alternative methods of vessel monitoring system (VMS) data analysis to describe fishing activities and impacts. *ICES J Mar Sci* 69:682–693
- Lauck T, Clark CW, Mangel M, Munro GR (1998) Implementing the precautionary principle in fisheries management through marine reserves. *Ecol Appl Spec Issue* 8:72–78
- Lavielle M (1999) Detection of multiple changes in a sequence of dependent variables. *Stoch Process their Appl* 83:79–102
- Lavielle M (2005) Using penalized contrasts for the change-point problem. *Signal Processing* 85:1501–1510
- Lee J, South, Andy B, Jennings S (2010) Developing reliable, repeatable and accessible methods to provide high-resolution estimates of fishing effort distributions from Vessel Monitoring System (VMS) data. *ICES J Mar Sci* 67:1260–1271
- Lee A Van Der, Gillis D. M, Comeau P, Hurley P, Lee A Van Der, Gillis D. M, Comeau P, Hurley P (2013) Fishing the line: catch and effort distribution around the seasonal haddock (*Melanogrammus aeglefinus*) spawning closure on the Scotian Shelf. *Can J Fish Aquat Sci* 70:973–981
- Lehner S, Brusca S, Fritz T (2009) Ship Surveillance by joint use of SAR and AIS. In: OCEANS 2009-EUROPE. IEEE, p 1–5
- Lehodey P (2000) Impacts of the El Niño Southern Oscillation on tuna populations and fisheries in the tropical Pacific Ocean. Noumea, New Caledonia
- Lehodey P, Bertignac M, Hampton J, Lewis A, Picaut J (1997) El Niño Southern Oscillation and tuna in the western Pacific. *Nature* 389:1988–1991
- Lester SE, Halpern BS, Grorud-Colvert K, Lubchenco J, Ruttenberg BI, Gaines SD, Airamé S, Warner RR (2009) Biological effects within no-take marine reserves: A global synthesis. *Mar Ecol Prog Ser* 384:33–46

- Liaw A, Wiener M (2002) Classification and Regression by randomForest.
- Little AS, Needle CL, Hilborn R, Holland DS, Marshall CT (2015) Real-time spatial management approaches to reduce bycatch and discards: Experiences from Europe and the United States. *Fish Fish* 16:576–602
- Little LR, Smith ADM, McDonald AD, Punt AE, Mapstone BD, Pantus F, Davies CR (2005) Effects of size and fragmentation of marine reserves and fisher infringement on the catch and biomass of coral trout, *Plectropomus leopardus*, on the Great Barrier Reef, Australia. *Fish Manag Ecol* 12:177–188
- Litvinov F (2007) Fish visitors to seamounts: Aggregations of large pelagic sharks above seamounts. In: Pitcher TJ, Morato T, Hart PJB, Clark MR, Haggan N, Santos RS (eds) *Seamounts: ecology, fisheries & conservation*. Blackwell Publishing, p 202–207
- Liu B, Souza EN De, Matwin S, Sydow M (2014) Knowledge-based clustering of ship trajectories using density-based approach. In: 2014 IEEE International Conference on Big Data Knowledge-based.p 603–608
- Liu B, Souza EN De, Hilliard C, Matwin S (2015) Ship Movement Anomaly Detection Using Specialized Distance Measures. In: 18th International Conference on Information Fusion.p 1113–1120
- Liu Y, Xie L, Morrison JM, Kamykowski D, Sweet W V. (2014) Ocean Circulation and Water Mass Characteristics around the Galápagos Archipelago Simulated by a Multiscale Nested Ocean Circulation Model. *Int J Oceanogr* 2014:1–16
- Longépé N, Hajduch G, Ardianto R, Joux R de, Nhunfat B, Marzuki MI, Fablet R, Hermawan I, Germain O, Subki BA, Farhan R, Muttaqin AD, Gaspar P (2018) Completing fishing monitoring with spaceborne Vessel Detection System (VDS) and Automatic Identification System (AIS) to assess illegal fishing in Indonesia. *Mar Pollut Bull* 131:33–39
- Lorenzo M Di, Claudet J, Guidetti P (2016) Spillover from marine protected areas to adjacent fisheries has an ecological and a fishery component. *J Nat Conserv* 32:62–66
- Lotze HK (2007) Rise and fall of fishing and marine resource use in the Wadden Sea, southern North Sea. *Fish Res* 87:208–218
- Lotze HK, Coll M, Dunne JA (2011) Historical Changes in Marine Resources, Food-web Structure and Ecosystem Functioning in the Adriatic Sea, Mediterranean. *Ecosystems* 14:198–222
- Lotze HK, Lenihan HS, Bourque BJ, Bradbury RH, Cooke RG, Kay MC, Kidwell SM, Kirby MX, Peterson CH, Jackson JBC (2006) Depletion, degradation, and recovery potential of estuaries and coastal seas. *Science* 312:1806–1809
- Lubchenco J, Grorud-Colvert K (2015) Making waves: The science and politics of ocean protection. *Science* 350:382–383
- Magurran AE (1993) Individual differences and alternative behaviours. In: Pitcher TJ (ed) *Behaviour of teleost fishes*. Chapman & Hall, p 441–477
- Martínez-Ortiz J, Aires-da-Silva AM, Lennert-Cody CE, Maunder MN (2015) The Ecuadorian Artisanal Fishery for Large Pelagics: Species Composition and Spatio-Temporal Dynamics. *PLoS One* 10:e0135136
- Maunder MN (2014) Status of skipjack tuna in the Eastern Pacific Ocean in 2014.
- Maunder MN, Harley SJ (2006) Evaluating tuna management in the eastern Pacific Ocean. *Bull Mar Sci* 78:593–606

- Maxwell SM, Breed GA, Nickel BA, Makanga-Bahouna J, Pemo-Makaya E, Parnell RJ, Formia A, Nguesso S, Godley BJ, Costa DP, Witt MJ, Coyne MS (2011) Using satellite tracking to optimize protection of long-lived marine species: Olive ridley sea turtle conservation in Central Africa. *PLoS One* 6:e19905
- Maxwell SM, Hazen EL, Lewison RL, Dunn DC, Bailey H, Bograd SJ, Briscoe DK, Fossette S, Hobday AJ, Bennett M, Benson S, Caldwell MR, Costa DP, Dewar H, Eguchi T, Hazen L, Kohin S, Sippel T, Crowder LB (2015) Dynamic ocean management: Defining and conceptualizing real-time management of the ocean. *Mar Policy* 58:42–50
- Mazzarella F, Vespe M, Damalas D, Osio G (2014) Discovering Vessel Activities at Sea using AIS Data: Mapping of Fishing Footprints. *Inf Fusion (FUSION)*, 2014 17th Int Conf IEEE:1–7
- McCauley DJ, Power EA, Bird DW, McInturff A, Dunbar RB, Durham WH, Micheli F, Young HS (2013) Conservation at the edges of the world. *Biol Conserv* 165:139–145
- McCauley DJ, Woods P, Sullivan B, Bergman B, Jablonicky C, Roan A, Hirshfield M, Boerder K, Worm B (2016) Ending hide and seek at sea. *Science* 351:1148–1150
- McCauley DJ, Young HS, Power EA, Bird DW, Durham WH, McInturff A, Dunbar RB, Micheli F, Young HS (2014) Pushing back against paper-park pushers - Reply to Craigie et al. *Biol Conserv* 172:223–224
- McClanahan TR, Mangi S (2000) Spillover of exploitable fishes from a marine park and its effect on the adjacent fishery. *Ecol Appl* 10:1792–1805
- McKechnie S, Hampton J, Pilling GM, Davies N (2016) Stock assessment of skipjack tuna in the western and central Pacific Ocean. Bali, Indonesia
- McKechnie S, Pilling G, Hampton J (2017) Stock assessment of bigeye tuna in the western and central Pacific Ocean. Raratonga, Cook Islands
- Mee JA, Otto SP, Pauly D (2017) Evolution of movement rate increases the effectiveness of marine reserves for the conservation of pelagic fishes. *Evol Appl*:1–18
- Miethe T, Pitchford J, Dytham C (2008) An individual-based model for reviewing marine reserves in the light of fisheries-induced evolution in mobility and size at maturation. *J Northwest Atl Fish Sci* 41:151–162
- Miller KA (2007) Climate variability and tropical tuna: Management challenges for highly migratory fish stocks. *Mar Policy* 31:56–70
- Miller NA, Roan A, Hochberg T, Long T, Amos J, Kroodsma DA (2018) Identifying global patterns of transshipment behavior. *Front Mar Sci* 5
- Miller SD, Straka W, Mills SP, Elvidge CD, Lee TF, Solbrig J, Walther A, Heidinger AK, Weiss SC (2013) Illuminating the Capabilities of the Suomi National Polar-Orbiting Partnership (NPP) Visible Infrared Imaging Radiometer Suite (VIIRS) Day/Night Band. *Remote Sens* 5:6717–6766
- Miller DD, Sumaila UR (2014) Flag use behavior and IUU activity within the international fishing fleet: Refining definitions and identifying areas of concern. *Mar Policy* 44:204–211
- Minte-Vera C V, Aires-da-Silva A, Maunder MN (2014) Status of yellowfin tuna in the Eastern Pacific Ocean in 2014 and outlook for the future. *IATTC Stock Assessment Report*:18–31
- Miyake MP, Guillotreau P, Sun C, Ishimura G (2010) Recent developments in the tuna industry: stocks, fisheries, management, processing, trade and markets. *FAO Fisheries and Aquaculture Technical Paper*:1–151
- Moffitt EA, White JW, Botsford LW (2013) Accurate assessment of marine protected area success depends on metric and spatiotemporal scale of monitoring. *Mar Ecol Prog Ser* 489:17–28

- Monllor-Hurtado A, Pennino MG, Sanchez-Lizaso JL (2017) Shift in tuna catches due to ocean warming. *PLoS One* 12:e0178196
- Morato T, Watson R, Pitcher TJ, Pauly D (2006) Fishing down the deep. *Fish Fish* 7:24–34
- Morley JW, Selden RL, Latour RJ, Frölicher TL, Seagraves RJ, Pinsky ML (2018) Projecting shifts in thermal habitat for 686 species on the North American continental shelf. *PLoS One* 13:e0196127
- MPA News (2018) The Big Picture: The continuing debate over the value of large vs. small MPAs, and what it means for the field.
- Murawski S, Brown R, Lai H-L, Rago PJ, Hendrickson L (2000) Large-scale closed areas as a fishery-management tool in temperate marine systems: the Georges Bank experience. *Bull Mar Sci* 66:775–798
- Murawski SA, Wigley SE, Fogarty MJ, Rago PJ, Mountain DG (2005) Effort distribution and catch patterns adjacent to temperate MPAs. *ICES J Mar Sci* 1167:1150–1167
- Myers RA, Mertz G, Bridson J (1997) Spatial scales of interannual recruitment variations of marine, anadromous, and freshwater fish. *Can J Fish Aquat Sci* 54:1400–1407
- Myers RA, Worm B (2003) Rapid worldwide depletion of predatory fish communities. *Nature* 423:280–3
- Nakamura I (1985) *FAO species catalogue Vol.5. Billfishes of the world*. FAO Fish. Synop., Rome
- Natale F, Gibin M, Alessandrini A, Vespe M, Paulrud A (2015) Mapping Fishing Effort through AIS Data. *PLoS Biol* 10:e0130746
- NMFS (2006) *Final Consolidated Atlantic Highly Migratory Species Fishery Management Plan*. Silver Spring, MD, USA
- O'Connor S, Ono R, Clarkson C (2011) Pelagic fishing at 42,000 years before the present and the maritime skills of modern humans. *Science* 334:1117–1121
- O'Keefe CE, Cadrin SX, Stokesbury KDE (2014) Evaluating effectiveness of time/area closures, quotas/caps, and fleet communications to reduce fisheries bycatch. *ICES J Mar Sci* 71:1286–1297
- O'Leary BC, Ban NC, Fernandez M, Friedlander AM, García-Borboroglu P, Golbuu Y, Guidetti P, Harris JM, Hawkins JP, Langlois T, McCauley DJ, Pikitch EK, Richmond RH, Roberts CM (2018) Addressing Criticisms of Large-Scale Marine Protected Areas. *Bioscience* 68:359–370
- Oxford P, Watkins G, Philip P (2009) *Galapagos: both sides of the coin*. Imagine Publishing, Inc.
- Pacific Fishery Management Council (2018) *Fishery management plan for U.S. West coast fisheries for highly migratory species*. Portland, Oregon, USA
- Pala C (2010) Islands champion tuna ban. *Nature*:739–740
- Pala C (2018) *New Public Website Offers Detailed View of Industrial Fishing*. Inter Press Serv News Agency
- Pallotta G, Vespe M, Bryan K (2013) Vessel pattern knowledge discovery from AIS data: A framework for anomaly detection and route prediction. *Entropy* 15:2218–2245
- Palumbi SR (2004) Marine reserves and ocean neighborhoods: The Spatial Scale of Marine Populations and Their Management. *Annu Rev Environ Resour* 29:31–68
- Pardini AT, Jones CS, Noble LR, Kreiser B, Malcolm H, Bruce BD, Stevens JD, Cliff G, Scholl MC, Francis M, Duffy CA, Martin AP (2001) Sex-biased dispersal of great white sharks. *Nature* 412:139–140

- Parijs SM Van, Clark CW, Sousa-Lima RS, Parks SE, Rankin S, Risch D, Opzeeland IC Van (2009) Management and research applications of real-time and archival passive acoustic sensors over varying temporal and spatial scales. *Mar Ecol Prog Ser* 395:21–36
- Patterson H, Hansen S, Larcombe J (2014) A review of shark bycatch mitigation in tuna longline fisheries. Majuro, Republic of the Marshall Islands
- Pauly D, Christensen V, Guénette S, Pitcher TJ, Sumaila UR, Walters CJ, Watson R, Zeller D (2002) Towards sustainability in world fisheries. *Nature* 418:689–695
- Pauly D, Zeller D (2016) Catch reconstructions reveal that global marine fisheries catches are higher than reported and declining. *Nat Commun* 7:1–9
- Peel D, Good NM, Quinn II T (2011) A hidden Markov model approach for determining vessel activity from vessel monitoring system data. *Can J Fish Aquat Sci* 68:1252–1264
- Péron C, Grémillet D, Prudor A, Pettex E, Saraux C, Soriano-Redondo A, Authier M, Fort J (2013) Importance of coastal Marine Protected Areas for the conservation of pelagic seabirds: The case of Vulnerable yelkouan shearwaters in the Mediterranean Sea. *Biol Conserv* 168:210–221
- Perpiñán Lamigueiro O (2012) solaR: Solar Radiation and Photovoltaic Systems with R. *J Stat Softw* 50
- Polacheck T (2012) Politics and independent scientific advice in RFMO processes: A case study of crossing boundaries. *Mar Policy* 36:132–141
- Polovina JJ, Howell E, Kobayashi DR, Seki MP (2001) The Transition Zone Chlorophyll Front, a dynamic global feature defining migration and forage habitat for marine resources resources. *Prog Oceanogr* 49:469–483
- Pons M, Branch TA, Melnychuk MC, Jensen OP, Brodziak J, Fromentin JM, Harley SJ, Haynie AC, Kell LT, Maunder MN, Parma AM, Restrepo VR, Sharma R, Ahrens R, Hilborn R (2017) Effects of biological, economic and management factors on tuna and billfish stock status. *Fish Fish* 18:1–21
- Pramod G, Nakamura K, Pitcher TJ, Delagran L (2014) Estimates of illegal and unreported fish in seafood imports to the USA. *Mar Policy* 48:102–113
- Pramod G, Pitcher TJ, Mantha G (2017) Estimates of illegal and unreported seafood imports to Japan. *Mar Policy* 84:42–51
- Quesne WJF Le, Codling EA (2009) Managing mobile species with MPAs: The effects of mobility, larval dispersal, and fishing mortality on closure size. *ICES J Mar Sci* 66:122–131
- Reglero P, Tittensor DP, Álvarez-Berastegui D, Aparicio-González A, Worm B (2014) Worldwide distributions of tuna larvae: revisiting hypotheses on environmental requirements for spawning habitats. *Mar Ecol Prog Ser* 501:207–224
- Rijnsdorp AD, Buys AM, Storbeck F, Visser EG (1998) Micro-scale distribution of beam trawl effort in the southern North Sea between 1993 and 1996 in relation to the trawling frequency of the sea bed and the impact on benthic organisms. *ICES J Mar Sci* 55:403–419
- Roberts CM, Bohnsack JA, Gell F, Hawkins JP, Goodridge R (2001) Effects of Marine Reserves on Adjacent Fisheries. *Science* 294:1920–1923
- Roberts CM, Hawkins JP, Gell FR (2005) The role of marine reserves in achieving sustainable fisheries. *Philos Trans Biol Sci* 360:123–32



- Roberts CM, O'Leary BC, McCauley DJ, Cury PM, Duarte CM, Lubchenco J, Pauly D, Sáenz-Arroyo A, Sumaila UR, Wilson RW, Worm B, Castilla JC (2017) Marine reserves can mitigate and promote adaptation to climate change. *Proc Natl Acad Sci* 114:6167–6175
- Rocha LA (2018) Bigger Is Not Better for Ocean Conservation. *New York Times*
- Rosenberg AA (2003) Managing to the margins: the overexploitation of fisheries. *Front Ecol Environ* 1:102–106
- Russ GR, Alcala AC (2011) Enhanced biodiversity beyond marine reserve boundaries: the cup spillith over. *Ecol Appl* 21:241–50
- Russ GR, Zeller DC (2003) From Mare Liberum to Mare Reservarum. *Mar Policy* 27:75–78
- Russo T, D'Andrea L, Parisi A, Martinelli M, Belardinelli A, Boccoli F, Cignini I, Tordoni M, Cataudella S (2016) Assessing the fishing footprint using data integrated from different tracking devices: Issues and opportunities. *Ecol Indic* 69:818–827
- Sala E, Lubchenco J, Grorud-Colvert K, Novelli C, Roberts C, Sumaila UR (2018) Assessing real progress towards effective ocean protection. *Mar Policy* 91:11–13
- Salas S, Chuenpagdee R, Seijo JC, Charles A (2007) Challenges in the assessment and management of small-scale fisheries in Latin America and the Caribbean. *Fish Res* 87:5–16
- Santo EM De (2013) Missing marine protected area (MPA) targets: How the push for quantity over quality undermines sustainability and social justice. *J Environ Manage* 124:137–146
- Santo EM De, Jones PJS, Miller AMM (2011) Fortress conservation at sea: A commentary on the Chagos marine protected area. *Mar Policy* 35:258–260
- Schaefer KM (2001) Reproductive biology of tunas. In: Block BA, Stevens ED (eds) *Tuna Physiology, Ecology and Evolution*. San Diego, p 225–270
- Schaefer KM, Fuller DW, Aldana G (2014) Movements, behavior, and habitat utilization of yellowfin tuna (*Thunnus albacares*) in waters surrounding the Revillagigedo Islands Archipelago Biosphere Reserve, Mexico. *Fish Oceanogr* 23:65–82
- Schaefer KM, Fuller DW, Block BA (2011) Movements, behavior, and habitat utilization of yellowfin tuna (*Thunnus albacares*) in the Pacific Ocean off Baja California, Mexico, determined from archival tag data analyses, including unscented Kalman filtering. *Fish Res* 112:22–37
- Schiller L, Alava JJ, Grove J, Reck G, Pauly D (2014) The demise of Darwin's fishes: Evidence of fishing down and illegal shark finning in the Galápagos Islands. *Aquat Conserv Mar Freshw Ecosyst* 25:1–16
- Scott R, Hodgson DJ, Witt MJ, Coyne MS, Adnyana W, Blumenthal JM, Broderick AC, Canbolat AF, Catry P, Ciccione S, Delcroix E, Hitipeuw C, Luschi P, Pet-Soede L, Pendoley K, Richardson PB, Rees AF, Godley BJ (2012) Global analysis of satellite tracking data shows that adult green turtles are significantly aggregated in Marine Protected Areas. *Glob Ecol Biogeogr* 21:1053–1061
- SEAFO (2016) System of observation, inspection, compliance and enforcement. South East Atlantic Fisheries Organisation
- Sealy TS (1974) Soviet fisheries: a review. *Mar Fish Rev* 36:5–22
- Selgrath JC, Gergel SE, Vincent ACJ (2018) Shifting gears: Diversification, intensification, and effort increases in small-scale fisheries (1950-2010). *PLoS One* 13:e0190232

- Selig ER, Turner WR, Troëng S, Wallace BP, Halpern BS, Kaschner K, Lascelles BG, Carpenter KE, Mittermeier RA (2014) Global priorities for marine biodiversity conservation. *PLoS One* 9:e82898
- Shea KH, To AWL (2017) From boat to bowl: Patterns and dynamics of shark fin trade in Hong Kong — implications for monitoring and management. *Mar Policy* 81:330–339
- Sibert J, Hampton J (2003) Mobility of tropical tunas and the implications for fisheries management. *Mar Policy* 27:87–95
- Sibert J, Senina I, Lehodey P, Hampton J (2012) Shifting from marine reserves to maritime zoning for conservation of Pacific bigeye tuna (*Thunnus obesus*). *Proc Natl Acad Sci* 109:18221–18225
- Silva IM Da, Hill N, Shimadzu H, Soares AMVM, Dornelas M (2015) Spillover effects of a community-managed marine reserve. *PLoS One* 10:e0111774
- Simpfendorfer CA, Milward NE (1993) Utilisation of a tropical bay as a nursery area by sharks of the families Carcharhinidae and Sphyrnidae. *Environ Biol Fishes* 37:337–345
- Singleton RL, Roberts CM (2014) The contribution of very large marine protected areas to marine conservation: Giant leaps or smoke and mirrors? *Mar Pollut Bull* 87:7–10
- Skaar KL, Jørgensen T, Ulvestad BKH, Engås A (2011) Accuracy of VMS data from Norwegian demersal stern trawlers for estimating trawled areas in the Barents Sea. *ICES J Mar Sci* 68:1615–1620
- Soleimani BH, Souza EN De, Hilliard C, Matwin S (2015) Anomaly Detection in Maritime Data Based on Geometrical Analysis of Trajectories. In: 18th International Conference on Information Fusion.p 1100–1105
- Souza EN de, Boerder K, Matwin S, Worm B (2016) Improving Fishing Pattern Detection from Satellite AIS Using Data Mining and Machine Learning. *PLoS One* 11:e0158248
- SPC-OPF (2012) Review of the Implementation and Effectiveness of CMM 2008-01. Guam, USA
- Squire JL, Au DWK (1990) Striped Marlin in the Northeast Pacific: A Case for Local Depletion and Core Area Management. In: Stroud, R.H. (Ed.), *Planning the Future of Billfishes: Research and Management in the 90s and Beyond*. Proceedings of the Second International Billfish Symposium, Kailua-Kona, Hawaii, August 1–5, 1988, Part 2. National Coalition for Marine Conservation.p 199–214
- Squires D (2013) Rights-based management in international tuna fisheries. *FAO Fisheries and Aquaculture Technical Paper*
- Stefansson G, Rosenberg AA (2005) Combining control measures for more effective management of fisheries under uncertainty: quotas, effort limitation and protected areas. *Phil Trans R Soc B* 360:133–146
- Stefansson G, Rosenberg AA (2006) Designing marine protected areas for migrating fish stocks. *J Fish Biol* 69:66–78
- Stelzenmüller V, Maynou F, Bernard G, Cadiou G, Camilleri M, Crec’hriou R, Criquet G, Dimech M, Esparza O, Higgins R, Lenfant P, Pérez-Ruzafa Á (2008) Spatial assessment of fishing effort around European marine reserves: Implications for successful fisheries management. *Mar Pollut Bull* 56:2018–2026
- Stevenson TC, Tissot BN, Walsh WJ (2013) Socioeconomic consequences of fishing displacement from marine protected areas in Hawaii. *Biol Conserv* 160:50–58
- Stobart B, Warwick R, González C, Mallol S, Díaz D, Reñones O, Goñi R (2009) Long-term and spillover effects of a marine protected area on an exploited fish community. *Mar Ecol Prog Ser* 384:47–60

- Swain DP, Wade EJ (2003) Spatial distribution of catch and effort in a fishery for snow crab (*Chionoecetes opilio*): tests of predictions of the ideal free distribution. *Can J Fish Aquat Sci* 60:897–909
- Swan J (2016) Implementation of Port State Measures. Food and Agriculture Organization of the United Nations, Rome
- Swartz W, Sala E, Tracey S, Watson R, Pauly D (2010) The spatial expansion and ecological footprint of fisheries (1950 to present). *PLoS One* 5:e15143
- Sweet W V., Morrison JM, Kamykowski D, Schaeffer BA, Banks S, McCulloch A (2007) Water mass seasonal variability in the Galapagos Archipelago. *Deep Res I* 54:2023–2035
- Tawake A, Parks J, Radikedike P, Aalbersberg B, Vuki V, Salafsky N (2001) Harvesting Clams and Data Involving local communities in monitoring can lead to conservation success in all sorts of unanticipated ways: A case in Fiji. *Conserv Pract* 2:32–35
- Telesetsky A (2015) Laundering fish in the global undercurrents: Illegal, unreported, and unregulated fishing and transnational organized crime. *Ecol Law Q* 41:939–997
- Tewfik A, Babcock E, Gibson J, Burns Perez V, Strindberg S (2017) Benefits of a replenishment zone revealed through trends in focal species at Glover’s Atoll, Belize. *Mar Ecol Prog Ser* 580:37–56
- The Pew Charitable Trusts (2018) Transshipment reform needed to ensure legal, verifiable transfer of catch. The Shark Trust 2018. Shark Fact Sheets [online]
- Thrush SF, Dayton PK (2002) Disturbance to Marine Benthic Habitats by Trawling and Dredging: Implications for Marine Biodiversity. *Annu Rev Ecol Syst* 33:449–473
- Toonen RJ, Wilhelm TA, Maxwell SM, Wagner D, Bowen BW, Sheppard CRC, Taei SM, Teroroko T, Moffitt R, Gaymer CF, Morgan L, Lewis N, Sheppard ALS, Parks J, Friedlander AM (2013) One size does not fit all: The emerging frontier in large-scale marine conservation. *Mar Pollut Bull* 77:7–10
- Torgo L (2003) Data Mining with R: Learning by case studies (V Kumar, Ed.). Chapman & Hall
- Torgo L (2014) An Infra-Structure for Performance Estimation and Experimental Comparison of Predictive Models in R.
- Trebilco R, Gales R, Baker GB, Terauds A, Sumner MD (2008) At sea movement of Macquarie Island giant petrels: Relationships with marine protected areas and Regional Fisheries Management Organisations. *Biol Conserv* 141:2942–2958
- Trebilco R, Halpern BS, Flemming JM, Field C, Blanchard W, Worm B (2011) Mapping species richness and human impact drivers to inform global pelagic conservation prioritisation. *Biol Conserv* 144:1758–1766
- Tremblay-Boyer L, McKechnie S, Pilling G, Hampton J (2017) Stock assessment of yellowfin tuna in the western and central Pacific Ocean. Rarotonga, Cook Islands
- Turner W, Spector S, Gardiner N, Fladeland M, Sterling E, Steininger M (2003) Remote sensing for biodiversity science and conservation. *Trends Ecol Evol* 18:306–314
- UNEP-WCMC, IUCN (2016) Protected Planet Report 2016. UNEP-WCMC and IUCN: Cambridge UK and Gland, Switzerland
- UNEP-WCMC, IUCN (2017) Marine Protected Planet [on-line]
- UNEP-WCMC, IUCN (2018) Marine Protected Planet [on-line]

- Vandeperre F, Aires-da-Silva A, Fontes J, Santos M, Serrao Santos R, Afonso P (2014) Movements of blue sharks (*Prionace glauca*) across their life history. *PLoS One* 9:e103538
- Vermard Y, Rivot E, Mahévas S, Marchal P, Gascuel D (2010) Identifying fishing trip behaviour and estimating fishing effort from VMS data using Bayesian Hidden Markov Models. *Ecol Modell* 221:1757–1769
- Walker E, Bez N (2010) A pioneer validation of a state-space model of vessel trajectories (VMS) with observers' data. *Ecol Modell* 221:2008–2017
- Walters C (2000) Impacts of Dispersal, Ecological Interactions, and Fishing Effort Dynamics on Efficacy of Marine Protected Areas: How large should Protected Areas be? *Bull Mar Sci* 66:745–757
- Ward-Paige CA (2017) A global overview of shark sanctuary regulations and their impact on shark fisheries. *Mar Policy* 82:87–97
- Ward-Paige CA, Mora C, Lotze HK, Pattengill-Semmens C, McClenachan L, Arias-Castro E, Myers RA (2010) Large-scale absence of sharks on reefs in the greater-caribbean: A footprint of human pressures. *PLoS One* 5:e11968
- Ward-Paige CA, Worm B (2017) Global evaluation of shark sanctuaries. *Glob Environ Chang* 47:174–189
- Watson RA, Cheung WWL, Anticamara JA, Sumaila RU, Zeller D, Pauly D (2013) Global marine yield halved as fishing intensity redoubles. *Fish Fish* 14:493–503
- WCPFC (2008) Conservation and Management Measure 2008-01: Bigeye and Yellowfin Tuna in the Western and Central Pacific Ocean. Busan, Republic of Korea
- WCPFC (2009) Conservation and Management Measure 2009-06: Regulation of Transshipment. Western And Central Pacific Fisheries Commission, Papeete, Tahiti
- Webster DG (2011) The irony and the exclusivity of Atlantic bluefin tuna management. *Mar Policy* 35:249–251
- Wells RJD, Rooker JR, Itano DG (2012) Nursery origin of yellowfin tuna in the Hawaiian Islands. *Mar Ecol Prog Ser* 461:187–196
- West CD, Dytham C, Righton D, Pitchford JW (2009) Preventing overexploitation of migratory fish stocks: The efficacy of marine protected areas in a stochastic environment. *ICES J Mar Sci* 66:1919–1930
- White TD, Carlisle AB, Kroodsma DA, Block BA, Casagrandi R, Leo GA De, Gatto M, Micheli F, McCauley DJ (2017) Assessing the effectiveness of a large marine protected area for reef shark conservation. *Biol Conserv* 207:64–71
- White ER, Myers MC, Flemming JM, Baum JK (2015) Shifting elasmobranch community assemblage at Cocos Island-an isolated marine protected area. *Conserv Biol* 29:1186–1197
- Wilhelm T 'Aulani, Sheppard CRC, Sheppard ALS, Gaymer CF, Parks J, Wagner D, Lewis N (2014) Large marine protected areas - advantages and challenges of going big. *Aquat Conserv Mar Freshw Ecosyst* 24:24–30
- Winkle W Van (1975) Comparison of Several Probabilistic Home-Range Models. *J Wildl Manage* 39:118–123
- Witt MJ, Godley BJ (2007) A step towards seascape scale conservation: Using vessel monitoring systems (VMS) to map fishing activity. *PLoS One* 2:e1111
- Worm B, Hilborn R, Baum JK, Branch TA, Collie JS, Costello C, Fogarty MJ, Fulton EA, Hutchings JA, Jennings S, Jensen OP, Lotze HK, Mace PM, McClanahan TR, Minto C, Palumbi SR, Parma AM, Ricard D, Rosenberg AA, Watson R, Zeller D (2009) Rebuilding global fisheries. *Science* 325:578–585

- Worm B, Lenihan HS (2013) Threats to Marine Ecosystems: Overfishing and Habitat Degradation. In: Marine Community Ecology and Conservation.p 449–476
- Worm B, Sandow M, Oschlies A, Lotze HK, Myers RA (2005) Global patterns of predator diversity in the open oceans. *Science* 309:1365–9
- Worm B, Tittensor DP (2011) Range contraction in large pelagic predators. *Proc Natl Acad Sci* 108:11942–11947
- Worton BJ (2018) Using Monte Carlo Simulation to Evaluate Kernel-Based Home Range Estimators. *J Wildl Manage* 59:794–800
- Wu L, Xu Y, Wang Q, Wang F, Xu Z (2017) Mapping Global Shipping Density from AIS Data. *J Navig* 70:67–81
- Xu H, Minte-Vera C V, Maunder MN, Aires-Da-Silva A (2018) Status of Bigeye Tuna in the Eastern Pacific Ocean in 2017 and Outlook for the Future. Inter-American Tropical Tuna Commission, La Jolla, California
- Ye Y, Cochrane K, Bianchi G, Willmann R, Majkowski J, Tandstad M, Carocci F (2013) Rebuilding global fisheries: The World Summit Goal, costs and benefits. *Fish Fish* 14:174–185
- Young HS, Maxwell SM, Conners MG, Shaffer SA (2015) Pelagic marine protected areas protect foraging habitat for multiple breeding seabirds in the central Pacific. *Biol Conserv* 181:226–235
- Zainuddin M, Kiyofuji H, Saitoh K, Saitoh SI (2006) Using multi-sensor satellite remote sensing and catch data to detect ocean hot spots for albacore (*Thunnus alalunga*) in the northwestern North Pacific. *Deep Res Part II Top Stud Oceanogr* 53:419–431