

BAY OF FUNDY BIBLIOGRAPHY: SUPPLEMENT III

The references included herein supplement the recent extensive bibliography, Moyse, C.M. 1978. Bay of Fundy Environmental and Tidal Power Bibliography. Fish. Mar. Serv. Tech. Rep. No. 822, and its two supplements; Proc. N.S. Inst. Sci. (1979), 29: 313-314 and Proc. N.S. Inst. Sci. (1981), 31: 181-185. The present citations were either omitted through oversight or have been published subsequently.

Any references or omissions for inclusion in future supplements should be sent to: P.J. CRANFORD, Marine Ecology Laboratory, Bedford Institute of Oceanography, P.O. Box 1006, Dartmouth, N.S. B2Y 4A2. All citations received are included, even internal reports that can be difficult to obtain.

Les références incluses constituent un supplément à la récente bibliographie d'envergure compilée par C.M. Moyse (Bay of Fundy Environmental and Tidal Power Bibliography Fish Mar. Ser. Tech. Rep. No. 822, 1978) et à ses deux suppléments, Proc. N.S. Inst. Sci. (1979) 29: 313-314 et Proc. N.S. Inst. Sci. (1981) 31: 181-185. Les citations qui suivent furent fréquemment omises par mégarde ou ont été publiées ultérieurement à la parution de la bibliographie et de ses suppléments.

Toute référence omise ou nouvelle devrait être envoyée à: P.J. Cranford, Marine Ecology Laboratory, Bedford Institute of Oceanography, P.O. Box 1006, Dartmouth, N.S., B2Y 4A2. Toutes les citations reçues sont incluses, y compris certains rapports internes difficiles à obtenir.

References

- Amos, C.L., and Greenberg, D.A.** 1980. The simulation of suspended particulate matter in the Minas Basin, Bay of Fundy—A region of potential tidal power development. In: Proc. Can. Coastal Conference 1980, pp. 2-20.
- Amos, C.L., and Long, B.F.N.** 1980. The sedimentary character of Minas Basin, Bay of Fundy. Geol. Surv. Can. Pap. 80-10: 123-152.
- Amos, C.L., and Asprey, K.W.** 1981. Chignecto Bay station monitoring program of suspended particulate matter. Bedford Institute of Oceanography Data Series. BI-R-81-15.
- Braune, B.M., and Gaskin, D.E.** 1982. Feeding ecology of non-breeding populations of larids off Deer Island, New Brunswick. Auk 99: 67-76.
- Bray, D.I., DeMerchant, P.P. and Sullivan, D.L.** 1982. Some hydrotechnical problems related to the construction of a causeway in the estuary of the Petitcodiac River, New Brunswick. Can. J. Civ. Eng. 9: 296-307.
- Brown, R.G.B., Barker, S.P., and Gaskin, D.E.** 1979. Daytime surface swarming by *Meganyctiphanes novegica* (M. Sars) (Crustacea, Euphausiacea) off Brier Island, Bay of Fundy. Can. J. Zool. 57: 2285-2291.
- Cammen, L.M.** 1982. The effect of particle size on organic content and microbial abundance within four marine sediments. Mar. Ecol. Prog. Ser. 24: 273-280.
- Cammen, L.M., and Walker, J.A.** 1982. Distribution and activity of attached and free-living suspended bacteria in the Bay of Fundy. Can. J. Fish. Aquat. Sci. 39: 1655-1663.
- Corkett, C.J.** 1981. The copepodid stages of the copepods *Acartia tonsa*, *A. clausii* and *Eurytemora herdmani* from the Annapolis River, Nova Scotia. Proc. N.S. Inst. Sci. 31: 173-180.
- Craig, H.D.** 1977. Intertidal Animal and Trace Zonations in a Macrotidal Environment, Minas Basin, Bay of Fundy. MSc. Thesis, McMaster Univ., Hamilton, Ont.
- Daborn, G.R., Redden, A.M. and Gregory, R.S.** 1982. Ecological Studies of the Annapolis Estuary. Publications of the Acadia University Institute, Wolfville, N.S.: No. 29.

- Dadswell, M.J., Melvin, G.D., and Williams, P.J.** 1983. Effect of turbidity on the temporal and spatial utilization of the inner Bay of Fundy by American shad (*Alosa sapidissima*) (Pisces: Clupeidae) and its relationship to local fisheries. *Can. J. Fish. Aquat. Sci.* 40 (Suppl. I): 322-330.
- Dalrymple, R.W.** 1979. Wave-induced liquifaction: a modern example from the Bay of Fundy. *Sedimentology* 26: 835-844.
- Dalrymple, R.W.** 1980. Wave-induced liquifaction: an addendum. *Sedimentology* 27: 461.
- Dalrymple, R.W., Knight, J.J., and Lambiase, J.J.** 1978. Bedforms and their hydraulic stability relationships in a tidal environment. Bay of Fundy, Canada. *Nature (Lond.)* 275: 100-104.
- DeWolfe, D.L.** 1981. *Atlas of Tidal Currents: Bay of Fundy and Gulf of Maine*. Can. Hydrographic Service.
- Dillon Consulting Engineers and Planners.** 1977. *Tides in the Cobequid Bay and the Salmon River estuary*. Report C.D. 77.3.9-1.
- Erskine, J.** 1971. Along the dikes. In: Erskine, J. *In Forest and Field*. N.S. Museum Publication. Halifax, N.S. pp. 20-30.
- Frank, P.G.** 1974. *General Biology of the Anemone Nematella vectensis (Stephenson)*. MSc. Thesis, Acadia Univ., Wolfville, N.S.
- Gaskin, D.E.** 1977. Harbour porpoise *Phocoena phocoena* (L.) in the western approaches to the Bay of Fundy 1969-75. *Rep. Int. Whale. Comm.* 27: 487-492.
- Gaskin, D.E.** 1977. Harbour porpoise *Phocoena phocoena* (L.) in the western approaches to the Bay of Fundy 1969-75. *Rep. Int. Whaling Comm.* 27: 487-492. during 1969-1977. *Arch. Environ. Contam. Toxicol.* 8: 733-762.
- Gilmurray, M.C., and Daborn, G.R.** 1982. Feeding relations of the Atlantic silverside *Menidia menidia* in the Minas Basin, Bay of Fundy. *Mar. Ecol. Prog. Ser.* 6: 231-235.
- Godin, G., Bolduc, P.A., Mitchell, D.G., and Yuen, S.** 1981. *Statistical Search For High Water at Board Landing Bridge, Truro, Nova Scotia*. DFO Manuscript Report Series No. 58.
- Gordon, D.C., and Desplanque, C.** 1981. *Ice Dynamics in the Chignecto Bay Region of the Bay of Fundy*. In: Workshop in ice action on shoreline evolution. National Research Council associate committee for research on shoreline erosion and sedimentation, pp. 35-52.
- Gordon, D.C., and Baretta, J.W.** 1982. A Preliminary Comparison of Two Turbid Coastal Ecosystems: The Dollard (Netherlands - FRC) and the Cumberland Basin (Canada). *Hydrological Bull.* (In press).
- Grant, D.R.** 1980. Quaternary sea-level change in Atlantic Canada as an indication of crustal delevelling. In: *Earth Rheology, Isostasy and Eustasy*. (ed. N.A. Morner) John Wiley & Sons, Chichester, pp. 201-214.
- Green, D.F.** 1981. Chignecto marshes: bird and hay country. *Can. Geogr.* 103: 44-49.
- Greenberg, D.A., and Amos, C.L.** 1983. Suspended sediment transport and deposition modelling in the Bay of Fundy, Nova Scotia—A region of potential tidal power development. *Can. J. Fish. Aquat. Sci.* 40 (Suppl. 1): 20-34.
- Greenberg, D.A.** 1983. Modelling the mean barotropic circulation in the Bay of Fundy and Gulf of Maine. *J. Phys. Oceanogr.* 13: 886-904.
- Hargrave, B.T., Prouse, N.J., Phillips, G.A., and Neame, P.A.** 1983. Primary production and respiration in pelagic and benthic communities at two intertidal sites in the upper Bay of Fundy. *Can. J. Fish. Aquat. Sci.* 40 (Suppl. 1): 229-243.
- Hatcher, A., and Patquin, D.G. (Eds.).** 1981. *Saltmarshes of Nova Scotia: A Status Report of the Salt Marsh Working Group*. Dalhousie Univ., Halifax, N.S.

- Hawkins, C.M., and Keizer, P.D.** 1982. Ammonia excretion in *Corophium volutator*: using an automated method. *Can. J. Fish. Aquat. Sci.* 39: 640-643.
- Hilchey, J.D.** 1981. The agricultural future of dyked land in Nova Scotia. In: *Salt-marshes of Nova Scotia*. (ed. A. Hatcher and D. Patriquin) Dalhousie Univ., Halifax, N.S., pp. 45-52.
- Hildebrand, L.P.** 1981. Preliminary observations on the distribution, composition and abundance of zooplankton in Chignecto Bay during June and August 1978, with emphasis on the relationship to tidal cycles. *Can. Tech. Rept. Fish. Aquat. Sci.* 1036.
- Hildebrand, L.P., MacDormand, E.B., Nelson, D.R., Powell, C.G. Rogers, N.A., and Walker, J.A.** 1980. Activities of the Job Corps program; Fundy tidal power development. Final report for Project No. 16-01-002N. Bedford Institute of Oceanography, Dartmouth.
- Holloway, P.E.** 1981. Longitudinal mixing in the upper reaches of the Bay of Fundy. *Estuarine, Coastal and Shelf Sci.* 13: 495-515.
- Iles, T.D., and Sinclair, M.** 1982. Atlantic herring: stock discreteness and abundance. *Science* 215: 627-633.
- Imrie, D.M.G., and Daborn, G.R.** 1981. Food of some immature fish of Minas Basin, Bay of Fundy. *Proc. N.S. Inst. Sci.* 31: 149-154.
- Johnston, D.D. and Wildish, D.J.** 1982. Effect of suspended sediment or feeding by larval herring (*Clupea harengus harengus* L.). *Bull. Environ. Contam. Toxicol.* 29: 261-267.
- Knight, R.J.** 1980. Linear bar development and tidal current flow in Cobequid Bay, Bay of Fundy, Nova Scotia. Geological Survey of Canada paper. 80-10: 153-180.
- Kornfield, I., Sidell, B.D., and Gagnon, P.S.** 1982. Stock definition in Atlantic herring (*Clupea harengus harengus*): genetic evidence for discrete fall and spring spawning populations. *Can. J. Fish. Aquat. Sci.* 39: 1610-1621.
- Kulka, D.W., and Corey, S.** 1978. The life history of *Thysanoessa inermis* (Kroyer) in the Bay of Fundy. *Can. J. Zool.* 56: 492-506.
- Kulka, D.W., Corey, S., and Iles, T.D.** 1982. Community structure and bio mass of euphausiids in the Bay of Fundy. *Can. J. Fish. Aquat. Sci.* 39: 326-334.
- Lambiase, J.J.** 1980. Topographic control of sediment distribution on an intertidal sand bar: a case study. Geological Survey of Canada paper. 80-10: 181-187.
- Leslie, H.A., Campbell, A., and Daborn, G.R.** 1981. *Nectonema* (Nematomorpha: Nectonematoidea) a parasite of decapod Crustacea in the Bay of Fundy. *Can. J. Zool.* 59: 1193-1196.
- Loring, D.H.** 1982. Geochemical factors controlling the accumulation and dispersal of heavy metals in the Bay of Fundy sediments. *Can. J. Earth Sci.* 19: 930-944.
- Lynch, D.K.** 1982. Tidal bores. *Sci. Am.* 247: 146-156.
- MacInnis, A.** 1976. Saltmarsh vegetation - typing project. N.S. Lands and Forests, Kentville, N.S.
- Majka, M.** 1978. Wings over Fundy. *Nature Canada* 7: 42-47.
- McAloney, K.** 1981. Waterfowl use of Nova Scotian salt marshes. In: *Saltmarshes of Nova Scotia*. (ed. A. Hatcher and D. Patriquin) Dalhousie Univ., Halifax, N.S., pp. 60-66.
- Miller, J.D., and Whitney, N.J.** 1981. Fungi from the Bay of Fundy II. Observations on fungi from living and cast seaweeds. *Bot. Mar.* 24: 405-411.
- Miller, J.D., and Whitney, N.J.** 1981. Fungi of the Bay of Fundy III. Geofungi in the marine environment. *Mar. Bio. (Berl.)* 65: 61-68.
- Noble, J.P.A. and Logan, A.** 1981. Size-frequency distributions and taphonomy of brachiopods: a recent model. *Palaeogeogr. Palaeoclimatol. Palaeoecol.* 36: 87-105.

- Ogden, J.G.** 1981. Geology and hydrology of salt marshes in Nova Scotia. In: *Saltmarshes of Nova Scotia*. (ed. A. Hatcher and D. Patriquin) Dalhousie Univ., Halifax, N.S., pp. 28-42.
- Page, F.H.** 1981. *Structure of Sublittoral Hard Bottom Benthic Communities in the Quoddy Region, Bay of Fundy*. MSc. Thesis, Univ. of New Brunswick, Fredericton, N.B.
- Patriquin, D.G.** 1981. The general biology of salt marshes. In: *Saltmarshes of Nova Scotia*, (ed. A. Hatcher and D. Patriquin) Dalhousie Univ., Halifax, N.S. pp. 4-26.
- Payne, F.** 1981. Saltmarsh recreational values and management considerations. In: *Saltmarshes of Nova Scotia*. (ed. A. Hatcher and D. Patriquin) Dalhousie Univ., Halifax, N.S., pp. 54-59.
- Pearce, P.A., and Smith, A.D.** 1973. The potential influence on waterfowl of port and tidal power development in the Bay of Fundy. In: *Waterfowl Studies in Eastern Canada, 1969-73*. (ed. H. Boyd) Canadian Wildlife Service Report Series. 29: 91-100.
- Reid, P.C.** 1980. Toxic dinoflagellates and tidal power generation in the Bay of Fundy, Canada. *Mar. Pollut. Bull.* 11: 47-51.
- Risk, M.J., and Tunnicliffe, V.J.** 1978. Intertidal spiral burrows: *Paraonis fulgens* and *Spiophanes wigleyi* in the Minas Basin, Bay of Fundy. *J. Sediment Petrol.* 48: 1287-1292.
- Risk, M.J., and Yeo, R.K.** 1980. Animal-sediment relationships in Minas Basin, Bay of Fundy. Geological Survey of Canada paper. 80-10: 189-194.
- Roberts, D.** 1982. *Distribution of Organic Carbon and Nitrogen in Various Natural Particle Types of a Fine Intertidal Sediment*. M.Sc. Thesis, Dalhousie Univ., Halifax, N.S.
- Salinas, I.M.** 1980. *Feeding Strategies of Microgadus tomcod and Menidia menidia Inhabiting a Mudflat Ecosystem in the Bay of Fundy*. MSc. Thesis, Dalhousie Univ., Halifax, N.S.
- Schwinghamer, P.** 1981. Characteristic size distributions of integral benthic communities. *Can. J. Fish. Aquat. Sci.* 38: 1255-1263.
- Schwinghamer, P., Tan, F.C., and Gordon, D.C.** 1983. Stable carbon isotope studies on the Pecks Cove mudflat ecosystem in the Cumberland Basin, Bay of Fundy. *Can. J. Fish. Aquat. Sci.* 40 (Suppl. 1): 262-272.
- Sinclair, A., Sinclair, M., and Isles, T.D.** 1981. An analysis of some biological characteristics of the 4 x juvenile - herring fishery. *Proc. N.S. Inst. Sci.* 31: 155-172.
- Sinclair, M., Sinclair, A., and Isles, T.D.** 1982. Growth and maturation of southwest Nova Scotia Atlantic herring (*Clupea harengus harengus*). *Can. J. Fish. Aquat. Sci.* 39: 288-295.
- Sweet, C.E.** 1967. Preliminary report on ice conditions in Minas Basin, Chignecto Bay and the Annapolis Basin area of the Bay of Fundy. Unpublished report submitted to the Atlantic Tidal Power Programming board.
- Tee, K.T.** 1982. The structure of three-dimensional tide-generating currents: experimental verification of a theoretical model. *Estuarine Coast. Shelf Sci.* 14: 27-48.
- Tidal Power Corporation.** 1982. Fundy tidal power update '82. Tidal Power Corporation, Halifax, N.S.
- Turk, T.R., and Risk, M.J.** 1981. Effect of sedimentation on infaunal invertebrate populations of Cobiquid Bay, Bay of Fundy. *Can. J. Fish. Aquat. Sci.* 38: 642-648.

- Vanicek, P.** 1976. Pattern of recent vertical crustal movements in Maritime Canada. *Can. J. Earth Sci.* 13: 661-667.
- Walker, A., Ackles, T., Perkins, J., MacKinnon, M.D., Keizer, P.D. and McLachlan, J.** 1981. The chemistry of tidal waters of a salt marsh of Minas Basin (Bay of Fundy) Kings County, Nova Scotia. *Atlantic Research Lab. Tech. Rept.* No. 29.
- White, A.W.** 1982. Intensification of *Gonyaulax* blooms and shellfish toxicity in the Bay of Fundy. *Can. Tech. Rep. Fish. Aquat. Sci.* 1064.
- White, A.W., and Lewis, C.M.** 1982. Resting cysts of the toxic, red tide dinoflagellate *Gonyolax excavata* in Bay of Fundy sediments. *Can. J. Fish. Aquat. Sci.* 39: 1185-1194.
- Wildish, D.J.** 1980. Reproductive bionomics of two sublittoral amphipods in a Bay of Fundy estuary. *Inter. J. Invertebr. Reprod.* 2: 311-320.
- Wildish, D.J., and Dickinson, J.J.** 1982. A new species of *Haploops* (Amphipoda, Ampeliscidae) from the Bay of Fundy. *Can. J. Zool.* 60: 962-967.
- Wildish, D.J., and Peer, D.L.** 1983. Tidal current speed and production of benthic macrofauna in the lower Bay of Fundy. *Can. J. Fish. Aquat. Sci.* 40 (Suppl. 1): 309-321.
- Yeo, R.K. and Risk, M.J.** 1981. The sedimentology, stratigraphy, and preservation of intertidal deposits in the Minas Basin system, Bay of Fundy. *J. Sediment. Petrol.* 51: 245-260.