

Contents

SYMBIOSIS Volumes 1-19 (1985-1995)

Vol. 1, No. 1 (1985)

- 1 Relative significance of symbiotic Rickettsia and fortuitous microorganisms in reproduction of *Culex pipiens* Linnaeus (D.S.T. Awahmukalah and M.A. Brooks)
- 9 Coordination between thylakoid differentiation and cell division of *Cyanidium caldarium* (J. Zagon and P. Brandt)
- 19 The cyanobacterium *Zamia* symbiosis: C₂H₂-reduction and heterocyst frequency (P. Lindblad, L. Hällbom, and B. Bergman)
- 29 Nodulation and nitrogen fixation in members of the Rhamnaceae (*Colletia*, *Retanilla*, *Talguenea* and *Trevoa*) growing in the Chilean matorral (W.B. Silvester, O. Balboa, and J.A. Martinez)
- 39 The effect of iron on the growth and luminescence of the symbiotic bacterium *Vibrio fischeri* (M.G. Haygood and K.H. Neilson)
- 53 VAM fungi in *Ginkgo biloba* roots: their interactions at cellular level (P. Bonfante-Fasolo and A. Fontana)
- 69 Nodule specific proteins in alfalfa (*Medicago sativa* L.) (C.P. Vance, K.L.M. Boylan, S. Stade, and D.A. Somers)
- 85 Proteins from the lichen *Xanthoria parietina* (L.)Th.Fr. which bind to phycobiont cell walls. Isolation and partial purification of an algal-binding protein (P. Bubrick, A. Frensdorff, and M. Galun)

Vol. 1, No. 2 (1985)

- 101 Symbiosis as a mechanism of evolution: Status of cell symbiosis theory (L. Margulis and D. Bermudes)
- 125 Differential expression of the pea symbiotic plasmid pJB5JI in genetically dissimilar backgrounds (M.J. Sadowsky and B. Ben Bohlool)
- 139 Characterization of *Rhizobium* attachment to soybean roots (S.J. Vesper and W.D. Bauer)
- 163 *Rj1* and *rj1* soybean isolines: adsorption of rhizobia to roots and distribution of primary root nodules (J.H. Payne and S.G. Pueppke)
- 177 A new alga/hydra symbiosis: *Hydra magnipapillata* of the "non-symbiotic" vulgaris groups hosts a *Chlorococcum*-like alga (M. Rahat and V. Reich)
- 185 Gall midges (Diptera: Cecidomyiidae) are vectors for their fungal symbionts (A. Borkent and J. Bissett)
- 195 A comparison between cell antigens in different isolates of *Anabaena azollae* (H. Arad, A. Keysari, E. Tel-Or, and D. Kobiler)

Vol. 1, No. 3 (1986)

- 211 Experiments on persistence of endosymbiotic diatoms in the larger foraminifer: *Amphistegina lessonii* (J.J. Lee, J. Erez, M.E. McEnergy, A. Lagziel, and X. Xenophontos)
- 227 Phycobilisome variability in the endocyanelles of *Cyanophora paradoxa* (B. Müller and P. Brandt)
- 239 *Cycas circinalis*-*Anabaena cycadeae* symbiosis: Photosynthesis and the enzymes of nitrogen and hydrogen metabolism in symbiotic and cultured *Anabaena cycadeae* (B.T.V.V. Perraju, A.N. Rai, A.P. Kumar, and H.N. Singh)
- 251 Light mediates accumulation of lichen phenolics in *Evernia prunastri* thallus (C. Vicente and A. Avalos)
- 259 Growth and sporulation of vesicular-arbuscular mycorrhizal fungi in aeroponic and membrane systems (D.M. Sylvia and D.H. Hubbell)
- 269 Visualization of surface sugar residues in mycorrhizal ericoid fungi by fluorescein conjugated lectins (P. Bonfante-Fasolo and S. Perotto)

Vol. 2, Nos. 1-3 (1986)

- 7 Ti and Ri plasmids and plant transformation: state of the art and potential applications (M. Van Montagu)
- 9 Applications of genetic transformation by Ri-T-DNA from *Agrobacterium rhizogenes* (D. Tepfer, A. Yacoub, C. Lambert, A. Goldmann, C. Rosenberg, J. Dénarié, G. Jung, and J. Slightom)
- 11 Production of tropane alkaloids by hairy root cultures of *Scopolia japonica* (S. Nabeshima, Y. Mano, and H. Ohkawa)
- 19 Cauliflower mosaic virus potential vector gene: genome, organization and replication (G. Lebeurier)
- 31 Dual culture of Ri-T-DNA roots and root-inhabiting parasites (J. Mugnier)
- 33 Secretion of *Erwinia chrysanthemi* (M. Boccara, A. Kotoujansky, T. Andro, C. Ballas-Vergnet, and Y. Bertheau)
- 35 Satellite tobacco necrosis virus: a new vector in plant genetic engineering (W. Fiers, P. Ameloot, and J. Van Emmelo)
- 43 Molecular tools in filamentous fungi (Y. Brygoo)
- 45 A proposal for an improvement of the "pourriture noble" of grapes (O. Kamoen, D. Dubourdieu, and B. Dubos)
- 55 Large scale fermentation of transformed and non-transformed plant cell cultures for the production of useful compounds (J. Berlin)
- 67 A fast screening method for bacterial isolates producing substances affecting root-growth (S.C. Van De Geijn and J.M.M. Van Maaren)
- 79 Pectinases and other cell-wall degrading enzymes of industrial importance (F.M. Rombouts and W. Pilnik)
- 91 Cellulolytic activities of phytopathogenic microorganisms (J.P. Chambost)
- 103 Effective production of bacterial pectinases (S. Tsuyumu and Y. Miyamoto)
- 111 Recent progress in lignin biodegradation research (K. Kirk)
- 113 The effect of nitrogen supplementations on the fermentation of bagasse by *Sporotrichum pulverulentum* wild type and mutants (F. Al-Ani and J.E. Smith)
- 115 Molecular cloning of pectinase genes from *Erwinia carotovora* subsp. *carotovora* (strain SCRI 193) (G.S. Plastow, P.M. Border, J.C.D. Hinton, and G.P.C. Salmond)
- 125 Ectomycorrhizal fungi: state of the art, application and perspectives for research under consideration of molecular biology (K. Esser and F. Meinhardt)
- 139 Progress and headaches in endomycorrhiza biotechnology (S. Gianinazzi and V. Gianinazzi-Pearson)
- 151 Industrial potential of plant pathogens as biocontrol agents of weeds (A. Hasan)

- 165 Seasonal effects on rust disease (*Puccinia lagenophorae*) of *Senecio vulgaris* (N.D. Paul and P.G. Ayres)
- 175 Selection and uses of symbiotic legume bacteria: state of the art and potential applications (J.C. Cleyet-Marel and X. Pinochet)
- 189 Production of natural flavorings, perfumes and other fine chemical products by infected plants (V. Dourtooglou)
- 201 Extracellular polysaccharides of phytopathogenic bacteria (A. Trigalet and D. Démary)
- 217 Extracellular polysaccharides of phytopathogenic fungi (D. Dubourdieu)
- 223 The pharmaceutical utilization of phytopathogenic microorganisms (C. Spalla and R. Roncucci)
- 235 Novel aromas of fungal origin (A. Latrasse, C. Alabouvette, and J. Sarris)
- 249 Culture collections: a field for international cooperation (E.J. DaSilva)
- 265 Impulse to European cooperative research in the field of agricultural microorganisms; programme for interactive microbes (E. Magnien)
- 275 Risks to agriculture and forestry arising from the industrial use of phytopathogenic microorganisms (I.N. Smith)
- 287 Problems posed by the large scale application of microorganisms for biological control of soil-borne plant pathogens (J.M. LeMaire, C. Alabouvette, P. Davet, and R. Tramier)
- 303 Plant biology and patents (J. Warcoin)
- 311 Preliminary genetic study and regulation of the *cel* genes in *Erwinia chrysanthemi* (J.-L. Aymeric, M.-C. Pascal, J.-P. Chambost, and M. Chippaux)
- 313 The plasmids of agropine-type *Agrobacterium rhizogenes* strains: physical and preliminary functional maps (A.M. Birot, D. Bouchez, F. Casse-Delbart, J. Jouanin, J. Tourneur, and F. Vilaine)
- 317 Characterization of two endoglucanases *Erwinia chrysanthemi* and isolation of the coding genes (M.-H. Boyer, B. Cami, J. Cattaneo, and J.-P. Chambost)
- 319 Transformation of plants by agropine-type *Agrobacterium rhizogenes*: Organization of the transferred DNA (T-DNA) and its uses to introduce new genes into plants (F. Casse-Delbart, J. Jouanin, V. Pautot, C. Robaglia, M. Tepfer, J. Tourneur, and F. Vilaine)
- 321 Expression of an *Erwinia chrysanthemi* pectate lyase cloned in non-pathogenic hosts (F. Chalet, S. Reverchon, and J. Robert-Baudouy)
- 323 Mu insertion directed mutagenesis in two pectate lyase genes of *Erwinia chrysanthemi* (S. Diolez)
- 331 Mobilizable cloning vectors derived from ColD: Their use in *Erwinia* (J. Frey and M. Bleet)
- 337 Polysaccharide degrading enzymes excreted by two root rot fungi (J.P. Geiger, B. Rio, D. Nandris, and M. Nicole)
- 341 Production of plant growth substances by *Azospirillum* sp. and other rhizosphere bacteria (S. Horemans, K. De Koninck, J. Neuray, R. Hermans, and K. Vlassak)
- 347 Evaluation of mycotoxins produced by *Alternaria alternata* isolated from tomato in Iraq (M.J. Abdul-Latif, M.I. Hussain, H.R. Imad, A.A.W. Razzak, and F.A. Khulud)
- 355 Action of *Sporotrichum pulverulentum* on wood cell walls (K. Ruel and J.-P. Joseleau)
- 363 Setting and diffusion of a production system for legume *Rhizobium* inoculants (H. Saint Macary, P. Beunard, D. Montange, J.-P. Tranchant, and S. Verniau)
- 367 Production and potential uses of monoclonal antibodies to pectate lyases of *Erwinia chrysanthemi* (C. Vergnet-Ballas, Y. Bertheau, and J. Grosclaude)
- 373 A model system for studying the behavior of fungi antagonistic to *Sclerotinia sclerotiorum* (J.M. Whipps)

Vol. 3, No. 1 (1987)

- 1 Symbiosis with dinoflagellates in two pelagic flatworms, *Amphiscolops* sp. and *Haplodiscus* sp. (R.K. Trench and H. Winsor)
- 23 Pattern of distribution and adaptation to different irradiance levels of zooxanthellae in the soft coral *Litophyton arboreum* (Octocorallia, Alcyonacea) (T. Berner, Y. Achituv, Z. Dubinsky, and Y. Benayahu)
- 41 Distribution of *Arthrobacter* sp. in the leaf cavities of four species of the N-fixing *Azolla* fern (M.J. Petro and J.E. Gates)
- 49 Some initial stages in the formation of epilithic crustose lichens in nature: A SEM study (J. Garty and J. Delarea)
- 57 The juvenile development of lichen thalli from vegetative diaspores (S. Ott)
- 75 Peribacteroid membrane biogenesis in mature legume root nodules (R.B. Mellor and D. Werner)

Vol. 3, No. 2 (1987)

- 109 Photosynthesis by *in situ* and isolated Prochloron (Prochlorophyta) associated with didemnid ascidians (D.J. Griffiths and L. Van Thinh)
- 123 How do combinations of nutrients cause symbiotic *Chlorella* to overgrow hydra? (R.J. Blank and L. Muscatine)
- 135 Effect of B-group vitamins on cytokinin-like substances production by ectomycorrhizal-fungi of pine (*Pinus sylvestris* L.) (E. Strzelczyk and M. Kampert)
- 147 Influence of host plant on the morphology of the vesicular-arbuscular mycorrhizal fungus, *Glomus versiforme* (Daniels and Trappe) Berch (S.M. Lackie, M.L. Garriock, R.L. Peterson, and S.R. Bowley)
- 159 Evolutionary divergence in the *nifH*D.K. gene region among nine symbiotic *Anabaena azollae* and between *Anabaena azollae* and some free-living heterocystous cyanobacteria (C. Franche and G. Cohen-Bazire)
- 179 The use of mycorrhizas in temperate and tropical forests (F. Le Tacon, J. Garbaye, and G. Carr)
- 207 Book review: The Origin of Sex: Three Billion Years of Genetic Recombination. L. Margulis and D. Sagan (S. Robson)

Vol. 3, No. 3 (1987)

- 219 Nodule specific polypeptides of broadbean (*Vicia faba* L.) (S.S. Mohapatra, A. Perlick and A. Pühler)
- 233 Energy relationships between *Anemonia sulcata* and its endosymbiotic zooxanthellae (N. Stambler and Z. Dubinsky)
- 249 Vesicular-arbuscular mycorrhizae: Fungus-plant interactions at the cellular level (P. Bonfante-Fasolo)
- 269 Endomycorrhizas in the Gentianaceae. II. Ultrastructural aspects of symbiont relationships in *Gentiana lutea* L. (J. Jacquilinet-Jeanmougin, V. Gianinazzi-Pearson, and S. Gianinazzi)
- 287 Development and growth of the lichen *Rhizocarpon geographicum* (R.A. Armstrong and S.N. Smith)
- 301 Chemoautotrophic bacterial endosymbiosis in *Spisula subtruncata* (Bivalvia, Mactridae). Ultrastructure, metabolic significance and evolutionary implications (J. Soyer, M.-O. Soyer-Gobillard, C. Thiriot-Quévieux, M. Bouvy, and G. Cahet)
- 315 The relationship between the ash bolete (*Boletinus merulioides*) and an aphid parasitic on ash tree roots (M.C. Brundrett and B. Kendrick)
- 321 Book review: Problems in Lichenology in the Eighties. E. Peveling (D.H.S. Richardson)

Vol. 4, Nos. 1-3 (1987)

- 3 How are growth and luminescence regulated independently in light organ symbionts? (J.W. Hastings, J. Makemson, and P.V. Dunlap)
- 25 Endosymbiotic bacteria in gills of the littoral bivalve molluscs: *Thyasira flexuosa* (Thyasiridae) and *Lucinella divaricata* (Lucinidae) (A. Herry and M. Le Pennec)
- 37 A review of the relationships between bivalve molluscs and bacteria in the marine environment (D. Prieur)
- 51 The possible nutritional or detoxification role of the epibiotic bacteria of *Alvinellid polychaetes*: Review of current data (A. Alayse-Danet, D. Desbruyeres, and F. Gaill)
- 63 Trophic structural adaptations in relation to the bacterial association of bivalve molluscs from hydrothermal vents and subduction zones (A. Fiala-Medioni and M. Le Pennec)
- 75 The adaptive functional structure of mucus-gathering setae in trapezid crabs symbiotic with corals (B.S. Galil)
- 87 Preliminary study of heterotrophic bacteria isolated from two deep sea hydrothermal vent invertebrates: *Avinella pompejana* (Polychaete) and *Bathymodiolus thermophilus* (Bivalve) (D. Prieur and C. Jeanthon)
- 99 Introduction of metamorphosis in the symbiotic scyphozoan *Cassiopea andromeda*: Role of marine bacteria and of biochemicals (D.K. Hoffmann and U. Brand)
- 117 Chimeras in colonial invertebrates: a synergistic symbiosis or somatic cell parasitism? (B. Rinkevich and I.L. Weissman)
- 135 Significance of microbial symbionts in sponge evolution and ecology (C.R. Wilkinson)
- 147 Characteristics of Prochloron/Ascidian symbioses II. Photosynthesis-irradiance relationships and carbon balance of associations from Palau, Micronesia (R.S. Alberte, L. Cheng, and R.A. Lewin)
- 171 Differences in the symbiotic interrelation in dark and light colored colonies of the hydrocoral *Millepora dichotoma* (H. Schonwald, Y. Achituv, and Z. Dubinsky)
- 185 Symbiont acquisition as neoseme: origin of species and higher taxa (D. Bermudes and L. Margulis)
- 199 Are natural populations of zooxanthellae ever nutrient-limited? (C.B. Cook and C.F. d'Elia)
- 213 The influence of symbiotic photosynthesis on the $\delta^{18}\text{O}$ and $\delta^{13}\text{C}$ values of planktonic foraminiferal shell calcite (H.J. Spero and M.J. Deniro)
- 229 Cleaning symbiosis (G.S. Losey)
- 259 Neuroendocrine control of cleaning behavior in *Labroides dimidiatus* (R. Lenke)
- 275 Damselfishes and their algal lawns: a case of plural mutualism (C.M. Eakin)
- 289 The dwelling cavity of the coral crab *Latopilumnus tubicolus* (Crustaceae, Pilumnidae) in *Tubastraea micranthus* (Scleractinia, Dendrophylliidae) reef coral (H. Schuhmacher)
- 301 Some ecological consequences of coral-crustacean guard mutualisms in the Indian and Pacific Oceans (P.W. Glynn)
- 325 Specific problems of cell recognition and perialgal vacuole formation in the *Paramecium bursaria* endosymbiosis (R. Meier and W. Wiessner)
- 335 The role of feeding in the metabolism of larger symbiont bearing Foraminifera (B.H. ter Kuile, J. Erez, and J.J. Lee)
- 351 Symbiosis budgets: profits and loss accounting (R.A. Lewin)
- 355 Final remarks at the First Eilat Symposium on Marine Symbioses (L.B. Slobodkin)

Vol. 5, Nos. 1+2 (1988)

- 1 Ascidian-algal symbioses: I. Isolation and characterization of phycobiliproteins from symbiotic cyanophytes in ascidians (D.L. Parry)
- 23 Ascidian-algal symbioses: II. Photoadaptation in *Didemnid* ascidians with red cyanophytes (D.L. Parry)

- 33 Morphogenetic effects of endomycorrhiza formation on the root system of *Calluna vulgaris* (L.) Hull (G. Berta, V. Gianinazzi-Pearson, G. Gay, and G. Torri)
- 45 The retention of chloroplasts by the foraminifer *Elphidium crispum* (J.J. Lee, E. Lanners, and B. ter Kuile)
- 61 Feeding rates of two species of larger foraminifera *Amphistegina lobifera* and *Amphisorus hemprichii* from the Gulf of Eilat (Red Sea) (J.J. Lee, J. Erez, B. ter Kuile, A. Lagziel, and S. Burgos)
- 103 The bioenergetics of symbiotic sea anemones (Anthozoa: Actiniaria) (R.G. Steen)
- 143 Haemagglutinins and haemolysins in maritime lichens and the effects of various parameters in *Cladonia pyxidata* anti-rabbit erythrocyte agglutinin activity (G.A. Ingram and M. Tassabehji)

Vol. 5, No. 3 (1988)

- 161 Animal symbioses in coral reef communities: A review (P. Castro)
- 185 Bacteria in the *Azolla-Anabaena* association (M. Grilli-Caiola, C. Forni, and M. Castagnola)
- 199 Study on the association between *Anabaena azolla* and *Azolla microphylla* during the germination of gegasporocarps (C. Lin and I. Watanabe)
- 209 Polyphenols, and not lectins, are responsible for haemagglutinating activity in extracts of *Azolla filiculoides* Lam. (L. Leizerovitch, G. Fleminger, N. Kardisch, A. Frensdorff, and M. Galun)
- 223 Adhesion of photobiont cells to mycobiont hyphae of the lichen *Xanthoria parietina* (P. Bublick)
- 229 The role of vestimentiferan hemoglobin in providing an environment suitable for chemoautotrophic sulfide-oxidizing endosymbionts (C.R. Fisher, J.J. Childress, and N.K. Sanders)
- 247 Catalase activity in cell-free preparations of some symbiotic and non-symbiotic marine invertebrates (E.M. Tytler and R.K. Trench)
- 357 Book review: Predation, Direct and Indirect Impacts on Aquatic Communities. W.C. Kerfoot and A. Sih (G. Losey)

Vol. 6, Nos. 1+2 (1988)

- 1 Light regulation of electron transport in N₂-fixing cyanobacteria in lichens (O. Canaani)
- 17 The effect of *Azospirillum brasilense* inoculation on metabolic enzyme activity in maize root seedlings (E. Fallik, Y. Okon, and M. Fischer)
- 29 Enhancement of acetylene reduction *in vivo* by Krebs cycle intermediates and by sugars in the cyanobacterium *Nostoc muscorum* (L. Karni and E. Tel-Or)
- 37 Effect of a clay mineral (montmorillonite) on the nodulation of *Alnus* and on the nitrogenase activity of *Frankia* in pure culture (A. Smolander, E.-L. Nuramiah-Lassila, and V. Sundman)
- 53 Interaction of carbon metabolism in the *Azolla-Anabaena* symbiosis (D. Kaplan and G.A. Peters)
- 69 Early nodulation in legumes inoculated with *Azospirillum* and *Rhizobium* (E. Yahalom, Y. Okon, and A. Dovrat)
- 81 Infection and root nodule structure in the *Rhizobium galegae* sp. nov.-*Galega* sp. symbiosis (P. Lipsanen and K. Lindstrom)
- 97 Isolation and characterization of *Frankia* strains from *Alnus incana* and *Alnus glutinosa* in Finland (A. Weber, A. Smolander, E.-L. Nuramiah-Lassila, and V. Sundman)
- 117 Distribution of the N₂-fixation and photosynthetic activities in the *Azolla-Anabaena* symbiosis (S.A. Kulasooriya, H. Arad, O. Canaani, E. Tel-Or, and S. Malkin)

- 129 N₂-fixing cyanobacteria as nitrogen biofertilizer - A study with the isolate *Anabaena Azollae* (S. Boussiba)
- 139 Interactions between N₂-fixing enteric bacteria and grasses (K. Haahtela, T. Laakso, E.-L. Nuramiahho-Lassila, R. Rönkkö, and T.K. Kurhonen)
- 151 Isotopic studies on N₂-fixation in *Azolla* and the availability of its nitrogen to rice (S.A. Kulasooriya, P.R.G. Seneviratne, W.S.A. deSilva, S.W. Abeysekera, C. Wijesundara, and A.P. deSilva)
- 167 Effect of VA mycorrhizae and bark ash on the growth and N₂-fixation of two legumes (M. Niemi and M. Eklund)
- 181 Nitrogen fixation of cyanobacteria (blue-green algae) and the nitrogen cycle of the Baltic Sea (J.-M. Leppänen, A. Niemi, and I. Rinne)

Vol. 6, No. 3 (1988)

- 197 Green endosymbiont of *Coleps* from Lake Ciso identified as *Chlorella vulgaris* (I. Esteve, J. Mir, N. Gaju, H. McKhann, and L. Margulis)
- 211 Effect of organic acids on production of auxin-like substances of ectomycorrhizal fungi (A. Pokojska and E. Strzelczyk)
- 225 Uptake of inorganic carbon by *Fragilaria shiloi*, the symbiont of the foraminifer *Amphistegina lobifera* (B.H. ter Kuile, A. Kaplan, and J.J. Lee)
- 237 The products of photosynthesis by zooxanthellae (*Symbiodinium microadriaticum*) of *Tridacna gigas* and their transfer to the host (M. Streamer, D.J. Griffiths, and L.-V. Thinh)
- 253 Taxonomic studies on endocytobiotic chlorophycean algae isolated from different American and European strains of *Paramecium bursaria* (W. Reisser, S. Vietze, and M. Widowski)
- 271 Versicular-arbuscular and ectomycorrhizas on the annual composite, *Podothea angustifolia* (P.A. McGee)
- 281 Competition between *Bradyrhizobium japonicum* strains for nodulation: Characterization of nodulation patterns using plastic growth pouches (D. Fernandez-Flouret and J.C. Cleyet-Marel)

Vol. 7, No. 1 (1989)

- 1 Geological history of the Glomaceae with particular reference to mycorrhizal symbiosis (K.A. Pirozynski and Y. Dalpé)
- 37 The resynthesis of thalli of *Dermatocarpon miniatum* under laboratory conditions (E. Stocker-Worgötter and R. Türk)
- 51 Extracellular symbiosis of a yeast-like microorganism within *Comperia merceti* (Hymenoptera: Encyrtidae) (L.M. Lebeck)
- 67 Viability of alfalfa nodule bacteroids isolated by density gradient centrifugation (D.G. McRae, R.W. Miller, and W.B. Berndt)
- 81 Mg²⁺-dependent pyrophosphatase, a tonoplast enzyme in the peribacteroid membrane of *Glycine max* root nodules (S. Bassarab and D. Werner)

Vol. 7, No. 2 (1989)

- 105 The significance of the fungus *Asperigillus pernilloides* to the house dust mite *Dermatophagoides pteronyssinus* (A. Douglas and B. Hart)
- 117 Is acid tolerance of symbiotic *Chlorella in vitro* an indicator of pH in intracellular perialgal vacuoles of *Hydra viridis*? (M. Rahat, E. Kessler, and V. Huss)
- 127 *In vitro* phosphorylation of soluble proteins from soybean (*Glycine max*) root nodules: inhibition of protein kinase activity by Zn²⁺ (H. Krishnan and S. Pueppke)
- 139 Pine species influence suppression of *Fusarium* root rot by the ectomycorrhizal fungus *Paxillus involutus* (L. Duchesne, S. Campbell, H. Koehler, and R. Peterson)
- 149 Release of trehalose by symbiotic algae (R. Pardy, B. Spargo, and J. Crowe)

- 159 Metamorphosis of an octocoral primary polyp and its infection by algal symbiosis (Y. Benayahu, Y. Achituv, and T. Berner)
- 171 Competition between *Bradyrhizobium japonicum* strains for nodulation: a study of nodulation regulation in the soybean (D. Fernandez-Flouret and J.-C. Cleyet-Marel)

Vol. 7, No. 3 (1989)

- 193 Applications of computer-assisted image analysis for microscopic studies of the *Rhizobium*-legume symbiosis (F.B. Dazzo and M.A. Petersen)
- 211 *Pinus resinosa* ectomycorrhizae: Seven host-fungus combinations synthesized in pure culture (D.L. Richter and J.N. Bruhn)
- 229 A laboratory-induced association between the marine amoeba *Trichosphaerium AM-I-7* and the dinoflagellate *Symbiodinium #8* (A. Rogerson, M. Polne-Fuller, R.K. Trench, and A. Gibor)
- 243 *In vitro* enhancement of spore germination and early hyphal growth of a vesicular-arbuscular mycorrhizal fungus by host root exudates and plant flavonoids (V. Gianinazzi-Pearson, B. Branzanti, and S. Gianinazzi)
- 257 Characterization of symbiotic and cultured *Nostoc* of the lichen *Nephroma laevigatum* Ach. (N. Kardish, M. Kessel, and M. Galun)

Vol. 8, No. 1 (1990)

- 1 Ruhama Berliner (1942-1990)
- 5 The role of mycorrhizae and soil in plant establishment in natural ecosystems (R. Berliner)
- 9 Effect of mycorrhizal inoculation on nodule initiation, activity and contribution to legume productivity (N. Patterson, I. Chet, and Y. Kapulnik)
- 21 Repeated sequences in *Pseudomonas syringae* pv. *phaseolicola*: distribution and possible function as insertion sequences (M. Romantschuk, Y. Zhao, K. McCluskey, J. Williams, and D. Mills)
- 33 Function and regulated accumulation of plant pathogenesis-related proteins (T. Lotan and R. Fluhr)
- 47 Host specificity and efficiency of nitrogenase activity of *Frankia* strains from *Alnus incana* and *Alnus glutinosa* (A. Weber)
- 61 Detection of rhizobia by DNA-DNA-hybridization from soil samples: problems and perspectives (A. Saano and K. Lindström)
- 75 Comparison between eight symbiotic, cultured *Nostoc* isolates and a free-living *Nostoc* by recombinant DNA (I. Leizerovich, N. Kardish, and M. Galun)

Vol. 8, No. 2 (1990)

- 95 Endospore-forming filamentous bacteria symbiotic in termites: Ultrastructure and growth in culture of *Arthromitus* (L. Margulis, L. Olendzenski, and B.A. Afzelius)
- 117 Bacteria associated with a photosynthetic dinoflagellate in culture (C. Rausch de Traubenberg and M.O. Soyer-Gobillard)
- 135 Comparison between the symbiotic *Nostoc* of the lichen *Nephroma laevigatum* Ach. and its cultured, isolated *Nostoc* by recombinant DNA (N. Kardish, D. Rotem-Abarbanell, A. Zilberstein, and M. Galun)
- 147 Diversity of *Frankia* strains isolated from actinorrhizae of a single *Alnus rubra* cultivated in nursery (M. Faure-Raynaud, M.A. Bonnefoy-Poirier, and A. Moiroud)
- 161 Release of bacteroid proteins during the preparation of peribacteroid membrane and peribacteroid space fractions from soybean nodules (*Glycine max* (L.) Merr.) (J.C. Streeter and D.J. Morré)
- 175 Characterization of an artificial nitrogen-fixing alga-bacterium ectocytobiosis (P. Korányi, I. Gyurján, P. Stefanovits, K. Bóka, and Z. Szigeti)

Vol. 8, No. 3 (1990)

- 197 Root colonization and intraspecific mycobiont variation in ectomycorrhiza (K. Wong and J. Fortin)
- 233 Interactions between monokaryotic and dikaryotic isolates of *Laccaria bicolor* on roots of *Pinus banksiana* (M. Gardes, K. Wong, and J. Fortin)
- 251 *Rhizobium* sp. NGR234: Molecular microbial ecology and multiple symbiosis (E. Cervantes, J. Van Slooten, and J. Stanley)
- 271 The predominant protein in an aphid endosymbiont is homologous to an *E. coli* heat shock protein (E. Hara, T. Fukatsu, K. Kakeda, M. Kengaku, C. Ohtaka, and H. Ishikawa)
- 285 *Arthromiticus chasei* ATCC No. 49589

Vol. 9, Nos. 1-3 (1990)

- 3 Transports in roots (C. Grignon)
- 19 The soil-root interface in relation to mineral nutrition (V. Römheld)
- 29 Carbon partitioning in the rhizosphere of an annual and perennial species of bromegrass (F.R. Warembourg, H.D. Estelrich, and F. Lafont)
- 37 Microbial growth and immobilization/mineralization of N in the rhizosphere (L.R. Bakken)
- 43 Phosphorus and carbon relationships in willow ectomycorrhizae (P.B. Tinker, M.D. Jones, and D.M. Durall)
- 51 Soil receptivity to take-all: Influence of some cultural practices and chemical characteristics (P. Lucas and A. Sarniguet)
- 59 Iron solubilization by mycorrhizal fungi producing siderophores (F. Watteau and J. Berthelin)
- 69 CO₂ high partial pressure in the rhizosphere affect mineral nutrition of plants: An approach to the mechanisms involved (J.B. Thibaud, V. Toulon, H. Sentenac, J.C. Davidian, and C. Grignon)
- 71 Measurement of pH gradients in the rhizosphere (L. Ruiz and J.C. Arvieu)
- 77 Simulating a macroscopic rhizosphere for measuring potassium depletion in the close vicinity of rape roots (P. Hinsinger and D. Jaillard)
- 83 Aluminium tolerance of ectomycorrhizal fungi *Suillus viregatus* and *Thelephora terrestris* (H. Väre and A.M. Markkola)
- 87 Influence of root exudates on soil aggregation (L. Habib, J.L. Morel, A. Guckert, S. Plantureux, and C. Chenu)
- 93 Fungal biomass in the mycorrhizae in relation to sporophore yield in a fertilizer and an unfertilized (*Pinus taeda*) stand (A.M. Markkola, W.G. Cibula, and H. Väre)
- 97 Establishment and distribution of pea primary root nodules (*Pisum sativum* L.) as affected by shading (F. Tricot, Y. Crozat, F. Tardieu, and M. Sebillotte)
- 105 Weathering of micas in the rhizospheres of maize, pine and beech seedlings influenced by mycorrhizal and bacterial inoculation (C. Leyval, F. Laheurte, G. Belgy, and J. Berthelin)
- 111 Root exudates of maize, pine and beech seedlings influenced by mycorrhizal and bacterial inoculation (F. Laheurte, C. Leyval, and J. Berthelin)
- 117 The role of the rhizosphere on C and N cycles in a plant-soil system (M. Texier and G. Billès)
- 125 Leakage of gases from inoculated and sterile grass roots (J. Ueckert, E.G. Niemann, and I. Fendrik)
- 129 VAM propagule activity as affected by burning (A. Vilarino and J. Arines)
- 135 Symbiotic signals in early stages of the morphogenesis of *Rhizobium*-induced root nodules (A.A.N. van Brussel)

- 147 Catabolism of the plant secondary metabolites calystegins and trigonelline by *Rhizobium meliloti* (C. Boivin, C. Malpica, C. Rosenberg, A. Goldmann, V. Fleury, M. Maille, B. Message, N. Pamboukdjian, and D. Tepfer)
- 155 Characterization and quantification of exocellular polysaccharides in *Azospirillum brasilense* and *Azospirillum lipoferum* (M. Del Gallo and A. Haegi)
- 163 T.E.M. study of intracellular and extracellular calcium oxalate accumulation by ectomycorrhizal fungi in pure culture or in association with *Eucalyptus* seedlings (F. Lapeyrie, C. Picatto, J. Gerard, and J. Dexheimer)
- 167 Ericoid fungal strains from an alpine zone: Their cytological and cell surface characteristics (S. Perotto, R. Peretto, D. More, and P. Bonfante-Fasolo)
- 173 A rapid method to quantify free tryptophan in mycelia of ectomycorrhizal fungi (N. Durand, J. Bernillon, and G. Gay)
- 179 What is the role of levansucrase in *Bacillus subtilis*? (S. Aymerich)
- 185 Purification assay of phosphatases secreted by *Hebeloma cylindrosporium* and preparation of polyclonal antibodies (C. Deransart, E. Chaumat, J.C. Cleyet-Marel, D. Mousain, and J. Labarère)
- 195 Contribution of chemotaxis and aerotaxis to the establishment of *Azospirillum* in the rhizosphere (S. Kimmel, B. Reinhold-Hurek, I. Fendrik, and E.G. Niemann)
- 199 Role of root extract and volatile substances of non-host plants on vesicular arbuscular mycorrhizal spore germination (H. Vierheilig and J.A. Ocampo)
- 203 On the distribution of soil and rhizosphere actinomycetes of a poplar plantation (S. Hettiarachi and M.J. Penninchx)
- 207 Effects of temperature on the behavior of *Pseudomonas fluorescens-putida* strains (B. Digat and J. Mattar)
- 215 Immunotrapping of *Bacillus polymyxa* in soil and in the rhizosphere of wheat (P. Mavingui, O. Berge, and T. Heulin)
- 223 Influence of herbicides of VA mycorrhizal propagation in soil (B. Dehn, M. Bodmer, and H. Schüpp)
- 229 Nitrate utilization of *Bradyrhizobium japonicum* bacteroids (M.J. Delgado, M. Fernandez-Lopez, J. Olivares, and E.J. Bedmar)
- 235 Promotion of leaf area development and yield in *Sorghum bicolor* inoculated with *Azospirillum brasilense* (S. Sarig, Y. Okon, and A. Blum)
- 247 Interactions between a VA mycorrhizal fungus and *Frankia* associated with alder (*Alnus glutinosa* (L.) Gaetr.) (A. Fragga-Beddiar and F. Le Tacon)
- 259 Effects of inoculation with *Bacillus circulans* and *Azospirillum lipoferum* on crop-yield in field grown maize (O. Berge, J. Fages, D. Mulard, and J. Balandreau)
- 267 The bacteria associated with *Laccaria laccata* ectomycorrhizas or sporocarps: Effect on symbiosis establishment on douglas fir (J. Garbaye, R. Duponnois, and J.L. Wahl)
- 275 Non-photosynthetic CO₂ fixation by the nodulated roots of legume. In situ measurement with ¹⁴CO₂ during the growth cycle of soybean (C. Roumet and F.R. Warembourg)
- 283 Inoculation by *Azospirillum brasilense* and *Bradyrhizobium* ssp on *Cicer arietinum* (chick pea) (M. Del Gallo and P. Fabbri)
- 289 Investigations into the growth of a nitrogen fixing bacterium in gradients relevant to the rhizosphere of rice (C. Fritzsche and E.G. Niemann)
- 295 Susceptibility of various tomato and lettuce genotypes to plant-growth-promoting *Pseudomonas* (B. Digat, M. Gaudiullat, and J.M. Labadie)
- 305 Infectivity and effectivity of *Glomus mosseae* mycorrhizae in four different species of medicinal plants (A. Camprubi, V. Estaun, C. Calvet, and J. Pera)
- 309 Vesicular-arbuscular mycorrhizae on *Pistacia* sp. (V. Estaun, C. Calvet, and A. Camprubi)
- 315 Seasonal patterns of vesicular-arbuscular mycorrhizal occurrence in grasslands (I.R. Sanders)

- 321 The response of different species of *Lupinus* to VAM endophytes (L. Avio, C. Sbrana, and M. Giovannetti)
- 327 Pseudomonads as antagonists of plant pathogens in the rhizosphere: role of the antibiotic 2,4-diacetylphloroglucinol in the suppression of black root of tobacco (C. Keel, P. Wirthner, T. Oberhänsli, C. Voisard, U. Burger, D. Haas, and G. Défago)
- 343 Colonization of sterilized soil and flax roots by strains of *Fusarium oxysporum* and *Fusarium solani* (H. Nagao, Y. Couteaudier, and C. Alabouvette)
- 355 Antagonistic interactions between pathogenic and saprophytic fungi isolated from plant roots (E. Kovacikova and V. Kudela)
- 363 The role of vesicular-arbuscular mycorrhiza in controlling damping-off and growth reduction in cucumber caused by *Pythium ultimum* (C.N. Rosendahl and S. Rosendahl)
- 367 Behavior of bacterial populations in response to amoebal predation in the rhizosphere (P. Gamard, C. Steinberg, and G. Faurie)
- 377 Notes on the behavior of fluorescent pseudomonads in rhizosphere studies (H.J. Miller)
- 383 Effects of high phosphorus supply on the interaction of soybean roots with *Glomus mosseae* and *Rhizoctonia solani*: Degree of infection and accumulation of the phytoalexin glyceollin (P. Wyss, T. Boller, and A. Wiemken)
- 389 The dynamics of actinomycetes and fluorescent pseudomonads in wheat rhizoplane and rhizosphere (H.J. Miller, E. Liljeroth, M.J.E.I.M. Willemsen-De Klein, and J.A. van Veen)
- 393 Preliminary studies for tomato bacterial wilt (*Pseudomonas solanacearum* E.F.Sm.) resistance mechanisms (P. Prior, M. Beramis, M. Chillet, and J. Schmit)
- 401 Rhizosphere competence of antagonistic Fusaria isolated from suppressive soils (A. Garibaldi, L. Guglielmone, and M.L. Gullino)
- 405 Competition for nodulation of *Rhizobium* spp (*Cicer arietinum* L.) inoculated on different cultivars of chick pea (R. Di Bonito, G. Porreca, and S. Mannelli)

Vol. 10, Nos. 1-3 (1991)

- 1 The coral reef: An owner-built, high density, fully-serviced, self-sufficient housing estate in the desert - or is it? (D. Kinsey)
- 23 The anemone fish symbiosis: What is known and what is not (D. Fautin)
- 47 Granular reticulopodal digestion - a possible preadaptation to benthic foraminiferal symbiosis? (J. Lee, W. Faber Jr., and R. Lee)
- 63 Feeding and growth of the foraminifer *Peneroplis planatus* (Fichtel and Moll) Montfort (W. Faber Jr. and J. Lee)
- 83 Effects of axenic culture conditions on asexual reproduction and metamorphosis in the symbiotic scyphozoan *Cassiopea andromeda* (D. Hofmann and G. Henning)
- 95 Structural aspects of prochloron-tunicate symbiosis (H. Swift and D. Robertson)
- 115 A photographic, computerized method for measurements of surface area in *Millepora* (M. Ben-Zion, Y. Achituv, N. Stambler, and Z. Dubinsky)
- 123 The effect of anemone size and hermit crab behavior on the distribution of *Calliactis tricolor* (le sueur) on snail shells (W. Brooks)
- 135 Shell-borers in the oyster, *Striostrea margaritacea*; pests or symbionts? (M. Schleyer)
- 145 Ultraviolet radiation and photooxidative stress in zooxanthellate Anthozoa: The sea anemone *Phyllodiscus semoni* and the octocoral *Clavularia* sp. (J. Shick, M. Lesser, and W. Stochaj)
- 175 A long-term compartmental partitioning of photosynthetically fixed carbon in a symbiotic reef coral (B. Rinkevich)
- 195 Carbon flow within the colonial radiolarian microcosm (D. Angel)
- 219 Interaction between mixotrophic flagellates and bacteria in aquatic ecosystems (N. Paran, Z. Dubinsky, and T. Berman)

- 233 Skeletal modifications in stony corals caused by indwelling crabs: Hydro-dynamical advantages for crab feeding (A. Abelson, B. Galil, and Y. Loya)
- 249 Light adaptation and production characteristics of branches differing by age and illumination of the hermatypic coral *Pocillopora verrucosa* (E. Titlyanov)

Vol. 11, No. 1 (1991)

- 1 *Cristispira* from oyster styles: Complex morphology of large symbiotic spirochetes (L. Margulis, L. Nault, and J. McN. Sieburth)
- 19 Effects of heat treatment on the symbiotic system of an aphid mycetocyte (C. Ohtaka and H. Ishikawa)
- 31 The enzymatic response of the symbiotic dinoflagellate *Symbiodinium microadriaticum* (Freudenthal) to growth *in vitro* under varied oxygen tensions (J.L. Matta and R.K. Trench)
- 47 Lectin from the lichen *Nephroma laevigatum* Ach. Localization and function (N. Kardish, L. Silberstein, G. Fleminger, and M. Galun)
- 63 Morphometric and energy dispersive X-ray analysis of polphosphate distribution in the VAM fungus *Glomus versiforme* associated with leek (R.L. Peterson and M.J. Howarth)
- 73 Influence of storage, season, morphology and habitat on haemagglutinin and haemolysin levels in maritime lichens (G.A. Ingram)
- 93 Bellagio Conference and Book; Symbiosis as Source of Evolutionary Innovation

Vol. 11, Nos. 2+3 (1991)

- 109 Development of *Peltigera praetextata* lichen thalli in culture (I. Yoshimura and Y. Yamamoto)
- 119 Enzyme similarity as an indicator of evolutionary divergence: *Stereocaulon saxatile* H. Magn. (D. Fahselt)
- 131 Thallus moisture and microclimatic control of CO₂ exchange of *Peltigera aphthosa* (L.) Willd. on Disko Island (West Greenland) (B. Schroeter, P. Jacobsen, and L. Kappen)
- 147 Comparative stereological study of the photobiont of *Lasallia hispanica* (Frey) Sancho & Crespo and *Umbilicaria spodochoa* var. *Carpetana* Prov. (C. Ascaso and F. Valladares)
- 163 Experimental microbiology of lichens: Mycelia fragmentation, a novel growth chamber, and the origins of thallus differentiation (D. Armaleo)
- 179 Quantum efficiency and chlorophyll fluorescence in the lichens *Hypogymnia psysodes* and *Parmelia sulcata* (M. Jensen and G.B. Feige)
- 193 Direct analysis of lichens by tandem mass spectrometry (R. Tabacchi, P. Allemand, and G. Tsoupras)
- 207 Lichen mineral studies - currently clarified or confused? (D.H. Brown)
- 225 New results in the chemistry of lichens (S. Huneck)
- 249 Molecular biology of lichens: A look to the future (V. Ahmadjian)
- 255 Water status and urease secretion from two ecotypes of *Xanthoria parietina* (M. Rodriguez and C. Vicente)
- 263 Regulation of different arginase forms in *Evernia prunastri* thallus (M. Estrella Legaz)
- 279 Biochemical and environmental influence on the synthesis and accumulation of lichen phenolics (C. Vicente)
- 299 Chemical control of cadmium uptake in *Peltigera* (D.H. Brown and A. Avalos)
- 313 Analytical pyrolysis of lichen thalli (C. Saiz-Jimenez, J. Grimalt, J. Garcia-Rowe, and J.J. Ortega-Calvo)
- 327 Chemical evolution in the order Peltigerales: Triterpenoids (D.J. Galloway)
- 345 Binding studies of evernic acid to purified constitutive arginase of *Evernia prunastri* by SE-HPLC (M.M. Pedrosa and M. Estrella Legaz)

Vol. 12, No. 1 (1992)

- 1 Symplastic molality of free amino acids and sugars in *Rosa* roots with regard to VA mycorrhizae and drought (R.M. Augé, J.G. Foster, W.H. Loescher, and A.J.W. Studola)
- 19 Macromolecules associated with the cell walls of symbiotic dinoflagellates (D.A. Markell, R.K. Trench, and R. Iglesias-Prieto)
- 33 Nodulation N₂-fixation (¹⁵N) and N nutrition relationships in mycorrhizal or phosphate-amended alfalfa plants (R. Azcon and J.M. Barea)
- 43 Lobe growth in lichen thalli (D.J. Hill)
- 57 Lectin agglutination properties of symbiotic and non-symbiotic algae and hydra cells (V. Reich and C.L. Greenblatt)
- 75 The green hydra symbiosis: Most of the history is recent (M. Burnett, A. Schultz, C. Schweitzer, B. Simpson, and R.L. Parady)
- 83 Mycorrhiza-mediated nutrient distribution between associated soybean and corn plants evaluated by the diagnosis and recommendation integrated system (DRIS) (M.S. Brown, G.J. Bethlenfalvay, and R. Ferrera-Cerrato)
- 95 Nodulation suppression by *Rhizobium leguminosarum* bv. *phaseoli* in bean (M.L.C. George, F.M. Robert, and B.B. Bohlool)

Vol. 12, No. 2 (1992)

- 113 Is trehalose a symbiotic determinant in symbioses between higher plants and microorganisms? (R.B. Mellor)
- 131 Immunogold localization of hydrogenase in the cyanobacterial-plant symbioses *Peltigera canina*, *Anthoceros punctatus* and *Gunnera magellanica* (A.N. Rai, M. Morthakur, E. Soderback, and B. Bergman)
- 145 Lobe growth variation and the maintenance of symmetry in foliose lichen thalli (R.A. Armstrong and S.N. Smith)
- 159 The role of parasitism in the co-development and colonization of *Peltula euploca* and *Glyphopeltis ligustica* (S. Ott and C. Scheidegger)
- 173 Epiphytic algae and fungi on spruce needles (E. Peveling, H. Burg, and K.B. Tenberge)
- 189 Pectinase activity in vesicular-arbuscular mycorrhiza during colonization of lettuce (I. Garcia-Romera, J.M. Garcia-Garrido, and J.A. Ocampo)

Vol. 12, No. 3 (1992)

- 209 Spatial relationships of *Frankia* and *Myrica cerifera* on a Virginia, USA barrier island (D.R. Young, E. Sande, and G.A. Peters)
- 221 Organic carbon transfer from methanotrophic symbionts to the host hydrocarbon-seep mussel (C.R. Fisher and J.J. Childress)
- 237 Endocyttoplasmic microalgae and bacteroids within the central capsule of the radiolarian *Dictyocoryne truncatum* (O.R. Anderson and A. Matsuoka)
- 249 Long-term *in vitro* culture of an endomycorrhizal fungus, *Gigaspora margarita*, on Ri T-DNA transformed roots of carrot (T.A. Diop, G. Bécard, and Y. Piché)
- 261 Glycine conversion to sarcosine in the aposymbiotic weevil *Sitophilus oryzae* L. (B. de la Chapelle, J. Guillaud, and P. Nardon)
- 275 Obligatory and facultative goby-shrimp partnerships in the western tropical Atlantic (I. Karplus)
- 293 Quantitative analysis of the symbiotic N₂-fixation, non-structural carbohydrates and chlorophyll content in sixteen native legume species connected in different savanna sites (M.L. Izaguirre-Mayoral, O. Carballo, S. Flores, M.S. de Mallorca, and T. Oropeza)
- 311 Nodulation and nitrogen fixation in faba bean (*Vicia faba* L.) plants under salt stress (M.H. Abd-Alla)

Vol. 13, Nos. 1-3 (1992)

- 1 History and new perspectives of diazotrophs in association with non-leguminous plants (J. Döbereiner)
- 15 An industrial view of *Azospirillum* inoculants: Formulation and application technology (J. Fages)
- 27 Development of gene-probes for *Azospirillum* based on 23s-rRNA sequences (G. Kirchhof and A. Hartmann)
- 37 Characterization of monoclonal antibodies against cell surface structures of *Azospirillum brasilense* Sp7 using ELISA techniques (M. Schloter, W. Bode, and A. Hartmann)
- 47 Characterization of *Azospirillum irakense* and *Azospirillum lipoferum* by direct sequencing of a PCR amplified 16S rDNA gene (R. Bally, P. Simonet, J. Haurat, and P. Normand)
- 52 *In vitro* and *in situ* effects of herbicide thiobencarb on rice-*Azospirillum* association (M.N.A. Omar, O. Berge, E.E. Hassanein, and S.N. Shalan)
- 65 Identification and ecology of *Herbaspirillum seropedicae* and the closely related *Pseudomonas rubrisubalbicans* (V.L.D. Baldani, J.I. Baldani, F. Olivares, and J. Döbereiner)
- 75 Mixed continuous suspended and immobilized culture of diazotrophic isolates from root-free soil and the endorhizosphere of *Leptochloa fusca* L. Kunth (J. Ueckert, E.-G. Niemann, and I. Fendrik)
- 85 Dynamics of a transposon Tn5 mutant of *Azospirillum brasilense* in soil and rhizosphere of spring wheat (C. Christiansen-Weniger)
- 101 Chemotactic response of *Azospirillum* toward root exudates of C₃ and C₄ plants (S. Fedi, P. Montaini, and F. Favilli)
- 107 Interactions between *Azospirillum* and *Arthrobacter* in diazotrophic mixed culture (D. Lippi, I. Cacciari, T. Pietrosanti, and W. Pietrosanti)
- 115 Mutants of *Azospirillum brasilense* altered in the uptake of iron (E. Mori, R. Fani, E. Gallori, O. Fantappie, and M. Bazzicalupo)
- 123 Analysis of IAA biosynthesis in *Azospirillum lipoferum* and Tn5 induced IAA mutants (E. Ruckdäschel and W. Klingmüller)
- 133 Organization of *trpG*, *trpD* and *trpC* in *Azospirillum brasilense* Sp7 (W. Zimmer and E. Elmerich)
- 139 Differential complementation of *Rhizobium meliloti* 7027: Isolation of a second *ExoC* locus from *Azospirillum brasilense* Sp7 (D.J. Petersen, M. Eyers, P. De Troch, K. Michiels, and J. Vanderleyden)
- 147 Anthranilate and indole-3-acetate production in *Azospirillum brasilense* Sp245 mutant derivatives (E. Katzy, N. Brodnikova, D. Egorenkov, V. Panasenko, and V. Ignatov)
- 151 IAA synthesis in *Azospirillum brasilense* Sp6: Analysis of a mutant impaired in IAM-hydrolase (A. Costacurta, E. Prinsen, H. Van Onckelen, K. Michiels, and J. Vanderleyden)
- 159 Cloning and genetic analysis of the tryptophan genes of *Azospirillum lipoferum* (S. Ramchütz, K. Kraft, and W. Klingmüller)
- 167 Differential effects of *Azospirillum*, auxin and combined nitrogen on the growth of the roots of wheat (H. Bothe, K. Körsgen, T. Lehmacher, and B. Hundeshagen)
- 181 Investigations on root exudates of Korean rice (S. Waschülza, N. Hofmann, E. Niemann, and I. Fendrik)
- 191 Induction of indole-3-acetic acid synthesis and possible toxicity of tryptophan in *Azospirillum brasilense* Sp7 (T. Bar and Y. Okon)
- 199 The role of taxis in the ecology of *Azospirillum* (I.B. Zhulin and J.P. Armitage)
- 207 Characterization of capsular antigens in *Acetobacter diazotrophicus* (M.P. Stephan, J. Previato, and L. Mendonça-Previato)

- 217 Responses of soybean and cowpea root membranes to inoculation with *Azospirillum brasilense* (Y. Bashan, L. Alcaraz-Melendez, and G. Toledo)
- 229 Analysis of extracellular polysaccharides isolated from *Azospirillum brasilense* wild type and mutant (P. De Troch, S. Philip-Hollingsworth, and G. Orgambide)
- 243 Field inoculation of wheat (*Triticum aestivum*) with *Azospirillum brasilense* under temperate climate (J. Caballero-Mellado, M.G. Carcaño-Montiel, and M.A. Mascarua-Esparza)

Vol. 14, Nos. 1-3 (1993)

- 3 The symbiotic condition (D.C. Smith)
- 17 Coming to terms with a field: Words and concepts in symbiosis (M.B. Saffo)
- 33 Energy and nutrient acquisition by autotrophic symbioses and their asymbiotic ancestors (J.A. Raven)
- 61 Cyanobacterial-plant symbioses (B. Bergman, A.N. Rai, C. Johansson, and E. Söderbäck)
- 83 Symbiosis redefined: Symbiotic features of virus-host interactions (W. Reisser)
- 87 Evolution of the (*Brady*)*rhizobium*-legume symbiosis: Why do bacteroids fix nitrogen? (M.K. Udvardi and M.L. Kahn)
- 103 Proposed role of malonate in legume nodules (R.W. Schramm)
- 115 Influence of nitrogen form and concentration on the nitrogen fixation of *Acacia auriculiformis* (S.R. Goi, J.I. Sprent, E.K. James, and J. Jacob-Neto)
- 123 Altering the specificity control of the interaction between rhizobia and plants (E.C. Cocking, M.R. Davey, S.L. Kothari, J.S. Srivastava, Y. Jing, R.W. Ridge, and B.G. Rolfe)
- 131 Molecular recognition between *Bradyrhizobium japonicum* and soybean root (S.-C. Ho)
- 143 Anemonefish recruitment: The roles of order and chance (D.G. Fautin)
- 161 Regulation of yeast-like endosymbiotes in the rice brown planthopper *Nilaparvata lugens* Stål (O: Homoptera, F: Delphacidae) (G. Shankar and P. Baskaran)
- 175 Metabolite exchange across symbiosome membranes (A.A. Day and M.K. Udvardi)
- 191 Cellular lipid and fatty acid composition of cyanobionts from *Azolla caroliniana* (R. Caudales, R.A. Moreau, J.M. Wells, and A.D. Antoine)
- 201 The effect of pH on production of plant growth regulators by mycorrhizal fungi (E. Strzelczyk, A. Pokojska, and M. Kampert)
- 217 Evolutionary significance of symbiosis: Development of the symbiogenesis concept (L. Khakhina)
- 229 *Xyleborus ambrosia* beetles: A symbiotic ideal extreme biofacies with evolved polyphagous privileges at monophagous prices (D.M. Norris)
- 237 Evidence for molecular differentiation in powdery mildew haustoria through the use of monoclonal antibodies (J.A. Callow, A. Mackie, A.M. Roberts, and J.R. Green)
- 247 *Anabaena azollae* akinetes in the sporocarps of *Azolla filiculoides* Lam (M. Grilli Caiola, C. Forni, and M. Castagnola)
- 265 Endosymbiotic diatoms from larger foraminifera collected in Pacific habitats (J.J. Lee, W.W. Faber Jr., B. Nathanson, R. Röttger, M. Nishihira, and R. Krüger)
- 283 Function of nodulation genes of *Rhizobium* (R.J.H. Okker, H.R.M. Schlaman, H.P. Spaink, and B.J.J. Lugtenberg)
- 297 New symbiotic mutants of pea (*Pisum sativum* L.) affecting either nodule initiation or symbiosome development (A.Y. Borisov, E.V. Morzhina, O.A. Kulikova, S.A. Tchetskova, V.K. Lebsky, and I.A. Tikhonovich)
- 315 Dissociation and stability of *Lactococcus lactis* Subsp. *lactis* 357 culture, with respect to sucrose-fermenting ability and exopolysaccharide production (E. Jicinska, V. Erban, and J. Havlova)

- 325 The co-ordination of development of symbionts in mutualistic symbiosis with reference to the cell cycle of the photobiont in lichens (D.J. Hill)
- 335 Specificity and function of mycorrhization helper bacteria associated with the *Pseudotsuga menziesii*-*Laccaria laccata* symbiosis (J. Garbaye and R. Duponnois)
- 345 *Rhizobium* nodulation of non-legumes (R.W. Ridge, B.G. Rolfe, Y. Jing, and E.C. Cocking)
- 359 A model of legume root hair growth and *Rhizobium* infection (R.W. Ridge)
- 375 Methanogens and other bacteria as symbionts of free-living anaerobic ciliates (B.J. Finlay and T. Fenchel)
- 391 Cell surface proteins of the infectious form of the symbiotic bacterium *Holospora obtusa* (H. Görtz, J. Benting, I. Ansoerge, and M. Freiburg)
- 399 The effects of wetting and drying on symbiont interactions in lichens (D.H.S. Richardson)
- 405 Germination, early mycelial growth and infectivity of a vesicular-arbuscular mycorrhizal fungus in organic substrates (C. Calvet, V. Estaun, and A. Camprubi)
- 413 Mycorrhizae in the agricultural plant-soil system (G.J. Bethlenfalvay)
- 427 Phytoeffective combination effects of symbiotic and associative microorganisms on legumes (G. Höflich, F. Glante, H. Liste, I. Weise, S. Ruppel, and C. Scholz-Seidel)
- 439 Pathways of carbon in the *Peneroplis planatus* (foraminifer)-*Porphyridium purpureum* (Rhodophyte) endosymbiosis (W.W. Faber Jr. and J.J. Lee)
- 465 Are zoochlorellae from Lake Baikal sponges shade adapted? (T. Berner and E. Titlyanov)
- 475 Ultrastructural analysis of an artificial alga-bacterium endosymbiosis after prolonged cultivation (I. Gyurjan, P. Koranyi, and G. Paless)
- 485 Glycogen, amylase and α -glucosidase as possible components in the glucose release system of the cyanobiont of *Peltigera horizontalis*. Partial purification and characterization (E. Bogner, R. Washtlhuber, I. Schlegl, and E. Loos)
- 495 *Azolla* symbiotic system's application as biofertilizer for green garden crops (F. Milicia and F. Favilli)

Vol. 15, Nos. 1+2 (1993)

- 1 Protection of symbiotic cnidarians by their hermit crab hosts: Evidence for mutualism (W.R. Brooks and C.L. Gwaltney)
- 15 Labeling of bacteroids following incubation of intact soybean nodules with ^{14}C -sucrose for short time periods (J.G. Streeter and S.O. Salminen)
- 27 Radial growth and carbohydrate levels in the lichen *Parmelia conspersa* on north and south facing rock surfaces (R.A. Armstrong and S.N. Smith)
- 39 Isotopic (^{15}N) evidence of the use of less available N forms by VA mycorrhizas (C. Azcón-Aguilar, C. Alba, M. Montilla, and J.M. Barea)
- 49 Effect of inoculation with *Azospirillum brasilense* strains on the germination and seedlings growth of the giant columnar Cardon cactus (*Pachycereus pringlei*) (M. Puente and Y. Bashan)
- 61 Germinating seeds of the root parasite *Orobanche aegyptiaca* Pers. excrete enzymes with carbohydrase activity (A. Shomer-Ilan)
- 71 An enzyme-linked immunosorbent assay (ELISA) for the detection of *Tuber albidum* ectomycorrhiza (A. Zambonelli, L. Giunchedi, and C.P. Pollini)
- 77 Artificial syncyanoses: The potential for modeling and analysis of natural symbioses (T.G. Korzhenevskaya, O.I. Baulina, O.A. Gorelova, E.S. Lobacova, R.G. Gutenko, and M.V. Gusev)
- 105 Variation in the response of nodulating pigeonpea (*Cajanus cajan*) to different isolates of mycorrhizal fungi (D.C. Ianson and R.G. Linderman)
- 121 The response of a free-living and an endophytic *Frankia* to extreme environmental conditions (P. Miettinen)

- 135 Modification of polypeptide patterns during nodule development in the *Frankia-Alnus* symbiosis (A. Séguin and M. Lalonde)
- 151 Rhizine-strands in *Cladonia sulphurina* (Michaux) Fr. (S. Ott, A. Mechmann, and H.M. Jahns)
- 165 DNA base composition of eubacteria isolated from four species of *Azolla* (B.T. Shannon, J.E. Gates, and S.M. McCowen)

Vol. 15, No. 3 (1993)

- 183 Relation between the content of growth regulators and effectiveness of *Bradyrhizobium japonicum* (V. Milic, Z. Saric, I. Vörösbaranyi, and N. Mrkovacki)
- 195 Behavior of pea nodulation mutants as affected by increasing nitrate level (K. Novak, V. Skrdleta, M. Nemcova, and L. Lisa)
- 207 Colonization of three alfalfa (*Medicago sativa* L.) nodulation genotypes by indigenous vesicular-arbuscular mycorrhizal fungi from soil (S.M. Bradbury, R.L. Peterson, and S.R. Bowley)
- 217 Specificity and functional compatibility of VA mycorrhizal endophytes in association with *Bradyrhizobium* strains in *Cicer arietinum* (J.M. Ruiz-Lozano and R. Azcon)
- 227 The root nodule symbiosis between *Rhizobium 'hedysari'* and its drought-tolerant host *Hedysarum coronarium* (A. Squartini, F.B. Dazzo, S. Casella, and M.P. Nuti)
- 239 Effects of salinity on N₂-fixation, nitrogen metabolism and export and diffusive conductance of cowpea root nodules (G.I. Georgiev and C.A. Atkins)
- 257 The growth of six saxicolous lichens transplanted to lime-rich and lime-poor substrates in South Gwynedd, Wales (R.A. Armstrong)
- 269 Immunological comparison between *Arthrobacter* isolates and bacteria living in *Azolla filiculoides* Lam. (D. Leonardi, A. Canini, and C. Forni)

Vol. 16, No. 1 (1994)

- 1 Elisabeth Peveling (1932-1993)
- 7 Harold Kirby's symbionts of termites: Karyomastigont reproduction and Calonymphid taxonomy (H. Kirby and L. Margulis)
- 65 Preferential sporulation of *Glomus fasciculatum* in the root nodules of herbaceous legumes (M.T. Vidal-Dominguez, C. Azcon-Aguilar, and J.M. Barea)
- 75 Variation of native VA-mycorrhizal association on cultured species of mint (Abdul-Khaliq and K.K. Janardhanan)
- 83 Host specificity of the anemoneshrimp *Periclimenes pedersoni* and *P. yucatanicus* in the Florida Keys (C.L. Gwaltney and W.R. Brooks)
- 95 Rhizine and upper thallus isozymes in umbilicate lichens (D. Fahselt, C. Hageman)

Vol. 16, No. 2 (1994)

- 117 Secondary biochemistry of lichens (D. Fahselt)
- 167 Routes of solute translocation and the location of water in heteromerous lichens visualized with cryotechniques in light and electron microscopy (R. Honegger and M. Peter)
- 187 Influence of exogenous factors on the ethylene production by lichens. I. Influence of water content and water status conditions on ethylene production (S. Ott and P. Schieleit)
- 203 Biological approaches using lichen-derived cultures: Growth and primary metabolism (Y. Yamamoto, R. Hamade, Y. Kinoshita, M. Higuchi, I. Yoshimura, J. Sekiya, and Y. Yamada)

Vol. 16, No. 3 (1994)

- 225 A comparative evaluation of the symbiotic N₂-fixation and physiological performance of thirty-six native legume species collected in a tropical Savanna during the rainy and dry seasons (M. S. de Mallorca and M.L. Izaguirre-Mayoral)
- 249 Development and activity of the symbiosis between *Bradyrhizobium* strains, *Glomus* species and *Cicer arietinum*: Effect of timing of inoculation and photon irradiance (J.M. Ruiz-Lozano and R. Azcon)
- 267 Stunting syndrome in peanuts and agronomic approaches for its release (Y. Kapulnik, B. Heuer, N.A. Patterson, D. Sadan, Z. Bar, G. Nir, and B. Kishinevsky)
- 279 Influence of culture medium and growth stage on the survival of *Bradyrhizobium japonicum* during desiccation and storage at two relative humidities (S. Cliquet and G. Catroux)
- 289 Nitrogenase activity and iron-superoxide dismutase localization in *Cycas revoluta* Thumb. cyanobionts (M. Grilli Caiola and A. Canini)
- 301 Utilization of cell-wall related carbohydrates by ericoid mycorrhizal endophytes (A. Varma and P. Bonfante)

Vol. 17, No. 1 (1994)

- 1 Endosymbiotic bacterial contribution in the carbon nutrition of *Loripes lucinalis* (Mollusca: Bivalvia) (M. Johnson, M. Diouris, and M. Le Pennec)
- 15 Electron microscopic investigations on root colonization of *Lupinus albus* and *Pisum sativum* with two associative plant growth promoting rhizobacteria, *Pseudomonas fluorescens* and *Rhizobium leguminosarum* bv. *trifolii* (W. Wiehe, C. Hecht-Buchholz, and C. Höflich)
- 33 Development of acetate and pyruvate metabolic enzyme activities in soybean nodules (M. Smith, G. Preston, and D. Emerich)
- 43 Seasonal dynamic, host range and symbiotic efficiency of native rhizobial populations in three soil horizons of four contrasting savanna sites (M.S. de Mallorca and M.L. Izaguirre-Mayoral)
- 65 Photobionts isolated from some Japanese species of *Cladonia* (lichens) (T. Nakano and K. Iguchi)
- 75 The influence of bird droppings on the growth of lichen fragments transplanted to slate and cement substrates (R. Armstrong)

Vol. 17, Nos. 2+3 (1994)

- 91 Symbiosis and disciplinary demarcations: The boundaries of the organism (J. Sapp)
- 117 Integrating symbiosis into mainstream science education: Penetrating the curricular membrane (D. Zook)
- 127 Carbon metabolism in lichens (D. Fahselt)
- 183 The interdependence between taxonomy of legumes and specificity of their interaction with rhizobia in relation to evolution of the symbiosis (N. Provorov)
- 201 Isolation and characterization of a gene for nodule development linked to the *nodV*A and *nodB* genes in *Rhizobium* sp. strain TAL1145 (S. Pooyan, M.L.C. George, and D. Borthakur)
- 217 *In vitro* culture of sheared mycorrhizal roots (T.A. Diop, C. Plenchette, and D.G. Strullu)
- 229 Effects of C/N ratio, N content, pH, and incubation time on growth and gibberellin production by *Azospirillum lipoferum* (P. Piccoli and R. Bottini)
- 237 Inoculation of *Alnus cordata* with selected microsymbionts: Effects of *Frankia* and *Glomus* spp. on seedling growth and development (R. Isopi, E. Lumini, M. Frattegiani, G. Puppi, M. Bosco, F. Favilli, and E. Buresti)
- 247 Does the lichen alga *Trebouxia* occur free-living in nature: further immunological evidence (A. Mukhtar, J. Garty, and M. Galun)

Vol. 18, No. 1 (1995)

- 1 Lectin from the lichen *Peltigera membranacea* (Ach.) Nyl.: Characterization and function (H. Lehr, G. Fleminger, and M. Galun)
- 15 A study of water relations of *Epichloë amarillans* White, an endophyte of the grass *Agrostis hiemalis* (Walt.) B.S.P. (J.F. White Jr. and C.R. Camp)
- 27 Supernodulation and non-nodulation phenotypes of *Glycine max* (soybean) are stable through organogenic and embryogenic regeneration (J.E. Bond, R.E. McDonnell, and P.M. Gresshoff)
- 43 Dual inoculation of *Sorghum bicolor* (L.) Moench ssp. *bicolor* with vesicular arbuscular mycorrhizas and *Acetobacter diazotrophicus* (R. Isopi, P. Fabbri, M. Del Gallo, and G. Puppi)
- 57 Bacteria associated to arbutoid mycorrhizae in *Arbutus unedo* L. (C. Filippi, G. Bagnoli, and M. Giovannetti)
- 69 Immunodetection of infection thread glycoprotein and arabino-galactan protein in wild type *Pisum sativum* (L.) or an isogenic mycorrhiza-resistant mutant interacting with *Glomus mosseae* (A. Gollotte, V. Gianinazzi-Pearson, and S. Gianinazzi)
- 87 Resistance: Are there limits to resistance in lichens? (P. Keller, A. Mukhtar, and M. Galun)

Vol. 18, No. 2 (1995)

- 95 Uptake and fixation of CO₂ in lichen photobionts (K. Palmqvist)
- 111 Uptake of water from the atmosphere by lichens in continental Antarctica (M.J. Hovenden and R.D. Seppelt)
- 119 Metal uptake in lichens (D.H.S. Richardson)
- 129 Lobe interactions within the thallus margin and the maintenance of symmetry in the lichen *Parmelia conspersa* (Ehrh. ex Ach.) Ach. (R.A. Armstrong)
- 143 Nitrate alters the symbiotic expression of *Bradyrhizobium japonicum* bacteroid enzymes in planta (M.T. Smith, J.K. Waters, D.B. Karr, G.G. Preston, F. Suzuki, and D.W. Emerich)
- 159 Book review: Circuit Complexity and Neural Networks. I. Parberry (M. Sipper)
- 161 *Symbiosis Directory* (1st edition)

Vol. 18, No. 3 (1995)

- 181 The microbial community of *Ophrydium versatile* colonies: Endoymbionts, residents, and tenants (B. Duval and L. Margulis)
- 211 Growth form and reproductive character of lichens near active fumaroles in Japan (D. Fahsel)
- 233 Impact of vitamins on cellulolytic, pectolytic and proteolytic activity of mycorrhizal fungi (H. Dahm and E. Strzelczyk)
- 251 Diel patterns of CO₂-exchange for six lichens from a temperate rain forest in New Zealand (T.G.A. Green, A. Meyer, B. Büdel, H. Zellner, and O.L. Lange (Hamilton, New Zealand and Würzburg, Germany))

Vol. 19, No. 1 (1995)

- 1 Symbiogenetic origins of cnidarian cnidocysts (S. Shostak and V. Kolluri)
- 31 Symbiotic algae: Definitions, quantification and evolution (R.A. Lewin)
- 39 Effects of sodium chloride and mycorrhizal infection on the growth and nitrogen fixation of *Prosopis juliflora* (A. Baker, J.I. Sprent, and J. Wilson)
- 53 Effect of inoculation and nitrate on nitrate reductase activity and acetylene reduction activity in *Lotus sp.-Rhizobium loti* symbiosis (P. Diaz, O. Borsani, and J. Monza)

- 65 Symbiotic nitrogen fixation in *Dioclea guianensis* Benth., a shade-tolerant and aluminium-accumulator legume species native to tropical cloud forests (M.L. Izaguirre-Mayoral and S. Flores)

Vol. 19, Nos. 2+3 (1995)

- 91 Flavonoid metabolism by rhizobia – Mechanisms and products (J.E. Cooper and J.R. Rao)
- 99 *In vitro* indole-3-acetic acid uptake in symbiosomes from soybean (*Glycine max* L.) root nodules (L. Rosendahl and B.U. Jochimsen)
- 111 New insights into the symbiotic performance of native tropical legumes: I. Analysis of the response of thirty-seven native legume species to artificial shade in a neotropical savanna (M.L. Izaguirre-Mayoral, A.I. Vivas, and T. Oropeza)
- 131 Xanthone induction of *nod* gene expression in *Bradyrhizobium japonicum* (J.P. Yuen, S.T. Cassini, T. Toledo de Oliveira, T.J. Nagem, and G. Stacey)
- 141 Transport of fixed nitrogen across symbiotic membranes of legume nodules (L.F. Whitehead, S.D. Tyerman, C.L. Salom, and D.A. Day)
- 155 Steps toward defining the role of lectins in nodule development in legumes (A.M. Hirsch, L.M. Brill, P.O. Lim, J. Scambray, and P. van Rhijn)
- 175 Recent developments in carbon transport and metabolism in symbiotic systems (J.G. Streeter)
- 197 Siderophore-mediated iron acquisition mutants in *Rhizobium meliloti* 242 and its effect on the nodulation kinetic of alfalfa nodules (E. Fabiano, P.R. Gill, F. Noya, P. Bagnasco, L. de la Fuente, and A. Arias)
- 213 Contribution of nodulated legumes on the growth of *Zea mays* L under various cropping systems (G.R. Mandimba)
- 223 Use of repetitive sequences and the polymerase chain reaction (rep-PCR) to fingerprint the genomes of *Frankia* isolates (M.A. Murry, D. Zhang, M. Schneider, and F.J. de Bruijn)