

VIII.—LIST OF PLANTS COLLECTED IN AND AROUND THE
TOWN OF SHELBURNE.—BY GEORGE H. COX, B. A.

(Read February 12th, 1894).

Ranunculaceæ.

Ranunculus Cymbalaria, Pursh.

“ *repens*, Linn.

“ *acris*, Linn.

“ *bulbosus*, Linn. (Found in many localities about
the Town).

Coptis trifolia, Salisbury. (Common in wet places, and for-
merly exported in large quantities for medicinal use).

Aquilegia vulgaris, Linn. (Found firmly established about
“old places,” the flowers of various colors).

Berberidaceæ.

Berberis vulgaris, Linn. As a remnant of cultivation.

Nymphaeaceæ.

Nymphaea odorata, Aiton. (Lake George, “The Lily Pond,”
&c).

Nuphar Advena, Aiton fil.

Sarraceniaceæ.

Sarracenia purpurea, Linn

Papaveraceæ.

Chelidonium majus, Linn. (Found in several scattered
localities, chiefly old cellars, and no doubt adventive).

Cruciferæ.

Capsella Bursa-pastoris, Linn.

Brassica nigra, Tourn. Fields; often a troublesome weed.

Cistaceæ.

Hudsonia ericoides. The Lake Road, and other places.

Violaceæ

Viola blanda, Willdenow.

“ *lanceolata*, L. (Growing side by side with *V. blanda*).

“ *cucullata*, Aiton.

Caryophyllaceæ.

Silene inflata, Smith. (Ann St., near Totty's, and other similar spots).

Spergularia rubra, of Gray (Generic name changed to *Buda* in Gray Ed. VI).

Spergularia media.

Spergula arveusis, Linn.

Sagina procumbens, Linn.

Stellaria media, Smith.

Arenaria lateriflora, Linn.

Droseraceæ.

Drosera rotundifolia, Linn.

“ *longifolia*.

Both remarkable for the excitability of the leaf-bristles; and foreign bodies resting on the leaves are found tightly bound by the recurved bristles and viscid gland-juice.

Hypericaceæ.

Elodes campanulata, Pursh. (*E. Virginica* Nutt.).

Hypericum perforatum, Linn.

“ *mutilum*, L.

“ *Canadense*, L.

Geraniaceæ.

Impatiens fulva, Nuttall. (Quarry).

Oxalis stricta, Linn.

Sapindaceæ.

Æsculus Hippocastanum, L. (Some fine old trees planted here).

Acer saccharinum, Wrng.

“ *rubrum*, Linn.

Vitaceæ.

Ampelopsis quinquefolia, Michaux. Introduced. Planted as a creeper.

Leguminosæ.

Trifolium procumbens. Naturalized.

“ *pratense*. “

Robinia pseudacacia, L. As an ornamental tree.

Vicia Cracca, Linn.

- Lathyrus maritimus*, Bigelow. (Battery shore).
 " *palustris* L. Capt. Acker's Marsh.
Cytisus Scoparius, Link. "Laughy's Clearing," and other localities, long established.

Rosaceæ.

- Prunus Virginiana*, Linn. Quarry.
Spiræa salicifolia, Linn.
 " *tomentosa*, Linn.
Potentilla Norvegica, L. (Poor House Cove).
 " *Canadensis*, L. (Battery).
 " *argentea*, L. (Battery).
 " *anserina*, L.
 " *tridentata* Aiton. (Battery.)
Fragaria virginiana, Miller.
Dalibarda repens, Linn.
Rubus villosus, Aiton.
 " *hispidus*, L.
Rosa blanda, Aiton.
Amelanchier Canadensis, T. & G.
Pyrus Americana, DC.

Crassulaceæ.

- Sedum acre*, L. (Escaped and long established in several situations).

Onagraceæ.

- Epilobium angustifolium*, Linn. (Ed. Bruce's Farm).
 " *palustre*, L. " " "
Oenothera biennis, L.
 " *pumila*, L.

Ludwigia palustris, Ell.

Umbelliferæ.

- Archangelica atropurpurea*, Hoffm.

Araliaceæ.

- Aralia nudicaulis*, Linn. (Quarry).
 " *hispida* Michaux.

Cornaceæ.

- Cornus Canadensis*, L.

Caprifoliaceæ.

- Linnæa borealis*, Gronovius.
Diervilla trifida, Mœnch. (Barracks).

Rubiaceæ.

- Mitchella repens*, L.
Galium trifidum, L.
“ *triflorum*, Michaux.
Houstonia cærulea, L. (Shepherd's Bay).

Compositæ.

- Ambrosia artemisiæfolia*, L.
Achillæa Millefolium, L.
Leucanthemum vulgare, L.
Tanacetum vulgare, L.
Cichorium Intybus, L.
Hieracium Canadense, Michx.
Taraxacum officinale, Weber.
Leontodon autumnale, L.
Sonchus oleraceus, L.

Lobeliaceæ.

- Lobelia inflata*, L.
“ *Dortmanna*, L. (Lily Pond, Lake George, &c).

Ericaceæ.

- Gaylussacia resinosa*, Torr. & Gr.
Vaccinium Vitis-Idæa, Linn. (Battery).
Epigæa repens, L.
Gaultheria procumbens, L.
Cassandra calyculata, Don.
Kalmia angustifolia, L.
Rhododendron Rhodora, Don.
Ledum latifolium, Aiton.
Pyrola rotundifolia, L. (Barracks).
Monesis uniflora, Salisb.
Chimaphila umbellata, Nutt.
Monotropa uniflora, L. (Quarry).
“ *Hypopitys*, L. (Near Lake George).
Chiogenes serpyllifolia, Salisbury.

Plantaginaceæ.

- Plantago major, L.
" maritima, L.
" lanceolata, L.

Plumbaginaceæ.

- Statice Limonium, var. Carolinianum, Gray. (Battery).

Primulaceæ.

- Trientalis Americana, Pursh.

- Lysimachia stricta, Aiton.

- Glaux maritima, L.

Lentibulaceæ.

- Utricularia cornuta, Michx. (Peat Bog).

Solanaceæ.

- Datura Stramonium, L. (Escaped from cultivation at several points about the Town).

- Lycium vulgare, Dunal. (Same remarks).

Convolvulaceæ.

- Calystegia Sepium, L. (Sandy's I'd).

Scrophulariaceæ.

- Verbascum Thapsus, Linn.

- Linaria vulgaris, Mill. Escaped. Waste heaps, etc.

- Chelone glabra, L.

- Veronica officinalis, L.

- Gerardia purpurea, L. (Ed. Bruce's Farm).

- Melampyrum Americanum, Michx.

Labiatae.

- Teucrium Canadense, L. (Sandy's Island).

- Mentha Canadensis, L.

- Nepeta Glechoma, Benth.

- Scutellaria galericulata, L.

- Brunella vulgaris, L.

- Galeopsis Tebrahit, L. (Poor House)

Borraginaceæ.

- Symphytum officinale, L. (As escape, in a few localities),

Gentianaceæ.

- Bartonia tenella, Muhl. (Ed. Bruce's Farm.)

- Limnanthemum lacunosum, Griesbach. (Lake George).

Polygonaceæ.

- Polygonum Persicaria*, L.
“ acre, H. B. K.
“ *aviculare*, L.

Coniferae.

- Juniperus communis*, L.

Orchidaceæ.

- Habenaria blephariglottis*, Torrey.
“ *tridentata*, Hook, (Capt. Acker's Marsh).
“ *Hookeri*, Torr.
“ *lacera*, R. Br. (Shepherd's Bog).
Goodyera pubescens, R. Br.
Spiranthes cernua, Richard.
“ *gracilis*, Bigelow.
Pogonia ophioglossoides, Nutt. (Field near Manse).
Calopogon pulchellus, R. Br. (Field near Manse).
Microstylis ophioglossoides, Nutt.
Liparis Loeselii; Richd.
Cypripedium acaule, Aiton. (Quarry.)

Iridaceæ.

- Iris versicolor*, L.
Sisyrinchium augustifolium, Miller.

Smilaceæ.

- Smilax rotundifolia*. L.

Liliaceæ.

- Medeola Virginica*, L. (Quarry Woods).
Clintonia borealis, Raf. (Quarry).
Maianthemum Canadense, Desfontaine. (*Smilacina bifolia* of Gray).
Smilacina racemosa, Desf. (R. Acker's marsh).

Pontederiaceæ.

- Pontederia cordata*, L. (Lake George, Mill Pond, &c).

Xyridaceæ.

- Xyris flexuosa*, L. (Shepherd's Bog).

Filices.

- Polypodium vulgare*, L. (Quarry).
Osmunda regalis, L. (Lake Rodney Brook).