

On cow dung. Colchester Co. 3 July 1931-L.E.W. (W-377). (Kimbr. et al. may have included this collection under *C. ochraceus*).

Coprotus ochraceus (Crouan & Crouan) Larsen in Dan. Bot. Tidsskr. 66:1-32. 1971.
Ascobolus ochraceus Crouan & Crouan.

Ascophanus ochraceus (Crouan & Crouan) Boud.

On cow dung. Colchester and Victoria Co. 3 July 1931-L.E.W. (MICH) (KM-1135 in DAOM, K.A.H.).

Cordana pauciseptata Preuss in Linnaea 24:129. 1851.

On *Abies balsamea* (L.) Mill. (balsam fir) and *Betula lutea* Michx. f. (yellow birch). 1952-S.J.H. (DAOM 29443, 33686, 34449, 35806, 37683).

Cordyceps capitata (Holmsk. ex Fr.) Link in Handbuch 3:347. 1833.

Parasitic on subterranean *Elaphomyces* sp. Cumberland and Kings Co. 29 Aug. 1931-L.E.W. (W-1433 leg A.H.S.) (KM-1222, 5180, 5181 in DAOM, K.A.H.).

Cordyceps entomorrhiza (Fr.) Link in Handbuch 3:347. 1833.

On larvae of June beetles. Pictou Co. 1908-A.H.M. (as *Torrubia*).

Cordyceps militaris (L. ex St. Amans) Link in Handbuch 3:347. 1833.

On pupae of beetles and various cocoons. Colchester, Inverness and Kings Co. 6 Aug. 1931-L.E.W. (W-1070, 1070a leg. A.H.S., leg. A.R.P.-6217) (KM-1223 in DAOM, K.A.H.).

Cordyceps ophioglossoides (Ehr.) Link in Handbuch 3:347. 1833.

Cordyceps parasitica (Willd.) Seav.

Parasitic upon *Elaphomyces granulatus* Fr. and *E. variegatus* Vitt. Hants, Inverness, Kings and Queens Co. 4 Sept. 1927-L.E.W. (W-388). (KM-1101, 1224, 1226-1228, 5182 in DAOM, K.A.H.).

Cordyceps stylophora Berk. & Br. in J. Linn. Soc. London Bot. 1:158. 1857.

On beetle larvae. Colchester Co. 25 July 1931-L.E.W. (W-1167 det E.B. Mains).

Cordyceps variabilis Petch in Trans. Br. Mycol. Soc. 21:44. 1937.

Cordyceps viperina Mains.

On beetle larvae. Colchester Co. 25 July 1931-L.E.W. (W-1213, 1213a).

Coriolellus heteromorphus (Fr.) Bond & Sing. in Ann. Mycol. 39:60. 1941.

See *Antrodia heteromorpha* (Fr. per Fr.) Donk.

Coriolellus variiformis (Pk.) Sarkar in Can. J. Bot. 37:1262. 1959.

Trametes variiformis Pk.

On *Picea* sp. (spruce). Annapolis Co. 1934-K.A.H. (KM-104 in DAOM) (O-F5549).

Coriolus biformis (Klotz.) Pat. in Ess. Taxon. Hymén.:94. 1900.

Polyporus biformis Fr. (1839).

Trametes cervinus (Schw.) Bres. (1903).

On old fence logs and *Betula populifolia* Marsh. (wire birch). Pictou Co. 1908-A.H.M.

Coriolus hirsutus (Wulf. per Fr.) Quél. in Ench. Fung.:175. 1886.

Coriolus nigromarginatus (Schw.) Murr.

Polyporus hirsutus Wulf. ex Fr.

Common on species of *Acer* (maple), *Betula* (birch), *Fagus* (beech), *Prunus* (stone fruit) and *Salix* (willow). 1881-J.S. (A.H.M.) (L.E.W.-1096, 1096a, 1097) (KM-34, 35, 37, 790 in DAOM, K.A.H.) (O-F2970, 2974, 2975).

Coriolus pubescens (Fr.) Quél f. *velutinus* (Fr.) Pilát in Bull. Trimest. Soc. Mycol.

Fr. (1935):365. 1936.

Polyporus velutinus Fr.

On *Alnus* sp. (alder), *Betula papyrifera* Marsh. (white birch), *B. populifolia* Marsh. (wire birch), *Fagus grandifolia* Ehrh. (beech), *Populus tremuloides* Michx. (trembling aspen) and *Populus* spp. Kings and Pictou Co. 1908-A.H.M. (KM-33a,b in DAOM, K.A.H.) (A.H.S. 1311, det. J.L.L.) (O-F2971, 2972).

Coriolus versicolor (L. ex Fr.) Quél. *in Ench. Fung.*:175. 1886.

Polyporus versicolor L. ex Fr.

Abundant everywhere on decaying wood. 1880-J.S. (A.H.M.) (L.E.W.-101) (KM-39-43, 774, 1758 *in DAOM*, K.A.H.) (O-F2245, 2976).

Corollospora comata (Kohlm.) Kohlm. *in Ber. Dtsch. Bot. Ges.* 75:126. 1962.

On intertidal wood. Lunenburg Co. 1970-G.A.N.

Corollospora cristata (Kohlm.) Kohlm. *in Ber. Dtsch. Bot. Ges.* 75:127. 1962.

On driftwood. Digby and Kings Co. 1970-G.A.N.

Corollospora maritima Wedermann *in Notizbl. Bot. Kart. Mus. Berlin-Dahlem* 8:248. 1922.

Arenariomyces cinctus Höhnk.

Peritrichospora integra Linder.

On driftwood. Digby and Shelburne Co. 1970-G.A.N.

Corticium albo-ochraceum Bres. *in Fungi Polonici* (Ann. Mycol. 1:96) 1903.

On bark of *Betula* sp. (birch). Colchester Co. 31 July 1935-L.E.W. (W-1759, fide H.S.J.).

Corticium atrovirens Fr. *in Epicr. Syst. Mycol.*:562. 1838.

On soil. Kings Co. 20 Nov. 1952-K.A.H. (KM-1696, 2765 *in DAOM*, R.M.).

Corticium bicolor Pk. *in Bull. Buffalo Soc. Nat. Hist.* 1:62. 1873.

On *Abies balsamea* (L.) Mill. (balsam fir) and *Picea* sp. (spruce). Kings Co. 8 Nov. 1954-K.A.H. (KM-3073 *in DAOM*, det. Joan Spiers).

Corticium bombycinum (Sommerf. ex Fr.) Karst. *in Hedwigia* 32:120. 1893.

On *Acer spicatum* Lam. (mountain maple), *Alnus* sp. (alder), *Salix* sp. (willow) and *Sambucus* sp. (elderberry). Colchester and Kings Co. 23 July 1931-L.E.W. (W-1121 a,b) (KM-2819, 3070 *in DAOM*, K.A.H. det. Joan Hanson).

Corticium cebennense Bourd. *in Rev. Sci. Bourbonn. Centre* 23:7. 1910.

See *Amylocorticium cebennense* (Bourd.) Pouz.

Corticium centrifugum (Lév.) Bres. *in Ann. Mycol.* 1:96. 1903.

On *Acer pensylvanicum* L. (striped maple). Colchester Co. 12 July 1935-L.E.W. (W-1737) (KM-2826 *in DAOM*, K.A.H.).

Corticium confluens (Fr.) Fr. *in Epicr. Syst. Mycol.*:564. 1838.

On *Acer* sp. (maple) and *Sambucus* sp. (elder). Colchester and Kings Co. 9 Nov. 1953-K.A.H. (KM-2831, 2832, 4284 det. L.K.W. *in DAOM*).

Corticium cremoricolor Berk. & Curt. *in North Am. Fungi*. 273. 1853-59.

On *Prunus* sp. (stone fruit). 1975-L.P.M., J.M.M.

Corticium deflectans (Karst.) Karst. *in Krit. Öfvers. Finl. Basidsvampar*:44. 1889.

On *Salix* sp. (willow). Colchester Co. 13 Aug. 1935-L.E.W. (W-1776, 1778 fide H.S.J.).

Corticium furfuraceum Bres. *in Mycologia* 17:69. 1925.

Corticium calceum Fr.

On *Abies* sp. (fir), *Picea* sp. (spruce) and other coniferous wood. Colchester and Kings Counties. 26 Aug. 1935-L.E.W. (W-1800 fide H.S.J.) (KM-103 *in DAOM*, K.A.H. fide L.O.O.).

Corticium fuscostratum Burt *in Ann. Mo. Bot. Gard.* 13:299. 1926.

On coniferous bark. Kings Co. 19 Nov. 1953-K.A.H. (KM-2814 *in DAOM*, det. Joan Hanson).

Corticium galactinum (Fr.) Burt *in Bull. Chicago Acad. Sci.* 7:137. 1909.

See *Scytonostroma galactinum* (Fr.) Donk.

Corticium geogenium Bres. *in Ann. Mycol.* 1:99. 1903.

Peniophora albo-straminea Bres.

On wood of *Pinus* sp. (pine). Kings Co. 7 Nov. 1954-K.A.H. (KM-3071 *in DAOM*, det. Joan Spiers).

- Corticium hydnans** (Schw.) Burt in Ann. Mot. Bot. Gard. 13:233. 1926.
On bark of *Abies balsamea* (L.) Mill. (balsam fir). Colchester Co. July 1935-L.E.W. (W-1747) fide H.S.J.
- Corticium laeve** Pers. ex Fr. in Epicr. Syst. Mycol.:560. 1838.
On *Acer* sp. (maple), *Aesculus hippocastanum* L. (horse chestnut), *Alnus* sp. (alder), *Populus tremuloides* Michx. (trembling aspen) and *Salix* sp. (willow). Kings Co. 29 Nov. 1952-K.A.H. (KM-2137, 3052, 3054, 4286 in DAOM, conf. R.M.L.).
- Corticium leucoxanthum** Bres. in Fungi Tridentini 2:57. 1898.
See *Gloeocystidiellum leucoxanthum* (Bres.) Boid.
- Corticium livido-caeruleum** Karst. in Not. Sällsk. Fauna Flora Fenn. 9:370. 1868.
On wood of *Picea* sp. (spruce). Kings Co. 26 April 1953-K.A.H. (KM-3081 in DAOM det. Joan Spiers).
- Corticium lividum** (Pers. ex Fr.) Fr. in Epicr. Syst. Mycol.:563. 1838.
On *Abies* sp. (fir) and *Betula* sp. (birch). Colchester Co. 30 Aug. 1933-L.E.W. (W-1642, 1642a det. M.A.D.) (KM-3080 in DAOM, K.A.H.).
- Corticium notabile** Jacks. in Can. J. Res., C, 26:156. 1948.
On hardwood. Colchester Co. 4 July 1931-L.E.W. (W-385).
- Corticium ochraceum** Fr. in Epicr. Syst. Mycol.:563. 1838.
On decorticated conifer wood. Colchester Co. 15 Aug. 1931-L.E.W. (W-1338 det. M.A.D.).
- Corticium porosum** Berk. & Curt. apud Berk & Br. in Ann. Mag. Nat. Hist., Ser. 5, 3:211. 1879.
See *Gloeocystidiellum porosum* (Berk. & Curt.) Donk.
- Corticium radiosum** Fr. in Epicr. Syst. Mycol.:560. 1838.
See *Gloeocystidiellum citrinum* (Pers.) Donk.
- Corticium roseo-cremeum** Bres. in Ann. Mycol. 3:163. 1905.
On *Abies balsamea* (L.) Mill. Colchester Co. July 1935-L.E.W. (W-1722 det. H.S.J.).
- Corticium sulphureo-isabellinum** Litsch. apud Pilát in Acta Mus. Nat. Pragae 2(B):43. 1940.
On *Abies balsamea* (L.) Mill. (balsam fir). 1975-L.P.M., J.M.M.
- Corticium sulphureum** (Pers. ex Fr.) in Epicr. Syst. Mycol.:561. 1838.
On decaying wood of various sorts. Annapolis, Colchester, Halifax and Kings Co. 1940-L.E.W. (W-1778 fide M.A.D., H.S.J.) (KM-3085, 4290-4296 in DAOM, K.A.H.).
- Corticium tulasnelloideum** Höhn. & Litsch. in Sitzungsber. K. Akad. Wiss. Math.-, Naturwiss. Kl. 117(1):1118. 1908.
See *Xenasma tulasnelloideum* (Höhn. & Litsch.) Donk.
- Corticium vellereum** Ell. & Cragin in Bull. Washburn Coll. Lab. Nat. Hist. 1:66. 1885.
On bark of *Fagus* sp. (beech) and *Ulmus* sp. (elm). Colchester and Kings Co. Sept. 1935-L.E.W. (W-1810 det. H.S.J.) (KM-139 in DAOM, K.A.H.).
- Corticium** sp.
On *Abies balsamea* (L.) Mill. (balsam fir). Kings Co. 7 Aug. 1954-K.A.H. (KM-3086 in DAOM).
- Corticium** sp.
On *Alnus* sp. (alder), *Betula lutea* Michx. f. (yellow birch), *Picea* sp. (spruce), *Pinus strobus* L. (white pine) and *Populus tremuloides* Michx. (trembling aspen). 1975-L.P.M., J.M.M.
- Cortinarius acutus** (Pers. ex Fr.) Fr. in Epicr. Syst. Mycol.:314. 1838.
Gregarious on moss under *Picea* sp. (spruce). Colchester Co. 5 Sept. 1931-A.H.S., L.E.W. (W-885).

- Cortinarius alboviolaceus** (Pers. ex Fr.) Fr. in Epicr. Syst. Mycol.:280. 1838.
In mixed woods. Kings, Lunenburg and Pictou Co. 1908-A.H.M. (KM-2597, 4055
in DAOM, K.A.H.)
- Cortinarius annulatus** Pk. in Annu. Rep. N.Y. State Mus. 43:19. 1890.
On humus under mixed woods. Colchester Co. 29 Aug. 1931-A.H.S., L.E.W. (W-
842).
- Cortinarius anomalus** (Fr. ex Fr.) Fr. in Epicr. Syst. Mycol.:286. 1838.
Under *Fagus* sp. (beech). Colchester and Pictou Co. 18 Aug. 1931-A.H.S., L.E.W.
(W-770).
- Cortinarius argentatus** (Pers. ex Fr.) Fr. in Epicr. Syst. Mycol.:279. 1838.
From Digby and Halifax Co. 11 Sept. 1953-K.A.H. (KM-2598, 2599, 2600-2602,
4057 *in DAOM*).
- Cortinarius armeniacus** (Pers. ex Fr.) Fr. in Epicr. Syst. Mycol.:304. 1838.
On ground in coniferous woods. Halifax Co. 1880-J.S.
- Cortinarius armillatus** (Fr. ex Fr.) Fr. in Epicr. Syst. Mycol.:295. 1838.
In mixed woods. Colchester, Guysborough, Halifax, Kings and Pictou Co. 1908-
A.H.M. (L.E.W.-742) (KM-250, 4056, 4058 *in DAOM, K.A.H.*)
- Cortinarius aurantio-turbinatus** Lange in Dan. Bot. Ark. 8(7):18. 1935.
In wooded ravine, Kings Co. 28 Sept. 1953-K.A.H. (KM-2603-2607, 2609 *in
DAOM*).
- Cortinarius bolaris** (Pers. ex Fr.) Fr. in Epicr. Syst. Mycol.:282. 1838.
On humus under mixed woods. Colchester and Kings Co. 21 Aug. 1931-A.H.S.,
L.E.W. (W-781) (KM-910 *in DAOM, K.A.H.*)
- Cortinarius callisteus** (Fr. ex Fr.) Fr. in Epicr. Syst. Mycol.:281. 1838.
From Halifax Co. 1880-J.S. (A.H.M.).
- Cortinarius camphoratus** Fr. in Epicr. Syst. Mycol.:286. 1838.
Cortinarius hircinus Fr.
Under *Abies* sp. (fir) and *Picea* sp. (spruce). Colchester Co. 5 Sept. 1931-A.H.S.,
L.E.W. (W-882, 882a).
- Cortinarius caninus** (Fr.) Fr. in Epicr. Syst. Mycol.:285. 1838.
Gregarious on humus. Colchester Co. 5 Sept. 1931-A.H.S., L.E.W.
- Cortinarius castaneus** (Bull. ex Fr.) Fr. in Epicr. Syst. Mycol.:307. 1838.
Gregarious on moss under *Picea* sp. (spruce). Colchester and Halifax Co. 1880-
J.S. (A.H.M.) (L.E.W.-891).
- Cortinarius chrysolutus** Kauff. in Bull. N.Y. State Mus. 179:101. 1915.
Singly on sphagnum moss. Colchester Co. 13 Aug. 1931-A.H.S., L.E.W. (W-744).
- Cortinarius cinnamomeoluteus** Orton in Trans. Br. Mycol. Soc. 43:217. 1960.
In woods of *Pinus resinosa* Ait. (red pine). Kings Co. 5 Oct. 1979-T.L.R. (ACAD
13238).
- Cortinarius cinnamomeus** (L. ex Fr.) Fr. in Epicr. Syst. Mycol.:288. 1838.
Under *Picea* sp. (spruce). Colchester, Halifax, Kings, Lunenburg, Pictou and
Victoria Co. 1880-J.S. (A.H.M.) (KM-986, 4059, 4060 *in DAOM, K.A.H.*) (L.E.W.-
582).
- Cortinarius collinitus** (Pers. ex Fr.) Fr. in Epicr. Syst. Mycol.:274. 1838.
From Halifax Co. 1880-J.S. (A.H.M.).
- Cortinarius corrugatus** Pk. in Annu. Rep. N.Y. State Mus. 24:72. 1872.
On humus under *Acer* sp. (maple) and *Fagus* sp. (beech). Colchester Co. 10 July
1931-A.H.S., L.E.W. (W-669).
- Cortinarius cylindripes** Kauff. in Bull. Torrey Bot. Club 32:321. 1905.
Singly under *Abies* sp. (fir) and *Picea* sp. (spruce). Colchester and Kings Co. 3
July 1931-A.H.S., L.E.W. (W-556) (KM-901, 902 *in DAOM, K.A.H.*).

Cortinarius delibutus Fr. in Epicr. Syst. Mycol.:276. 1838.

Cortinarius sphaerosporus Pk.

Under *Picea* sp. (spruce) on wet hillside. Colchester Co. 18 Aug. 1931-A.H.S., L.E.W. (W-782).

Cortinarius dilutus (Pers. ex Fr.) Fr. in Epicr. Syst. Mycol.:305. 1838.

On humus under mixed woods. Colchester Co. 3 Sept. 1931-A.H.S., L.E.W. (W-863).

Cortinarius duracinus (Fr.) Fr. in Epicr. Syst. Mycol.:304. 1838.

On moss under *Abies* sp. (fir) and *Picea* sp. (spruce). Colchester Co. 6 Sept. 1931-A.H.S., L.E.W. (W-892).

Cortinarius erythrinus (Fr.) Fr. in Epicr. Syst. Mycol.:312. 1838.

On humus under hardwoods. Colchester Co. 5 Sept. 1931-A.H.S., L.E.W. (W-883).

Cortinarius evernius (Fr. ex Fr.) Fr. in Epicr. Syst. Mycol.:294. 1838.

On sphagnum moss. Colchester, Guysborough, Halifax and Kings Co. 13 July 1931-A.H.S., L.E.W. (W-614) (KM-4061, 4062, 4063 in DAOM, K.A.H.).

Cortinarius firmus (Weinm.) Fr. in Epicr. Syst. Mycol.:303. 1838.

On grassy soil in open woods of *Picea* sp. (spruce). Colchester Co. 5 Sept. 1931-A.H.S., L.E.W. (W-888). (see—*Pap. Mich. Acad. Sci.* 21:163-197. 1936 for notes on this species).

Cortinarius herpeticus Fr. in Epicr. Syst. Mycol.:268. 1838.

Under *Abies* sp. (fir) and *Picea* sp. (spruce). Colchester Co. 18 Aug. 1931-A.H.S., L.E.W. (W-780).

Cortinarius huronensis Ammirati & Smith in *Mich. Bot.* 11(1):20. 1972, var. *huronensis*.

In *Sphagnum* and other mosses in boggy areas or humus under conifers. Antigonish and Kings Co. 1 Oct. 1978-T.L.R. (ACAD 13194, 13197 coll. K.A.H., 13198a, 13201, 13275).

Cortinarius incognitus Ammirati & Smith in *Mich. Bot.* 11(1):18. 1972.

In moss and leaf litter under conifers or in sandy pine areas. Antigonish and Kings Co. 16 Sept. 1979-T.L.R. (ACAD 13212, 13214, 13216-13218).

Cortinarius infractus (Pers. ex Fr.) Fr. in Epicr. Syst. Mycol.:261. 1838.

Gregarious under conifers. Colchester Co. 26 Aug. 1931-A.H.S., L.E.W. (W-823, 823a).

Cortinarius iodes Berk. & Curt. in *Ann. Mag. Nat. Hist. Ser.* 2, 12:423. 1853.

Crowded under second growth of *Acer* sp. (maple). Colchester Co. 4 Sept. 1931-A.H.S., L.E.W. (W-874, 874a).

Cortinarius juberinus Fr. in Epicr. Syst. Mycol.:309. 1838.

On swampy ground under *Picea* sp. (spruce). Colchester Co. 1 July 1931-A.H.S., L.E.W. (W-574, 574a).

Cortinarius lilacinus Pk. in *Annu. Rep. N.Y. State Mus.* 26:61. 1874.

On swampy ground under *Picea* sp. (spruce). Colchester Co. 24 July 1931-A.H.S., L.E.W. (W-702).

Cortinarius lucorum (Fr.) Lange in *Flora Agar. Dan.* 3:7. 1938.

Gregarious in wet upland woods. Colchester Co. 27 Aug. 1931-A.H.S., L.E.W. (W-833).

Cortinarius malicorius Fr. in Epicr. Syst. Mycol.:289. 1838.

Cortinarius croceofolius Pk.

Solitary to gregarious in moist conifer woods. Colchester, Kings and Pictou Co. 27 Aug. 1931-A.H.S., L.E.W. (W-831, 838) (ACAD 13191, 13195, 13219-13221, 13223, T.L.R.).

Cortinarius morrisii Pk. in Bull. Torrey Bot. Club 32:79. 1905.

Gregarious in mixed woods. Colchester Co. 26 Aug. 1931-A.H.S., L.E.W. (W-825, 825a).

Cortinarius mucifluus Fr. in Epicr. Syst. Mycol.:274. 1838.

Scattered under *Picea* sp. (spruce). Colchester, Hants and Kings Co. 27 Aug. 1931-A.H.S., L.E.W. (W-836) (KM-911, 4064, 4065 in DAOM, K.A.H.).

Cortinarius multififormis (Fr.) Fr. in Epicr. Syst. Mycol.:263. 1838.

On humus under mixed woods. Colchester Co. 6 Sept. 1931-A.H.S., L.E.W. (W-890).

Cortinarius nigrellus Pk. in Annu. Rep. N.Y. State Mus. 26:62. 1874.

Under hardwoods. Colchester Co. 29 Aug. 1931-A.H.S., L.E.W. (W-845, 845a).

***Cortinarius ochroleucus** (Schaeff. ex Fr.) Fr. in Epicr. Syst. Mycol.:284. 1838.

From Pictou Co. 1908-A.H.M.

Cortinarius orichalceus (Batsch) Fr. in Epicr. Syst. Mycol.:267. 1838.

From Kings Co. 28 Sept. 1953-K.A.H. (KM-2610, 2611 in DAOM).

***Cortinarius paleaceus** (Fr.) Fr. in Epicr. Syst. Mycol.:302. 1838.

From Queens Co. 23 Sept. 1962-K.A.H. (KM-5272 in DAOM).

Cortinarius pholidaeus (Fr. ex Fr.) Fr. in Epicr. Syst. Mycol.:282. 1838.

Under *Abies* sp. (fir) and *Fagus* sp. (beech). Colchester Co. 3 Sept. 1931-A.H.S., L.E.W. (W-861).

Cortinarius plumiger (Fr.) Fr. in Epicr. Syst. Mycol.:294. 1838.

Under mixed *Abies* sp. (fir) and *Fagus* sp. (beech). Colchester Co. 3 Sept. 1931-A.H.S., L.E.W. (W-861).

Cortinarius pseudotubarius Robar, Harrison & Grund in Proc. N.S. Inst. Sci. 31:137. 1981.

In *Sphagnum* sp. and other mosses under conifers in mixed woods. Kings and Pictou Co. 13 Sept. 1979-T.L.R. (ACAD 13263-13267).

***Cortinarius purpurascens** Fr. in Epicr. Syst. Mycol.:265. 1838.

In wooded ravine. Kings Co. 11 Oct. 1953-K.A.H. (KM-2612 in DAOM).

Cortinarius rubeus Robar, Harrison & Grund in Proc. N.S. Inst. Sci. 31:132. 1981.

In moss (*Polytrichum* sp.) on a sandy woods trail. Kings Co. 3 Oct. 1979-T.L.R. (ACAD 13239, 13240, 13241).

Cortinarius salor Fr. in Epicr. Syst. Mycol.:276. 1838.

On humus under *Acer* sp. (maple) and *Fagus* sp. (beech). Colchester Co. 27 Aug. 1931-A.H.S., L.E.W. (W-830a, 850).

Cortinarius sanguineus (Wolf. ex Fr.) Fr. in Epicr. Syst. Mycol.:288. 1838.

On humus under *Picea* sp. (spruce). Colchester and Kings Co. 29 Aug. 1931-A.H.S., L.E.W. (W-843, 843a) (KM-2580 in DAOM, K.A.H.).

Cortinarius scutulatus (Fr.) Fr. in Epicr. Syst. Mycol.:294. 1838.

Under *Picea* sp. (spruce). Colchester Co. 3 Sept. 1931-A.H.S., L.E.W. (W-865).

Cortinarius semisanguineus (Fr.) Gill. in Hymén. Fr.:486. 1874.

Cortinarius cinnamomeus Fr. var. *semisanguineus* Fr.

On soil under conifers. Annapolis, Antigonish, Colchester, Guysborough, Kings and Pictou Co. 1913-A.H.M. (L.E.W.-560) (KM-251, 252, 4066-4068, 5267 in DAOM, K.A.H.) (ACAD 13243, 13245-13261, T.L.R.).

Cortinarius squamulosus Pk. in N.Y. State Cab. Rep. 23:108. 1872.

Under hardwoods. Colchester, Halifax and Kings Co. 31 Aug. 1931-A.H.S., L.E.W. (W-845, 845a) (KM-253, 354, 4069 in DAOM, K.A.H.).

Cortinarius subflexipes Pk. in Annu. Rep. N.Y. State Mus. 41:73. 1888.

On soil under *Acer* sp. (maple) and *Fagus* sp. (beech). Colchester Co. 1 Sept. 1931-A.H.S., L.E.W. (W-854).

Cortinarius sublanatus (Sow.) Fr. in Epicr. Syst. Mycol.:283. 1838.

Reported from Halifax and Pictou Co. 1881-J.S. (1908-A.H.M.).

Not recognized in North America by Kauffman.

Cortinarius submarginalis Pk. in Bull. N.Y. State Mus. 54:950. 1902.

On humus under hardwoods. Colchester Co. 2 Sept. 1931-A.H.S., L.E.W. (W-856).

Cortinarius subpulchrifolius Kauff. in Agar. Mich. 1:371. 1918.

Under *Betula* sp. (birch) and *Tsuga* sp. (hemlock). Colchester Co. 18 Aug. 1931-A.H.S., L.E.W. (W-771).

Cortinarius subpurpurascens ([Batch] Fr.) Kickx in Flore Crypt. Flandres 2:190. 1867.

Under *Abies* sp. (fir) and *Picea* sp. (spruce). Colchester Co. 18 Aug. 1931-A.H.S., L.E.W. (W-791, 791a).

Cortinarius traganus (Fr. ex Fr.) Fr. in Epicr. Syst. Mycol.:281. 1838.

Under *Abies* sp. (fir) and *Picea* sp. (spruce). Colchester Co. 31 Aug. 1931-A.H.S., L.E.W. (W-849, 849a).

Cortinarius triumphans Fr. in Epicr. Syst. Mycol.:256. 1838.

Under conifers. Colchester Co. 1 Sept. 1931-A.H.S., L.E.W. (W-851).

Cortinarius turbinatus (Bull. ex Fr.) Fr. in Epicr. Syst. Mycol.:266. 1838.

From Halifax and Pictou Co. 1881-J.S. (A.H.M.). Not recognized as occurring in North America by Kauffman.

Cortinarius vibratilis (Fr.) Fr. in Epicr. Syst. Mycol.:277. 1838.

On mossy ground under conifers. Colchester and Kings Co. 24 July 1931-A.H.S., L.E.W. (W-698, 698a) (KM-255 in DAOM, K.A.H.).

Cortinarius violaceus (L. ex Fr.) Fr. in Epicr. Syst. Mycol.:279. 1838.

Under conifers. General. 1908-A.H.M. (L.E.W.-713, 713a) (KM-256, 4070, 4071, 4072, 5270 in DAOM, K.A.H.).

Cortinarius whiteae Pk. in Bull. Torrey Bot. Club 29:560. 1902.

In mixed woods. Colchester and Richmond Co. 15 Aug. 1931-A.H.S., L.E.W. (W-761) (KM-5269 in DAOM, K.A.H.).

***Coryne dubia** (Pers.) S.F. Gray in Nat. Arr. Br. Pl. 1:595. 1821.

Coryne sarcoides (Pers. ex Fr.) Bon.

See stat. perf. *Ascocoryne sarcoides* ([Jacq.] Gray) Groves & Wilson.

***Coryne ernalis** (Nyl.) Sacc. in Fungi Ven. Novi vel Critici, Sér. 4:69. 1875.

See stat. perf. *Ascocoryne cyllichnum* (Tul.) Korf.

Corynetes robustus Durand in Monogr. Geoglossaceae, Ann. Mycol. 6:416. 1908.

See *Microglossum atropurpureum* (Batsch ex Fr.) Karst.

Craterellus fallax A.H. Smith in Mich. Bot. 7:153. 1968.

On soil under hardwoods. Antigonish, Colchester, Halifax and Kings Co. 1913-A.H.M. (KM-149a-c, 916, 4103, 4104 in DAOM, K.A.H.) (L.E.W.-1414 coll. A.H.S.) (ACAD 13793). Previously misidentified as *C. cornucopioides* (L. ex Fr.) Pers.

Craterellus pistillaris Fr. in Epicr. Syst. Mycol.:534. 1838.

On soil in mixed woods. Colchester Co. 22 July 1929-L.E.W. (W-214, 214a coll. A.H.S.) L.E.W. states these collections may be forms of *Clavariadelphus pistillaris* (Fr.) Donk.

Crepidotus appplanatus (Pers. ex Fr.) Kummer in Führ. in Pilzkd.:92. 1882.

On *Fagus grandifolia* Ehrh. (beech). Colchester and Kings Co. 28 July 1931-A.H.S., L.E.W. (W-683, 683a) (KM-261, 877 in DAOM, K.A.H., as *C. malachius* (Berk. & Curt.) Sacc.).

Crepidotus calolepis (Fr.) Karst. in Bidr. Finl. Nat. Folk 32:414. 1879.

Crepidotus fulvotomentosus Pk.

On *Acer* sp. (maple), *Populus tremuloides* Michx. (trembling aspen), *Sorbus*

americana Marsh (mountain ash) and other species of *Populus* and *Sorbus*.
1975-L.P.M., J.M.M.

Crepidotus mollis (Schaeff. ex Fr.) Kummer in Führ. in Pilzkd.:92. 1882.

Crepidotus haerens (Pk.) Sacc.

On coniferous and deciduous woods. Colchester and Guysborough Co. 30 June 1931-A.H.S., L.E.W. (W-513) (KM-4088 in DAOM, K.A.H.).

Crepidotus nephrodes (Berk. & Curt.) Sacc. in Syll. Fung. 5:882. 1887.

Crepidotus putrigenus (Berk. & Curt.) Sacc.

From Kings Co. 18 Aug. 1932-K.A.H. (KM-263, 264 in DAOM, fide A.H.S.).

Crepidotus stipitatus Kauff. in Agar. Mich. 1:524. 1918.

On *Fagus grandifolia* Ehrh. (beech). Colchester Co. 10 Aug. 1931-A.H.S., L.E.W. (W-731, 731a).

Crepidotus variabilis (Pers. ex Fr.) Kummer in Führ. in Pilzkd.:91. 1882.

Claudopus variabilis (Fr.) Gill.

On sticks and leaves. Colchester Co. 18 July 1931-A.H.S., L.E.W. (W-667).

Crepidotus versutus (Pk.) Sacc. in Syll. Fung. 5:888. 1887.

On *Fagus grandifolia* Ehrh. (beech). Colchester Co. 20 July 1931-A.H.S., L.E.W. (W-682).

Cibraria argillacea (Pers.) Pers. in Neues Mag. Bot. 1:91. 1794.

On dead wood of *Abies balsamea* (L.) Mill. (balsam fir). Pictou Co. 1906-C.L.M.

Cibraria elegans Berk. & Curt. in Berkeley, Grevillea 2:67. 1873.

On dead wood. 1934-T.H.M., G.W.M. (The Myxomycetes, MacMillan Co., N.Y.).

Cibraria intricata Schrad. in Nov. Gen. Pl. 7. 1797.

On decayed wood. Colchester and Pictou Co. 1906-C.L.M. (L.E.W.-255).

Cibraria macrocarpa Schrad. in Nov. Gen. Pl. 8. 1797.

On dead wood of conifers. Pictou Co. 1906-C.L.M.

Cibraria piriformis Schrad. in Nov. Gen. Pl. 4. 1797.

On decayed coniferous wood. Colchester Co. 25 July 1931-L.E.W. (W-1142).

Cibraria splendens (Schrad.) Pers. in Syn. Fung.:191. 1801.

On dead wood. 1934-T.H.M., G.W.M. (The Myxomycetes, MacMillan Co., N.Y.).

Crinipellis piceae Sing. in Rev. Mycol. 4:64. 1939.

On needles of *Picea* sp. (spruce). Kings Co. 16 July 1972-K.A.H. (MICH 11599).

Cristella mollusca (Pers. per Fr.) Donk in Persoonia 5:97. 1967.

Phlebiella candidissima (Schw.) W.B. Cke.

Polyporus candidissima (Schw.) Cke.

Poria candidissima (Schw.) Cke.

Trechispora candidissima (Schw.) Bond. & Sing.

On *Abies balsamea* (L.) Mill. (balsam fir), *Alnus* sp. (alder), *Fomes fomentarius* (L. ex Fr.) Kickx and *Populus* sp. (poplar). Kings Co. 14 Nov. 1931-K.A.H. (KM-64, 2850 in DAOM) (O-F3342) (WS-244, 315 in ACAD).

Cronartium coleosporioides Arth. in North Am. Flora 7:123. 1907.

On *Pinus banksiana* Lamb. (jack pine). 1955. (For. Insect Dis. Surv.:26.1955).

Cronartium comptoniae Arth. in Bull. Torrey Bot. Club 33:29. 1906.

On *Comptonia peregrina* (L.) Coult. (sweet fern), *Comptonia* sp., *Myrica gale* L. (sweet gale), *Pinus banksiana* Lamb. (jack pine), *P. contorta* Dougl. var. *latifolia* Engelm. (lodgepole pine), *P. echinata* Mill. (shortleaf pine), *P. mugo* Turra (Swiss mountain pine), *P. sylvestris* L. (Scots pine) and *Pinus* sp. General. 23 July 1936-J.F.H.

***Cronartium quercuum** (Berk.) Miyabe ex Shirai in Bot. Mag. Tokyo 13:74. 1899.

On wood of *Pinus sylvestris* L. (Scots pine). Kings Co. 2 Sept. 1961-K.A.H.

Cronartium ribicola J.C. Fischer in Rabenhorst, Fung. Eur. Exs.:1595. 1872.

On *Pinus strobus* L. (white pine), *Ribes aureum* Pursh (golden currant), *R. glandulosum* Grauer (skunk currant), *R. grossularia* L. (principal source—European gooseberry), *R. hirtellum* Michx. (principal source—American gooseberry), *R. nigrum* L. (black currant), *R. oxyacanthoides* L. (wild gooseberry), *R. rubrum* L. and *R. sativum* Syme (red currents). General. 14 May 1925-J.F.H.

Crucibulum laeve ([Bull.] DC.) Kambly in Kambly & Lee, Univ. Iowa Stud. Nat. Hist. 17:167. 1936.

Crucibulum vulgare Tul. (1844).

On *Syringa vulgaris* L. (lilac), dead stems, twigs and other plant debris. General. 1908-A.H.M. (L.E.W.-1214, 6264 coll. A.R.P.) (KM-950, 1073-1076 in DAOM, K.A.H.)(S.F.M.-7, 19, 362, 380 in ACAD).

Cryptochaete rufa (Fr.) Karst. in Bidr. Finl. Nat. Folk 48:408. 1889.

Corticium pezizoideum (Schw.) Schrenk (non Ell. & Ev.).

Peniophora rufa (Fr.) Boid.

Stereum rufrum (Fr.) Fr.

On *Populus tremuloides* Michx. (trembling aspen) and other *Populus* sp. (poplar). Annapolis, Colchester and Kings Co. 13 July 1926-L.E.W. (W-108, 135) (KM-131, 763, 2064 in DAOM, K.A.H.)(DAOM 5466).

Cryptocline cinerescens (Bubák) v. Arx in Verh. K. Akad. Wet. Afd. Natuurkd. 2, 51, 3:73. 1957.

Gloeosporium cinerescens Bubák.

On *Quercus rubra* L. (red oak). 1960. (For. Insect Dis. Surv.:33. 1960).

***Cryptodiaporthe aubertii** (Westend) Wehm. var. **comptoniae** (Schw.) Wehm. in The Genus *Diaporthe* Nitschke and its Segregates. Univ. Mich. Stud. Sci., Ser. 9:203. 1933.

On stem of *Comptonia peregrina* (L.) Coulter (sweet fern). Kings Co. 31 July 1952-C.L.L., D.W.C.

***Cryptodiaporthe castanea** (Tul.) Wehm. in The Genus *Diaporthe* Nitschke and its Segregates. Univ. Mich. Stud. Sci., Ser. 9:205. 1933.

Stat. conid. *Fusicoccum castaneum* Sacc.

On new wood of *Castanea dentata* (Marsh.) Berkh. (American chestnut). Kings Co. 16 June 1971-C.O.G.

Cryptodiaporthe corni (Wehm.) Petrak in Ann. Mycol. 39:302. 1941.

Apioporthe corni Wehm.

On *Cornus alternifolia* L.f. (alternate-leaved dogwood). Colchester Co. 26 June 1935-L.E.W. (W-148, 1711).

Cryptodiaporthe galericulata (Tul.) Wehm. in Wehmeyer, The Genus *Diaporthe* Nitschke and its Segregates, Univ. Mich. Stud. Sci., Ser. 9:211. 1933.

On *Fagus grandifolia* Ehrh. (beech). Colchester Co. 21 July 1929-L.E.W. (W-104).

***Cryptodiaporthe hystrix** (Tode) Petrak in Ann. Mycol 19:119. 1921.

Stat. conid. *Diplodina acerina* (Pass.) Sutton.

On *Acer negundo* L. (box elder) and *A. negundo* L. var. *interius* (Britt.) Sarg. (Manitoba maple). Kings Co. 29 May 1975-C.O.G., R.W.D., J.B. (DAOM 150009).

Cryptodiaporthe magnispora Wehm. in The Genus *Diaporthe* Nitschke and its Segregates. Univ. Mich. Stud. Sci., Ser. 9:204. 1933.

On *Acer rubrum* L. (red maple). 1975-L.P.M., J.M.M.

Cryptodiaporthe populea (Sacc.) Butin in Nachrichtenble Dtsch. Pflanzen schutzdienst. Braunschweig 9:69. 1957.

Stat. conid. *Discosporium populeum* (Sacc.) Sutton.

Crondrolea populea (Sacc.) Kleb.

Dothichiza populea (Sacc.) Briard.

On *Populus canadensis* Moench var. *eugenii* (Simon-Louis) Schelle (Carolina poplar), *P. nigra* L. var. *italica* Muench. (Lombardy poplar) and *P. tremuloides* Michx. (trembling aspen). Kings Co. 1929. (Annu. Rep. Prev. Plant Dis. Can. 9:64. 1929).

Cryptodiaporthe salicina (Curr.) Wehm., in The Genus *Diaporthe* Nitschke and its Segregates. Univ. Mich. Stud. Sci., Ser. 9:194. 1933.

Stat. conid. *Discella carbonacea* Berk. & Br.

Phacidium carbonaceum Fr.

On *Salix alba* L. var. *vitellina* (L.) Koch (white willow) and *Salix* sp. Colchester and Kings Co. 30 July 1929-J.F.H. (L.E.W.-521).

Cryptomycella pteridis (Kalchbr.) Höhn. in Mitt. Bot. Inst. Tech. Hochsch. Wien 2:48. 1926.

See stat. perf. *Cryptomycina pteridis* (Reb. ex Fr.) Höhn.

Cryptomycina pteridis (Reb. ex Fr.) Höhn. in Ber. Dtsch. Bot. Ges. 35:422. 1917.

Cryptomyces pteridis (Reb. ex Fr.) Rehm.

Phyllachora pteridis (Reb. ex Fr.) Fckl.

Stat. conid. *Cryptomycella pteridis* (Kalchbr.) Höhn.

On *Pteridium aquilinum* (L.) Kuhn var. *latiusculum* (Desv.) Underw. (bracken).

Kings Co. 1950-L.E.W. (coll. & det. A.E.R., R-129).

Cryptospora alnicola Höhn. in Fragm. Mycol.:846. 1903.

On *Alnus* spp. Colchester Co. 3 Aug. 1929-L.E.W. (W-279, 1005, 1767).

Cryptospora aurantiaca Wehm. in Can. J. Res., C, 20:588. 1942.

On *Alnus* sp. (alder). Colchester Co. 9 July 1933-L.E.W. (W-1624 type).

Cryptospora betulae Tul. in Sel. Fung. Carp. 2:148. 1863.

On *Betula* sp. (birch). Colchester and Pictou Co. 14 July 1929-L.E.W. (W-61).

Cryptospora femoralis Pk. in Annu. Rep. N.Y. State Mus. 28:74. 1876.

On *Alnus* sp. (alder). Colchester Co. 19 June 1926-L.E.W. (P367, W-13, 13a, 335, 1623).

Cryptospora suffusa (Fr.) Tul. in Sel. Fung. Carp. 2:145. 1863 var. *nuda* Pk. in Annu.

Rep. N.Y. State Mus. 45:58. 1893.

On *Corylus cornuta* Marsh. (beaked hazelnut). Colchester and Hants Co. 28 June 1929-L.E.W. (W-17, 1715).

Cryptosporiopsis cornina (Pk.) Petrak & Syd. in Ann. Mycol. 20:197. 1922.

See stat. perf. *Pezicula corni* Petrak.

Cryptosporiopsis corticola (Edg.) Nannf. in Nova Acta Reg. Soc. Sci. Upsal., Ser. 4(8):94. 1932.

Myxosporium corticola Edg.

See stat. perf. *Pezicula corticola* (Jorg.) Nannf.

Cryptosporiopsis coryli (Pk.) Sutton in The Coelomycetes:510. 1980.

Catinula turgida (Fr.) Desm.

See stat. perf. *Pezicula corylina* Groves.

Cryptosporiopsis curvispora (Pk.) Gremmen in Tijdschr. Plantenziekten 65:172. 1959.

Cryptosporiopsis malicorticis (Cordley) Nannf. (1932).

Cryptosporiopsis perennas (Zeller & Childs) Wollenw. (1939).

Gloeosporium malicorticis Cordley (1900).

Gloeosporium perennans Zeller & Childs (1925).

See stat. perf. *Neofabraea malicorticis* Jacks.

Cryptosporiopsis pruinosa (Pk.) Wollenw. in Arb. Biol. Abt. (Anst.-Reichsanst).

Berl. 22:527. 1939.

Sphaeronema pruinosum Pk.

See stat. perf. *Pezicula pruinosa* Farl.

- Cryptosporiopsis scutellata** (Otth) Petrak *in Hedwigia* 62:315. 1921.
See stat. perf. *Pezicula ocellata* (Pers.) Seav.
- ***Cryptosporium minimum** Laub. *in Centralbl. Bakt.* 2, 19:166. 1907.
On winter injured canes of *Rubus idaeus* L. (red raspberry). Colchester Co. 17 June 1971-C.O.G. (in DAOM).
- Cucurbitodthis pithyophila** (Fr.) Petrak *in Ann. Mycol* 19:201. 1921.
Cucurbitaria pithyophila (Fr.) Ces. & de Not.
On *Pinus strobus* L. (white pine). 1975-L.P.M., J.M.M.
- ***Cucurbitaria comptoniae** Cke. & Ell. *in Grevillea* 6:12. 1877.
On wood of *Comptonia peregrina* (L.) Coult. (sweet fern). Kings Co. 11 May 1953-D.W.C.
- Cucurbitaria elongata** (Fr.) Grev. *in Scott. Crypt. Flora*, tab. 195. 1823-29.
Cucurbitaria subfenestratum (Berk. & Curt.) Sacc.
Stat conid. *Camarosporium robiniae* Sacc.
On *Robinia pseudoacacia* L. (black locust). 1975-L.P.M., J.M.M.
- Cudonia circinans** (Pers.) Fr. *in Summa Veg. Scand.* 348. 1849.
On moss and duff under *Abies* sp. (fir) and *Picea* sp. (spruce). Colchester, Kings and Victoria Co. 5 Aug. 1931-L.E.W. (W-1216, 1216a,b,c,d,e,f) (KM-1001, 1069a in DAOM, K.A.H.) (ACAD 1006a,b, K.A.H.).
- Cudonia lutea** (Pk.) Sacc. *in Atti. Inst. Venet.* 6(3):725. 1885.
On leaves under *Fagus grandifolia* Ehrh. (beech) and on rotten log. Colchester and Kings Co. 14 Aug. 1931-L.E.W. (W-1304, 1304a) (KM-1007, 1070 in DAOM, K.A.H.) (ACAD 1007, K.A.H.).
- Cunninghamella elegans** Lendner *in Bull. Herb. Boiss.* 2, 7:250. 1907.
From soil. Cumberland Co. 1980-D.B., A.T.
- Curvularia clavata** Jain *in Trans. Br. Mycol. Soc.* 45:542. 1962.
On leaves of *Pisum sativum* L. (garden pea) and calyx of *Vaccinium macrocarpon* Ait. (cranberry). Inverness and Kings Co. 21 Jan. 1970-C.O.G., K.A.H. (DAOM 146884).
- Curvularia protuberata** Nelson & Hodges *in Mycologia* 57:823. 1965.
From soil. Cumberland Co. 1980-D.B., A.T.
- Cyathus olla** (Batsch) Pers. *in Syn. Fung.*:237. 1801.
Cyathus vernicosus (Bull.) DC.
In gardens and orchards. Kings and Pictou Co. 1908-A.H.M. (KM-1077-1080 in DAOM, K.A.H.) (ACAD S.F.M. 1077m).
- Cyathus striatus** Pers. *in Syn. Fung.*:237. 1801.
Cyathus hirsuta (Schaff.) White.
From Kings Co. 1978-S.F.M. (SFM-20, 63 in ACAD) (ACAD 10572).
- Cylindrocarpon destructans** (Zins.) Scholten *in Neth. J. Plant Pathol.* 70, suppl. 2:9. 1964.
Cylindrocarpon radicicola Wollenw.
From *Daucus carota* L. (Queen Anne's Lace), roots of *Fragaria* sp. (cultivated strawberry), wood of *Malus pumila* Mill. (apple) and milled peat, *Sphagnum* sp. Annapolis, Kings and Yarmouth Co. March 1958-K.A.H., C.O.G.
- ***Cylindrocarpon didymum** (Hartig) Wollenw. *in Fus. Autogr. Del.*, ed. 2:650. 1926.
From crown of *Fragaria* sp. (cultivated strawberry). Kings Co. 11 June 1963-C.O.G.
- Cylindrocarpon malii** (Allesch.) Wollenw. *in Z. Parasitenkd.* 1:150. 1928.
See stat. perf. *Nectria galligena* Bres.
- ***Cylindrocladium scoparium** Morg. *in Bot. Gaz.* 17:191. 1892.
On leaves and stems of *Azalea* sp. Hants Co. 22 July 1976-R.W.D., C.O.G. (DAOM 159456).

Cylindrosporella microsperma (Pk.) Petrak in Ann. Mycol 22:42. 1924.

Gloeosporium betulae-luteae Sacc. & Dearn.

On *Betula lutea* Michx. f. (yellow birch). 1975-L.P.M., J.M.M.

Cylindrosporium ariaefolium Ell. & Ev. in Bull. Torrey Bot. Club 27:575. 1900.

On *Spiraea latifolia* (Ait.) Borkh. (meadowsweet, hardhack). Hants Co. I.L.C. (O-645).

* **Cylindrosporium betulae** Davis in Trans. Wis. Acad. Sci. Arts Letts. 16:759. 1909.

On leaves of *Betula populifolia* Marsh. (wire birch). Kings Co. 31 July 1952-D.W.C., G.L.M.

Cylindrosporium dearnessii Ell. & Ev. in Proc. Acad. Nat. Sci. Phila.:83. 1891.

On *Ostrya virginiana* (Mill.) K. Koch (American hop-hornbeam or ironwood). 1955. (For. Insect Dis. Surv.:26. 1955).

Cylindrosporium filipendulae Thüm. in Oesterr. Bot. Z. 28:146. 1878.

On *Spiraea alba* DuRoi (meadowsweet) and *S. latifolia* (Ait.) Borkh. (meadow-sweet). Inverness and Queens Co. 20 July 1939-J.F.H. (I.L.C. O-5160).

Cylindrosporium padi Karst. in Symb. Mycol. Fenn. 15:159. 1884.

Septoria cerasina Pk.

(probably *Cylindrosporium hiemale* Higgins fide L.E.W.).

On *Prunus* sp. (wild cherry). 1903-B.D.H., J.A.K.

Cylindrosporium pomi Brooks in Bull. Torrey Bot. Club 35:453. 1908.

Phoma pomi Pass.

Stat. perf. *Mycosphaerella pomi* (Pass.) Linau (not known in Canada).

On fruit of *Malus pumila* Mill. (apple). Kings Co. 1924-J.F.H.

Cymadothea trifolii (Pers. ex Fr.) Wolf in Mycologia 27:71. 1935.

On *Trifolium hybridum* L. (alsike clover) and *T. pratense* L. (red clover).

General. 4 July 1925-J.F.H.

Cyphelopsis anomala (Pers. ex Fr.) Donk in Meded. Ned. Mycol. Verh. 18-20:128.

1931.

Henningsomyces anomala (Pers. ex Fr.) Kuntze.

Peziza anomala (Pers.) Fr.

Solenia anomala (Pers.) Fr.

On *Alnus crispa* var. *mollis* Fern. (downy alder), *Populus* sp. (poplar), *Salix* sp. (willow) and *Ulmus* sp. (elm). Colchester and Kings Co. 3 Aug. 1929-L.E.W. (W-97, 210) (O-8495) (KM-2768 in DAOM, K.A.H.) (ACAD 2768).

Cryptotrama asprata (Berk.) Redhead & Ginns in Can. J. Bot. 58:731. 1980.

Collybia lacunosa (Pk.) Pk.

Cryptotrama chrysopepla (Berk. & Curt.) Sing.

Gerronema chrysopepla (Berk. & Curt.) Sing.

Tricholoma lacunosum (Pk.) Sacc.

Xerula chrysopepla (Berk. & Curt.) Sing.

On *Acer* sp. (maple) and conifers. Halifax, Kings and Victoria Co. 26 July 1931-K.A.H. (DAOM 39077, 110843, 110844, 110845) (MICH 11691).

* **Cystoderma amianthinum** (Scop. ex Fr.) Fayod var. **amianthinum** in Ann. Sci. Nat., Sér. 7, 9:351. 1889.

In moss in conifer woods. General. 1968-K.A.H. (ACAD 13628).

* **Cystoderma amianthinum** (Scop. ex Fr.) Fayod var. **rugosoreticulatum** (Lorinser) Smith & Sing. in Pap. Mich. Acad. Sci. Arts Lett. 30(1944):110. 1945.

From Kings Co. 22 Oct. 1980-K.A.H. (ACAD 13626).

Cystoderma granulosum (Batsch ex Fr.) Fayod var. **granulosum** in Ann. Sci. Nat., Sér. 7, 9:351. 1889.

Lepiota granulosa (Fr.) Quél.

From Kings and Lunenburg Co. 1913-A.H.M. (KM-371, 373, 903, 1575, 1713, 4003 in DAOM, K.A.H. fide A.H.S.).

Cystoderma granulosum (Batsch ex Fr.) Fayod var. **adnatifolium** (Pk.) Smith and Sing. in Pap. Mich. Acad. Sci. Arts Lett. 30(1944):90. 1945.

Under *Picea* sp. (spruce). Colchester Co. 18 Aug. 1931-A.H.S., L.E.W. (W-779 as *Armillaria adnatifolia* (Pk.) Kauff.).

Cystostereum murraili (Berk. & Curt.) Pouz. in Česká Mykol. 13(1):13. 1959.

Stereum murraili (Berk. & Curt.) Burt.

On *Acer rubrum* L. (red maple), *Betula lutea* Michx. f. (yellow birch), *B. papyrifera* Marsh. (white birch), *B. populifolia* Marsh. (wire birch), *Betula* sp. and *Populus grandidentata* Michx. (largetoothed aspen). Colchester Co. 14 July 1931-L.E.W. (W-1021, 1108, 1319 fide M.A.D.) (KM-2776, 2777, 4352 in DAOM, K.A.H.).

Cytidia salicina (Fr.) Burt in Ann. Mo. Bot. Gard. 11:10. 1924.

On deciduous wood and *Salix* sp. (willow). Annapolis, Colchester, Halifax and Pictou Co. 1908-A.H.M. (L.E.W.-5441) (DAOM F3326) (KM-2772, 4283 conf. L.K.W. in DAOM, K.A.H.).

***Cytospora annulata** Ell. & Ev. in Proc. Acad. Nat. Sci. Phila.:160. 1893.

On wood of *Acer saccharinum* Marsh. (silver or white maple). Kings Co. 1 Mar. 1951-D.W.C.

Cytospora dubyi Sacc. in Syll. Fung. 3:270. 1884.

On *Juniperus sabina* L. (savin) and *Thuja occidentalis* L. (eastern white cedar). Kings Co. Mar. 1951-D.W.C.

***Cytospora elaeagni** Allesch. in Hedwigia:162. 1897.

On wood of *Elaeagnus angustifolia* L. (oleaster). Kings Co. 2 Mar. 1951-D.W.C.

***Cytospora oxyacanthae** Rabenh. in Oesterr. Bot. Z.:503. 1858.

On wood of *Crataegus oxyacantha* L. (English hawthorn). Kings Co. 9 April 1953-D.W.C.

Cytospora pinastri Fr. in Syst. Mycol 2:544. 1822.

On wood of *Chamaecyparis pisifera* (Sieb. & Zucc.) Endl. (Sawara cedar). Kings Co. 1951-D.W.C.

***Cytospora tamaricis** Brun. in Actes. Soc. Linn. Bord.:143. 1897.

On wood of *Tamarix* sp. (tamarisk). Kings Co. 22 Feb. 1951-D.W.C.

Dacrymyces abietinus Schroet. var. **abietinus** in Cohn Krypt. Fl. Schles. 3(1):400. 1888.

Dacrymyces stillatus Fr.

On *Pinus* sp. (pine), coniferous logs and old railroad ties. Kings Co. and others. 1913-A.H.M. (KM-1704, 5155 in DAOM, D.W.C., K.A.H.).

Dacrymyces deliquescens (Mérat) Duby in Bot. Gall.:720. 1828-30, var. **deliquescens** Kennedy in Mycologia 50:910. 1958.

Dacrymyces deliquescens (Bull.) Duby.

On *Fagus* sp. (beech) and *Pinus* sp. (pine). Colchester and Kings Co. 11 July 1931-L.E.W. (W-487) (KM-5280 in DAOM, K.A.H.).

Dacrymyces deliquescens (Mérat) Duby var. **minor** (Pk.) Kennedy in Mycologia 50:908. 1958.

Dacrymyces minor Pk.

On decorticated wood of *Abies* sp. (fir), *Picea* sp. (spruce) and *Populus* sp. (poplar). Annapolis, Colchester and Halifax Co. 28 June 1931-L.E.W. (W-311, 311a, 312) (KM-5279 in DAOM, K.A.H.).

Dacrymyces ellisii Coker in J. Elisha Mitchell Sci. Soc. 35:167. 1920.

On *Quercus* sp. (oak) and on fallen limb of *Ulmus* sp. (elm). Kings Co. 20 Feb. 1953-K.A.H. (KM-2019, 5149, 5151 in DAOM det. D.W.C.).

Dacrymyces palmatus (Schw.) Bres. in Höhnel, Oesterr. Bot. Z. 54:425. 1904.

Dacrymyces aurantius (Schw.) Farl.

On *Acer spicatum* Lam. (mountain maple), *Tsuga canadensis* (L.) Carr. (eastern

hemlock) and conifer stub. Colchester, Kings and Victoria Co. 18 July 1931-L.E.W. (W-1083) (O-F3186).

Dacrymyces punctiformis Neuhoff in Schweiz. Z. Pilzkd. 12:81. 1934.

On *Pinus* sp. (pine) and deciduous wood. Kings Co. 7 Nov. 1952-K.A.H. (KM-2103-2106, 5157 in DAOM, det. D.W.C.).

Dactylaria brochopaga Drechsler in Mycologia 29:517. 1937.

In association with nematodes from compost and dung (cow, horse). Kings Co. 1980-M.E.A.

Dactylium candidum Nees in Das System der Pilze und Schwämme 38:58. 1816/17.

Candelabrella candida Rifai.

Dactylaria candida (Nees) Sacc.

In association with nematodes from dung (cow), rotting swamp and soil. Kings Co. 1908-M.E.A.

Daedalea confragosa (Bolt.) Fr. in Syst. Mycol. 1:336. 1821.

See *Daedaleopsis confragosa* (Bolt. ex Fr.) Schroet.

***Daedalea extensa** Pk. in Annu. Rep. N.Y. State Mus. 44:21. 1891.

On fallen log of *Betula* sp. (birch). Kings Co. 3 July 1968-K.A.H. (MICH 12678 coll. K.A.H. det. J.L.L.).

Daedalea quercina (L.) Fr. in Syst. Mycol. 1:333. 1821.

On *Fagus grandifolia* Ehrh. (beech) and *Quercus* sp. (oak). Halifax, Kings, Lunenburg and Pictou Co. 1907-A.H.M. (KM-4358 in DAOM, K.A.H.).

Daedalea unicolor (Bull.) Fr. in Syst. Mycol. 1:336. 1821.

See *Cerrena unicolor* (Bull. ex Fr.) Murr.

Daedaleopsis confragosa (Bolt. ex Fr.) Schroet in Cohn., Krypt. Fl. Schles. 3:492. 1889.

Daedalea confragosa (Bolt. ex Fr.) Fr.

On *Acer saccharum* Marsh. (sugar maple), *Alnus rugosa* var. *americana* (Regel) Fern. (speckled alder), *Betula lutea* Michx. f. (yellow birch), *Fagus grandifolia* Ehrh. (beech) and other species of *Acer*, *Alnus*, *Betula* and *Salix* (willow). General. 1881-J.S. (1908-A.H.M.) (KM-54a,b in DAOM, K.A.H.) (L.E.W.-1209, 1209a).

Daldinia concentrica (Bolt. ex Fr.) Ces. & de Not. in Comm. Soc. Critt. Ital. 1:198. 1863.

On *Alnus* sp. (alder), *Betula* sp. (birch), *Fagus grandifolia* Ehrh. (beech) and *Ulmus* sp. (elm). Colchester, Cumberland, Halifax and Pictou Co. 1908-A.H.M. (L.E.W.-94, 221, 1019) (KM-5175-5177 in DAOM, K.A.H.).

Darluca filum (Biv.-Bern ex Fr.) Berk. in Outl. Br. Fungol.:318. 1860.

See *Sphaerellopsis filum* (Biv.-Bern. ex Fr.) Sutton.

Dasyscyphus agassizii (Berk. & Curt.) Sacc. in Syll. Fung. 8:438. 1889.

Lachnella agassizii (Berk. & Curt.) Seav.

On *Abies balsamea* (L.) Mill. (balsam fir), *Picea* sp. (spruce) and *Pinus strobus* L. (white pine). Colchester, Halifax and Kings Co. 6 July 1929-L.E.W. (W-22, 330, 1661) (KM-118, 3118a in DAOM, K.A.H.) (O-2747 det. G.G.H.).

Dasyscyphus corticalis (Pers. ex Fr.) Karst. in Mycol. Fenn. 1:159. 1871.

Lachnea corticalis (Pers. ex Fr.) Gill.

Lachnella corticalis (Pers.) Fr.

On bark of *Populus* sp. (poplar). Colchester Co. 13 Aug. 1931-L.E.W. (W-1299).

Dasyscyphus occidentalis Hahn & Ayers in Mycologia 26:90. 1934.

Lachnella occidentalis (Hahn & Ayers) Seav.

On *Larix laricina* (DuRoi) Koch (larch). Colchester Co. 8 July 1931-L.E.W. (W-436).

Dasyscyphus virgineus S.F. Gray in Nat. Arr. Br. Pl. 1:671. 1821.

Lachnum virgineum (Batsch ex Fr.) Karst.

On bark and decayed wood of *Acer* sp. (maple), *Fagus* sp. (beech) and *Spiraea*. Colchester Co. 4 July 1931-L.E.W. (W41, 382, 497, 1573).

Datronia mollis (Sommerf.) Donk in Persoonia 4:338. 1966.

Antrodia mollis (Sommerf.) Karst.

Trametes mollis (Sommerf.) Fr.

On *Acer pensylvanicum* L. (striped maple), *A. rubrum* L. (red maple), *A. saccharum* Marsh. (sugar maple) and species of *Acer*, *Alnus* (alder) and *Ulmus* (elm). Kings Co. 28 Nov. 1931-K.A.H. (KM-50, 50a, 809, 4232 in DAOM) (O-F2247, 2991).

Davisomycella ampla (Davis) Darker in Can. J. Bot. 45:1423. 1967.

Lophodermium amplum (Davis) Davis.

On *Pinus banksiana* Lamb. (jack pine). Halifax Co. 1932-G.D.D. (Contrib. Arnold-Arbor. p. 43. 1932).

Delphinella balsameae (Waterm.) E. Müller in E. Müller & von Arx, Beitr. Krypt.

Fl. Schweiz. 11(2):27. 1962.

On *Abies balsamea* (L.) Mill. (balsam fir). 1975-L.P.M., J.M.M.

Dendrococcum roseocarneum (Schw.) Larsen & Gilbertson in Norw. J. Bot. 24:115. 1977.

Laeticoccum roseocarneum (Schw.) Boid.

Stereum roseocarneum (Schw.) Fr.

On wood of many species including *Fagus* sp. (beech) and *Quercus* sp. (oak). Colchester and Kings Co. 24 Aug. 1926-L.E.W., (W-1516, 1516a det. M.A.D.) (KM-2841-2843, 3050, 4321-4339 in DAOM, K.A.H.) (DAOM F5461, 99574).

Dendrococcum violaceum Jacks. in Larsen & Gilbertson, Norw. J. Bot. 24:116. 1977.

On *Alnus* sp. (alder). Annapolis and Kings Co. 26 Sept. 1959-K.A.H. (DAOM 99461, 99462, 99463).

Dendrophoma obscurans (Ell. & Ev.) H.W. And. in Bull. III. Agric. Exp. Stn. 229:135. 1920.

See *Phomopsis obscurans* (Ell. & Ev.) Sutton.

***Dentinum albidum** (Pk.) Snell in Mycologia 37:51. 1945.

Found in mixed woods, mostly deciduous. Annapolis Co. 1961-K.A.H. (KM-3501, 3564 in DAOM).

***Dentinum albomagnum** (Banker) Pouz. in Česká Mykol. 10:76. 1956.

From Kings Co. 13 Oct. 1969-K.A.H. (MICH 8773).

Dentinum repandum (Fr.) S. F. Gray var. **repandum** in Nat. Arr. Br. Pl. 1:650. 1821.

Hydnus repandum Fr.

Common on soil throughout the province. 1880-J.S. (L.E.W.-57, 1193, 1193a) (KM-676, 1233, 3562, 3679-3683, 4748-4750, and others in DAOM, K.A.H.).

Dentinum repandum (Fr.) S.F. Gray var. **album** (Quél.) Harrison in Can. Dep. Agric. Publ. 1099:19. 1961.

Common in coniferous woods on hollow logs and stumps. Annapolis, Halifax and Kings Co. 21 Oct. 1958-K.A.H. (KM-3500, 4384, 4896 in DAOM).

Dentinum umbilicatum (Pk.) Pouz. in Česká Mykol. 10:76. 1956.

In mixed and deciduous woods. General. 22 Sept. 1955-K.A.H. (KM-2952, 3498, 4751, 4893-4895 in DAOM).

Dermea acerina (Pk.) Rehm in Ber. Bayer. Bot. Ges. 13:197. 1912.

Stat. conid. *Sphaeronema acerinum* Pk.

On *Acer rubrum* L. (red maple). Kings Co. 1946-J.W.G. (DAOM 4652) leg. K.A.H.

Dermea ariae (Pers. ex Fr.) Tul. ex Karst in Mycol. Fenn. 1:224. 1871.

Stat. conid. *Micropora sorbi* (Fr.) Sacc.

On *Sorbus americana* Marsh. (American mountain ash). Colchester Co. 4 July 1931-L.E.W. (J.W.G. 641 ex W-402) fide J.W.G.

Dermea balsamea (Pk.) Seav. in Mycologia 24:427. 1932.

Stat. conid. *Gelatinosporium abietinum* Pk.

On *Abies balsamea* (L.) Mill. (balsam fir) and *Tsuga canadensis* (L.) Carr. (hemlock). Colchester and Kings Co. 8 July 1931-L.E.W. (J.W.G.-513 ex L.E.W.-2072; T, L.E.W.-1082) det. J.W.G. (DAOM 3977).

Dermea cerasi (Pers. ex Fr.) Fr. in Syst. Orb. Veg.:115. 1825.

Stat. conid. *Micropora drupacearum* Lév.

Foveostroma drupacearum (Lév.) Di Cosmo (1978).

On *Prunus pensylvanica* L.f. (pin cherry). Colchester and Kings Co. 4 Sept. 1931-L.E.W. (J.W.G.-797 ex L.E.W.-1753) (DAOM 4630, 4632, 4635, 4851).

Dermea molliuscula (Schw.) Cash in Mycologia 29:304. 1937.

Stat. conid. *Gelatinosporium fulvum* Pk.

On *Betula* sp. (birch). Colchester and Kings Co. 31 July 1931-L.E.W. (DAOM 4694) (J.W.G.-552, 514 ex L.E.W.-1287a) det. J.W.G.

Dermea peckiana (Rehm) Groves in Mycologia 29:67. 1937.

Stat. conid. *Micopera stellata* (Ell.) Jacz.

On *Nemopanthus mucronata* (L.) Trel. (false holly). Cumberland Co. 24 July 1936-I.L.C. (DAOM 3784 det. J.W.G.) (J.W.G.-497).

Dermea pinicola Groves in Mycologia 38:403. 1946.

On wood of *Pinus strobus* L. (white pine). Kings Co. 19 May 1950-C.O.G., J.W.G. (in DAOM).

Dermea prunastri (Pers. ex Fr.) Fr. in Summa Veg. Scand.:362. 1849.

Stat. conid. *Micopera spuria* Höhn.

On *Prunus* sp. (stone fruit). Colchester and Kings Co. 1946-J.W.G., I.L.C. (J.W.G.-798 ex L.E.W.-1692) (DAOM 4698).

***Dermea viburni** Groves in Mycologia 32:745. 1940.

On wood of *Viburnum cassinoides* L. (witherod). Kings Co. 1 Oct. 1953-K.A.H., D.W.C.

Diachea leucopodia (Bull.) Rostaf. in Monogr. Mycetozoa:190. 1874.

On dead leaves and debris, and upon living leaves of ferns. Colchester Co. 6 Sept. 1931-L.E.W. (W-1485).

Diaporthe acerina (Pk.) Sacc. in Syll. Fung. 1:611. 1882.

On *Acer spicatum* Lam. (mountain maple). Colchester and Kings Co. 16 June 1926-L.E.W. (P52c,d, W-1069).

Diaporthe alleghaniensis R. Horner Arnold in Can. J. Bot. 45:787. 1967.

Stat. conid. *Phomopsis* sp.

On *Betula lutea* Michx. f. (yellow birch). June 1948-A.J.S. (DAOM 70881, 70905).

Diaporthe arctii (Lasch) Nits. var. **arctii** in Pyren. Germ.:268. 1870.

On *Aster* sp., *Gnaphalium* sp. (cudweed) and *Solidago* sp. (goldenrod). Colchester Co. 27 July 1931-L.E.W. (W-1161, 1536, 1574, 1611).

Diaporthe arctii (Lasch) Nits. var. **achilleae** (Auersw.) Wehm. in The Genus *Diaporthe* Nitschke and its Segregates. Univ. Mich. Stud. Sci., Ser. 9:24. 1933.

On *Achillea millefolium* L. (yarrow). Colchester Co. 22 June 1933-L.E.W. (W-1531).

***Diaporthe caraganae** Jacz. in Hedwigia 34(38). 1895.

Stat. conid. *Cytosporina serebrianikowii* Bubák.

Phomopsis serebrianikowii (Bubák) Höhn.

On *Caragana arborescens* Lam. (caragana or Siberian pea tree). 30 May 1978-C.O.G., R.W.D. (coll. by John F. Hayes at Nash Creek, Restigouche Co., N.B.) (DAOM 169159).

Diaporthe decedens. (Fr.) Fckl. in Symb. Mycol. Nachtr. 1:30. 1871.

On *Corylus cornuta* Marsh. (hazlenut). Colchester and Kings Co. 26 June 1926-L.E.W. (P308a,b, W-1677).

Diaporthe eres Nits. in Pyren. Germ.:246. 1870.

On petioles of *Fragaria* sp. (cultivated strawberry), *Lonicera* sp. (honeysuckle), *Malus pumila* Mill. (apple), *Myrica pensylvanica* Loisel. (bayberry), *Prunus avium* L. (sweet cherry), *P. domestica* L. (plum), *Pyrus communis* L. (pear) and *Ulmus americana* L. (elm). Annapolis, Halifax, Hants, Kings and Victoria Co. Sept. 1929-L.E.W. (W-287, 1240) (DAOM 145550, C.O.G., R.H.A., M.P.C.).

Diaporthe impulsa (Cke. & Pk.) Sacc. in Syll. Fung. 1:618. 1882.

On *Sorbus americana* Marsh. (mountain ash). Colchester Co. 12 July 1929-L.E.W. (W-181).

Diaporthe linearis (Nees) Nits. in Pyren. Germ.:277. 1870.

On *Solidago* sp. (goldenrod). Colchester Co. 30 July 1929-L.E.W. (W-153, 209, 1608, 1650).

***Diaporthe medusaea** Nits. in Pyren. Germ.:251. 1870.

Stat. conid. *Phomopsis syringina* (Sacc.) Trav.

On twigs of *Syringa vulgaris* L. (lilac). Yarmouth Co. 12 July 1968-C.O.G., R.H.A. (DAOM 145552).

Diaporthe oxyphora (Pk.) Sacc. in Syll. Fung. 1:627. 1882.

On *Fragaria* sp. (cultivated strawberry) and *Ilex verticillata* (L.) Gray (Canada holly). Kings Co. 26 June 1926-L.E.W. (P364).

***Diaporthe phaseolorum** (Cke. & Ell.) Sacc. in Syll. Fung. 1:692. 1882.

Stat. conid. *Phomopsis phaseoli* (Desm.) Grove.

On seed of *Glycine max* (L.) Merr. (soybean). Hants Co. 1974-G.G.S., R.W.D., C.O.G.

Diaporthe quadruplex Wehm. in Can. J. Res., C, 20:590. 1942.

On *Solidago* sp. (goldenrod). Colchester Co. 1 Aug. 1929-L.E.W. (W-207).

Diaporthe racemula (Cke. & Pk.) Sacc. in Syll. Fung. 1:691. 1882.

On *Epilobium angustifolium* L. (fireweed) and other *Epilobium* species. Colchester and Kings Co. 25 June 1926-L.E.W. (P374, W-1012, 1588).

Diaporthe tessella (Pers.) Rehm in Rehm, Ascomyceten:176. 1873.

On *Salix* sp. (willow). Colchester Co. 27 June 1931-L.E.W. (W-306).

Diaporthe tuberculosa (Ell.) Sacc. in Syll. Fung. 1:620. 1882.

On *Amelanchier* spp. (service berry or shadbush). Colchester Co. 26 July 1933-L.E.W. (W-1593, 1705).

Diaporthe vaccinii Shear in U.S. Dep. Agric. Tech. Bull.:258. 1931.

Stat. conid. *Phomopsis vaccinii* Shear.

On *Vaccinium angustifolium* Ait. (lowbush blueberry), *V. corymbosum* L. (high-bush blueberry) and *V. macrocarpon* Ait. (cranberry). Kings and Yarmouth Co. 1946-K.A.H.

Diaporthe viburni Dearn & Bisby in Fungi of Manitoba:76. 1929, var. *spiraecola*

Wehm. in The Genus *Diaporthe* Nitschke and its Segregates. Univ. Mich. Stud. Sci., Ser. 9:123. 1933.

On *Spiraea* sp. Colchester Co. 3 Sept. 1929-L.E.W. (W-281, 496).

Diatrype stigma (Hoffm. ex Fr.) Fr. in Summa Veg. Scand.:385. 1849.

On *Betula* sp. (birch) and *Quercus* sp. (oak). Colchester and Kings Co. 8 July 1931-L.E.W. (W-431) (KM-5170, 5171 in DAOM, K.A.H.).

Diatrypella betulina (Pk.) Sacc. in Syll. Fung. 1:208. 1882.

On twigs and limbs of *Betula* spp. (birch). Colchester and Kings Co. 13 July 1926-L.E.W. (W-92, 106, 469, 1632) (O-4865).

Diatrypella discoidea Cke. & Pk. in Annu. Rep. N.Y. State Mus. 28:71. 1876.

On *Betula* sp. (birch) and *Prunus* sp. (stone fruit). Colchester and Guysborough Co. 7 Sept. 1925-L.E.W. (W-104, 203, 477).

Diatrypella favacea (Fr.) Ces. & de Not. in Schem. Sfer. Ital.:28. 1863.

On *Betula* sp. (birch). Colchester and Kings Co. 25 June 1926-L.E.W. (W-397, 1154, 1675).

Diatrypella nigro-annulata (Grev.) Nits. in Pyren. Germ.:81. 1870.

On *Fagus grandifolia* Ehrh. (beech). Colchester Co. 3 Sept. 1931-L.E.W. (W-1463).

Diatrypella tocciaeana de Not. in Schem. Sfer. Ital.:30. 1863.

On *Alnus* sp. (alder). Colchester Co. 7 Sept. 1929-L.E.W. (W-286).

Dibotryon morbosum (Schw.) Theiss. & Syd. in Ann. Mycol. 13:663. 1915.

See *Apiosporina morbosa* (Schw.) v. Arx.

Dichaena faginea (Pers.) Fr. in Elench. Fung. 2:141. 1828.

On bark of living *Fagus grandifolia* Ehrh. (beech). Victoria Co. 1950-L.E.W. (W-1687).

Dichomitus squalens Reid in Rev. Biol. 5:149-150. 1965.

Polyporus anceps Pk. (1895).

Trametes squalens Karst.

Tyromyces anceps (Pk.) Murr. (1907).

On *Abies balsamea* (L.) Mill. (balsam fir), *Picea glauca* (Moench) Voss (white spruce), *P. mariana* (Mill.) BSP. (black spruce), *Pinus resinosa* Ait. (red pine), *Pinus* sp (pine) and coniferous woods. Kings and Pictou Co. 2 Sept. 1925-L.E.W. (A.R.P.-42) (ACAD 1327, 1659).

Dictyidium cancellatum (Batsch) Macbr. in North Am. Slime-Moulds:172. 1899.

On decayed wood. Colchester and Pictou Co. 1906-C.L.M. (L.E.W.-131, 191, 1256).

Diderma spumarioides (Fr.) Fr. in Syst. Mycol. 3:104. 1829.

On decayed leaves and bark of *Fagus* sp. (beech). Colchester and Victoria Co. 24 July 1931-L.E.W. (W-1138, 1221).

Diderma testaceum (Schrad.) Pers. in Syn. Fung.:167. 1801.

On porcupine dung. Pictou Co. 15 Aug. 1931-L.E.W. (W-1328 coll. A.H.S.).

Didymaria didyma (Ung.) Pound in Am. Nat. 23:163. 1889.

See *Ramularia didyma* Ung.

Didymella applanata (Niessl) Sacc. in Syll. Fung. 1:546. 1882.

On canes of *Rubus idaeus* L. (red raspberry). General. 27 June 1929-J.F.H.

Didymellina macrospora Kleb. in Ber. Dtsch. Bot. Ges. 42:60. 1924.

Stat. conid. *Heterosporium iridis* (Fautr. & Roum.) Jacques.

On leaves of *Iris* sp. (blueflag). Kings Co. 26 June 1933-K.A.H.

Didymium melanospermum (Pers.) Macbr. in North Am. Slime-Moulds:88. 1899.

On dead leaves, wood, moss, etc. Colchester and Pictou Co. 1 July 1931-L.E.W. (W-348, 1033, 1494).

Didymium minus (List.) Morg. in J. Cinc. Soc. Nat. Hist. 16:145. 1894.

On fallen leaves of *Fagus* sp. (beech). Pictou Co. 1913-C.L.M.

Didymium nigripes (Link) Fr. in Syst. Mycol. 3:119. 1829, var. *xanthopus* (Ditm.)

List. in Lister, Monogr. Mycetozoa:98. 1894.

On duff of *Picea* sp. (spruce). Colchester Co. 18 Aug. 1931-L.E.W. (W-1375).

Identified as the variety by G.W.M.

Didymosphaeria thalictri Ell. & Dearn. in Trans. Can. Inst.:89. 1897.

On *Thalictrum* sp. (meadow rue). Colchester Co. 21 June 1926-L.E.W. (W-1556 and P366).

Diheterospora chlamydosporia (Goddard) Barron & Onions in Can. J. Bot. 44:866. 1966.

From soil. Cumberland Co. 1980-D.B., A.T.

Diheterospora reniformis (Barron) Barron in Can. J. Bot. 58:438. 1980.

Verticillium reniformis Barron (Mycopathologia 50:272. 1973).

From soil under *Vaccinium corymbosum* L. (highbush blueberry). Kings Co. 1979-G.L.B.

Diheterospora rotiferorum Barron in Can. J. Bot. 58:432. 1980.

Recorded from old sawdust pile/soil. Kings Co. 1979-G.L.B.

Diheterospora tagenophora (Drechsler) Barron in Can. J. Bot. 58:438. 1980.

Acrostalagmus tagenophorus Drechsler.

From soil under Azalea shrubs. Kings Co. 1979-G.L.B.

Dinemasporium strigosum (Pers. ex Fr.) Sacc. in Michelia 2:281. 1881.

Dinemasporium graminum (Lib.) Lév.

Peziza strigosa Per.

See stat. perf. *Phomatospora dinemasporium* Webster.

Diplocarpon earlianum (Ell. & Ev.) Wolf in J. Elisha Mitchell Sci. Soc. 39:158. 1925.

Stat. conid. *Marssonina fragariae* (Lib.) Kleb.

On *Fragaria* sp. (cultivated strawberry). General. 12 July 1928-J.F.H.

Diplocarpon rosae Wolf in Bot. Gaz. 54:231. 1912.

Stat. conid. *Marssonina rosae* (Lib.) Died.

On *Rosa* sp. (rose). General. 27 Aug. 1925-J.F.H.

* **Diploceras hypericum** (Ces.) Died. in Krypt. Fl. Mark Brandenb. 9:870. 1915.

See *Seimatosporum hypericum* (Ces.) Sutton.

Diplodia maydis (Berk.) Sacc. in Syll. Fung. 3:373. 1884.

Diplodia zeae (Schw.) Lév.

On *Zea mays* L. (corn). 1950-L.E.W. (O-3677 det. F.S.T.).

Diplodina acerina (Pass.) Sutton in The Coelomycetes:604. 1980.

Discella acerina (Westend.) v. Arx.

Septomyxa negundinis Allesch.

See stat. perf. *Cryptodiaporthe hystrix* (Tode) Petrak.

Diplodina eurhododendri Voss in Mat. Pilzfl. Kains 5:229. 1887.

See stat. perf. *Encoeliopsis rhododendri* (Ces. ex Rehm) Nannf.

Diplodina salicis Westend. in Notices I-IX (Cinq. Not. p. 19) Brux. 1851-1866.

On *Salix* sp. (willow). 1975-L.P.M., J.M.M.

* **Diplodina strobi** Grove in Br. Stem and Leaf Fungi 1:336. 1935.

On cone of *Picea* sp. (spruce). Cumberland Co. 5 June 1953-D.W.C.

Discella carbonacea (Fr.) Berk. & Br. in Ann. Mag. Nat. Hist., Ser. 2(5):377. 1850.

See stat. perf. *Cryptodiaporthe salicina* (Curr.) Wehm.

* **Discina korfii** Raity. in Bot.-alased Tood, Tartu 9:371. 1970.

Gyromitra korfii (Raity.) Harmaja (1973).

From Cape Breton Island and Kings Co. July 1948-K.A.H.

Discina macrospora Bubák in Ann. Mycol. 2:395. 1904.

On rotting wood. Annapolis, Kings and Pictou Co. 12 Apr. 1932-K.A.H. (KM-1141, 1142 in DAOM) (DAOM 111513).

Discinella schimperi (Naw.) Redhead & Spicer in Mycologia 73:906. 1981.

Helotium schimperi Nawaschin.

Hymenoscyphus schimperi (Naw.) Eckblad.

A parasite of *Sphagnum squarrosum* Crome (moss). Southwest Head, St. Paul Island, off northern Cape Breton. 1981-S.A. Redhead, K.W. Spicer. (National Museum of Canada no. 220457, coll. J.S.E. as no. 5302421, 17 Aug. 1953).

***Discogloeum veronicae** (Lib.) Petrak in Ann. Mycol. 27:370. 1929.

Gloeosporium veronicae Dearn. & House.

Gloesporium veronicae (Lib.) Karakulin.

On leaves of *Veronica officinalis* L. (speedwell). Kings Co. 4 Oct. 1951-D.W.C.

Discosia artocreas (Tode) Fr. in Summa Veg. Scand.:423. 1849.

On *Hamamelis virginiana* L. (witchhazel), *Rhododendron* sp. and *Vaccinium macrocarpon* Ait. (cranberry). Inverness and Kings Co. 9 Oct. 1951-K.A.H., I.L.C., C.O.G. (DAOM 145902).

Discosia splendida Kirschst. in Died., Krypt. Fl. Mark Brandenb. 9:727. 1915.

On dead stems of *Monotropa uniflora* L. (indian-pipe). Colchester Co. July 1912-L.E.W. (W-67).

***Discosia strobilina** (Lib.) Fr. in Beitr. Mykol.:68. 1863.

On cones of *Picea* sp. (spruce). Kings Co. 16 April 1953-K.A.H. det. D.W.C.

Discosporium populeum (Sacc.) Sutton in Commonw. Mycol. Inst. Mycol. Pap. 141:75. 1977.

Chondrolea populea (Sacc.) Kleb.

Dothichiza populea Sacc. & Briard.

See stat. perf. *Cryptodiaporthe populea* (Sacc.) Butin.

***Discosporium tremuloides** (Ell. & Ev.) Sutton in The Coelomycetes:575. 1908.

Gloeosporium tremuloides Ell. & Ev.

Leptomelanconium tremuloides (Ell. & Ev.) v. Arx.

On leaves of *Populus tremuloides* Michx. (trembling aspen). Kings Co. 15 Oct. 1951-C.O.G., D.W.C.

Discula betulina (Westend.) v. Arx in Verh. K. Akad. Wet. Afd. Natuurkd. 2, 51, 3:64. 1957.

Gloeosporium betulincola Sacc. & Dearn.

On leaves of *Betula* sp. (birch). Kings Co. 20 Sept. 1925-J.F.H.

Discula umbrinella (Berk. & Br.) Sutton in The Coelomycetes:505. 1980.

Discula quercina (Cke) Sacc.

Gloeosporium umbrinellum Berk. & Br.

See stat. perf. *Apiognomonia errabunda* (Rob.) Höhn.

Ditiola radicata Fr. var. **radicata** in Syst. Mycol. 2:170. 1822.

Dacrymyces stipitatus (Bourd. & Galz.) Neuhoff.

Dacryomitra nuda (Berk. & Br.) Pat.

On *Abies balsamea* (L.) Mill. (balsam fir) and *Pinus* sp. (pine). Colchester, Halifax and Lunenburg Co. 1888-J.S. (A.H.M.) (L.E.W.-1466) (KM-2110, 2111, in DAOM, K.A.H. det. D.W.C. as *D. stipitatus*) N.S. Mus. 733(1A), D.W.C.).

Ditiola radicata Fr. var. **gyrocephala** (Berk. & Curt.) Kennedy in Mycologia 56:302.

1964.

Dacryomitra brunnea Martin.

From N.S. 12 Sept. 1935, (A1) coll. P.A. Vestal.

Doratomycetes nanus (Ehrenb. ex Link) Morton & Smith in Commonw. Mycol. Inst. Mycol. Pap. 86:80. 1963.

From crown of *Fragaria* sp. (cultivated strawberry) and tuber of *Solanum tuberosum* L. (potato). Kings Co. 5 May 1963-C.O.G.

***Doratomycetes stemonitis** (Pers. ex Fr.) Morton & Smith in Commonw. Mycol. Inst. Mycol. Pap. 86:70-74. 1963.

From decayed tuber of *Solanum tuberosum* L. (potato). Kings Co. 5 May 1963-C.O.G.

Dothichiza populea Sacc. & Briard in Syll. Fung. 3:672. 1884.

See *Discosporium populeum* (Sacc.) Sutton.

Dothidella kalmiae (Pk.) Sacc. in Syll. Fung. 2:631. 1883.

Phyllachora kalmiae (Pk.) Petrak.

Causing witches'-broom effect on *Kalmia angustifolia* L. (lambkill). Colchester and Halifax Co. 5 Sept. 1929-L.E.W. (W-265, 1621).

Dothidella osmundae (Pk. & Clint.) Sacc. in Syll. Fung. 2:631. 1883.

On *Osmunda cinnamomea* L. (cinnamon fern), *Pteretis pensylvanica* (Willd.) Fern. (fiddle head fern) and *Pteridium aquilinum* (L.) Kuhn var. *latiusculum* (Desv.) Underw. (bracken fern). Colchester Co. 15 July 1929-L.E.W. (W-15, 141, 445, 1664).

***Dothiorella macrospora** (Berk & Curt.) Sacc. in Syll. Fung. 3:239. 1884.

On *Acer saccharinum* L. (silver or white maple). Kings Co. 26 Feb. 1951-D.W.C., C.L.L.

Dothiorella ulmi Verrall & May in Mycologia 29:322. 1937.

See *Plectophomella ulmi* (Verrall & May) Redfern & Sutton.

Dothiorella sp.

On *Pinus strobus* L. (white pine). 1975-L.P.M., J.M.M.

Dreschler erythospila (Drechsler) Shoem. in Can. J. Bot. 37:880. 1959.

Collected by spore trap in sheep pasture. Cumberland Co. Summer of 1972-D.B., A.T., M.M. Hoehn.

Drepanopeziza populi-albae (Kleb.) Nannf. in Nova Acta Reg. Soc. Sci. Upsal., Ser. 4, 8(2):170. 1932.

Stat. conid. *Marssonina castagnei* (Desm. & Mont.) Magn.

On *Populus alba* L. (white poplar) and *P. grandidentata* Michx. (large-toothed aspen). Annapolis and Kings Co. 3 July 1953-D.W.C. (DAOM 44004 as *M. castagnei*).

Drepanopeziza populorum (Desm.) Höhn in Ann. Mycol. 15:332. 1917.

Stat. conid. *Marssonina populi* (Lib.) Magn.

On *Populus alba* L. (white poplar), *P. grandidentata* Michx. (large-toothed aspen), *P. tremuloides* Michx. (trembling aspen) and *Salix* sp. (willow). Kings and Lunenburg Co. 29 July 1950-J.F.H.

Drepanopeziza ribis (Kleb.) Höhn. in Ann. Mycol. 15:332. 1917.

Pseudopeziza ribis Kleb.

Stat. conid. *Gloeosporidiella ribis* (Lib.) Petrak.

On *Ribes alpinum* L. (alpine currant), *R. sativum* Syme (red currant) and other *Ribes* spp. General. 1903-B.D.H., J.A.K. det. I.L.C. (O-4329).

Drepanopeziza salicis (Tul.) Höhn, in Hedwigia 62:54. 1921.

Pseudopeziza salicis (Tul.) Pot.

Stat. conid. *Monostichella salicis* (Westend.) v. Arx.

Gloeosporium salicis Westend.

On *Salix alba* L. var. *vitellina* Stokes (yellow willow). Kings Co. 24 Sept. 1930-K.A.H.

Drepanopeziza tremulae Rimpau in Phytopathol. Z. 43:288. 1962.

Stat. conid. *Marssonina tremulae* (Lib.) Kleb.

On leaves of *Populus canadensis* Moench var. *eugenii* (Simon-Lewis) Schelle (Carolina poplar) and *P. tremuloides* Michx. (trembling aspen). Annapolis Valley. 1973. (For. Insect Dis. Surv.:29. 1973).

Drepanopeziza variabilis Müller, Hütter & Schüpp in Sydowia, Ann. Mycol., Ser. 7, 12:412. 1958.

Stat. conid. *Gloeosporidiella variabilis* (Laub.) Nannf.

Gloeosporidiella variabile (Laub.) v. Arx.

Gloeosporium variabile Laub.

On *Ribes alpinum* L. (alpine currant). Queens Co. 1961. (Can. Plant Dis. Surv. 41:106. 1961.).

Durandiella fraxini (Schw.) Seav. in North Am. Cup.-Fungi (Inoperculates): 367. 1951.

Stat. conid. *Corniculariella spina* (Berk. & Rav.) Di Cosmo (1978).
Sphaerographium fraxini (Pk.) Sacc.

On *Fraxinus americana* L. (white ash) and *F. pensylvanica* Marsh. (red ash). Kings Co. 1950-L.E.W. (W-447) (O-4633 det. J.W.G.)

Durandiella lenticellicola Groves in Can. J. Bot. 32:132. 1954.

On *Crataegus* sp. (hawthorn) and *Sorbus americana* Marsh. (mountain ash). Kings Co. 1954-J.W.G. (DAOM 4744, J.W.G.-557).

Durella compressa (Pers.) Tul. in Sel. Fung. Carp. 3, XXII:177. 1865.

Patellaria congregata Berk. & Curt.

On decorticated hardwood. Colchester Co. 29 June 1931-L.E.W. (W-321 det. E.T.W.).

Durella lecideola (Fr.) Rehm in Ascom. Lojk. 19. 1882.

Patellaria lecideola Fr.

On coniferous wood. Colchester Co. 7 Aug. 1933-L.E.W. (W-1618 det. E.T.W.).

Eccilia rhodocylinx (Lasch) Kummer in Führ. in Pilzkd.:71. 1882.

Rhodophyllus rhodocylinx (Lasch) Quél.

On old stump. Colchester Co. 25 July 1931-A.H.S., L.E.W. (W-704).

Eccilia roseo-albo-citrina Atk. in Ann. Mycol. 7:369. 1909.

On humus under hardwoods. Colchester Co. 20 July 1931-A.H.S., L.E.W. (W-676).

Echinella rhabdocarpa (Ell.) Seav. in North Am. Cup-Fungi (Inoperculates): 294. 1951.

Erinella rhabdocarpa (Ell.) Sacc.

On *Comptonia peregrina* (L.) Coul. (sweet-fern). Kings Co. 1950-L.E.W. (O-5105, J.W.G.)

Eichleriella leveilliana (Berk. & Curt.) Burt in Ann. Mo. Bot. Gard. 2:744. 1915.

Corticium leveillianum Berk. & Curt.

Stereum leveillianum (Berk. & Curt.) Berk. & Curt.

On *Alnus rugosa* (DuRoi) Spreng. (speckled alder). Kings Co. 1950-L.E.W. (O-F5138).

Eladia saccula (Dale) G. Smith in Trans. Br. Mycol. Soc. 44:47. 1961.

Penicillium sacculum Dale apud Biourge.

From soil. Cumberland Co. 1980-D.B., A.T.

Elaphomyces granulatus Fr. in Syst. Mycol. 3:59. 1829.

Elaphomyces cervinus (Pers.) Schroet.

Under *Fagus* sp. (beech) and *Pinus* sp. (pine). Pictou Co. 1913-A.H.M. (KM-1496 in DAOM, K.A.H.).

Elaphomyces variegatus Vitt. in Monogr. Tuber. tab. 4, fig. 4:68. 1831.

Elaphomyces muricatus Fr.

From Colchester and Pictou Co. 15 July 1931-L.E.W. (W-1135, 1135a fide C.W.D.) (KM-1229 in DAOM, K.A.H.).

Elfvingia megaloma (Lév.) Murr. in Bull. Torrey Bot. Club 30:300. 1903.

Fomes applanatus (Pers. ex Wallr.) Gill.

Canoderma applanatum (Pers. ex S.F. Gray) Pat.

Polyporus applanatus Pers. ex S.F. Gray.

Polyporus megaloma Lév.

On dead wood of many hardwoods including *Acer rubrum* L. (red maple), A.

saccharum Marsh. (sugar maple), *Betula lutea* Michx. f. (yellow birch), *B. papyrifera* Marsh. (white birch), *B. populifolia* Marsh. (wire birch), *Fagus grandifolia* Ehrh. (beech), *Fraxinus excelsior* L. (European ash), *Quercus rubra* L. (red oak) and species of *Acer*. *Betula*, *Coprinus* (Agaricaceae fungus), *Malus* (apple), *Picea* (spruce), *Populus* (poplar), *Quercus* and *Ulmus* (elm). General. 1908-A.H.M. (KM-22b, 750 in DAOM) (O-F2196, 7207) (L.E.W.-1053, 6267 coll. A.R.P.).

Elsinoe ampelina (de Bary) Shear in *Phytopathology* 19:677. 1929.

Stat. conid. *Sphaceloma ampelinum* De Bary.

On leaves of *Vitis vinifera* L. (wine grape). Hants Co. 10 Oct. 1945-J.F.H., D.B.O.S.

Elsinoe tiliae Creelman in *Mycologia* 48:556. 1956.

On leaves of *Tilia europaea* L. (European linden). Lunenburg Co. 15 Sept. 1954-D.W.C.

Elsinoe veneta (Burk.) Jenkins in *J. Agric. Res.* 44:696. 1932.

Stat. conid. *Sphaceloma necatar* (Ell. & Ev.) Jenkins & Shear.

On leaves of *Rubus allegheniensis* Porter (wild blackberry) and leaves and stem of *R. idaeus* L. (red raspberry). General. 6 Nov. 1925-J.F.H.

Encoelia fascicularis (Alb. & Schw. ex Fr.) Karst. in *Not. Sällsk. Fauna Flora Fenn.* 11:253. 1870.

Cenangium populneum (Pers. ex Fr.) Rehm.

On *Populus tremuloides* Michx. (trembling aspen) and fallen *Populus* sp. (poplar). Kings Co. Spring, 1935-K.A.H., (KM-1251, 1636-1638 in DAOM) (O-4637).

***Encoeliopsis rhododendri** (Ces. ex Rehm.) Nannf. in *Nova Acta Reg. Soc. Sci. Upsal.*, Ser. 4, 8(2):306. 1932.

Stat. conid. *Diplodina eurhododendri* Voss.

On leaves of *Rhododendron smirnowii* Trautr. and wood of other *Rhododendron* species. Kings Co. 7 Sept. 1972-C.O.G. (DAOM 145747, 145750).

Endocronartium harknessii (J.P. Moore) Y. Hiratsuka in *Can. J. Bot.* 47:1493-1494. 1969.

On *Pinus banksiana* Lamb. (jack pine), *P. contorta* Dougl. (shore pine), *P. echinata* Mill. (short-leaf pine) and *P. sylvestris* L. (Scots pine). 1973. (For. Insect Dis. Surv.:29. 1973).

Endothella junci (Fr.) Theiss. & Syd. in *Ann. Mycol.* 13:586. 1915.

On stems of *Juncus* spp. (rushes). Colchester and Kings Co. 25 June 1926-L.E.W. (W-107, 399).

Endogone pisiformis Link in *Mag. Ges. Naturforsch. Freunde Berl.* 3:33. 1809.

On *Sphagnum* sp. (moss). Colchester and Hants Co. 30 June 1931-L.E.W. (W-341) (KM-1250 in DAOM, K.A.H., det. H.T.G. as *E. musicola* Atk.; appears to be this species, sensu L.E.W.).

Endogone pubescens (Sacc. & Ell.) Zycha in *Krypt. Fl. Mark Brandenb.*, 6a, Pilze 11:214. 1935.

Sphaerocreas pubescens Sacc. & Ell.

On *Pinus resinosa* Ait. (red pine). 1975-L.P.M., J.M.M.

Enerthenema papillatum (Pers.) Rostaf. in *Monogr. Mycetozoa App.*:28. 1876.

On decayed wood. Colchester Co. 15 July 1931-L.E.W. (W-1049).

Entoloma abortivus (Berk. & Curt.) Donk in *Bull. Bot. Gard. Buitenzorg* 3, 18:157. 1949.

Clitopilus abortivus (Berk. & Curt.) Sacc.

Rhodophyllus abortivus (Berk. & Curt.) Sing.

On deciduous debris. Colchester and Kings Co. 8 Sept. 1931-A.H.S., L.E.W. (W-896) (KM-215, 987, 4101 in DAOM, K.A.H.).

Entoloma albogrisea (Pk.) Redhead in Agric. Can. Publ. 1112:323. rev. 1979.

Clitopilus albogrisea Pk.

Rhodophyllus albogriseus (Pk.) Sing.

Under conifers. Colchester Co. 17 July 1931-A.H.S., L.E.W. (W-650).

Entoloma avellaneum (Murr.) Hesler in *Entoloma* in S.E. North Am.:80. 1967.

Nolanea avellanea Murr.

On soil in mixed woods. Annapolis and Kings Co. 1978-K.R.S.Q. (K.S.Q.-44, 45, 63 in ACAD).

Entoloma bicolor Murr. in North Am. Flora 10:119. 1917.

On soil in coniferous woods. Kings Co. 1978-K.R.S.Q. (K.S.Q.-70 in ACAD).

Entoloma clypeatum (L. ex Fr.) Kummer in Führ. in Pilzkd.:98. 1871.

Rhodophyllus clypeatus (L. ex Fr.) Quél.

From Kings Co. 1933-K.A.H. (KM-266 in DAOM).

Entoloma conicum (Pk.) Hesler in *Entoloma* in S.E. North Am.:102. 1967.

On soil in woods. Kings Co. 1978-K.R.S.Q. (K.S.Q.-51 in ACAD).

Entoloma cyaneum (Pk.) Sacc. in Syll. Fung. 5:692. 1887.

Entoloma dichroum (Pers. ex Fr.) Kummer.

Rhodophyllus violaceus (Murr.) Sing.

Solitary on humus under *Acer* sp. (maple), *Fagus* sp. (beech) woods. Colchester Co. 22 Aug. 1931-A.H.S., L.E.W. (W-813).

Entoloma grande (Pk.) Sacc. in Syll. Fung. 14:126. 1899.

Under *Abies* spp. (fir). Colchester, Halifax, Hants and Kings Co. 7 July 1931-A.H.S., L.E.W. (W-579, 579a) (KM-268, 532, 2763, 4124, 4128 in DAOM, K.A.H.).

Entoloma grayanum (Pk.) Sacc. var. *grayanum* in Syll. Fung. 5:698. 1887.

Rhodophyllus grayanus (Pk.) Sing.

On soil Halifax and Kings Co. 19 July 1930-K.A.H. (KM-269, 271, 879, 4125 in DAOM).

Entoloma griseum Pk. in Bull. N.Y. State Mus. 75:14. 1904.

On moist soil. Colchester and Hants Co. 9 July 1931-A.H.S., L.E.W. (W-595) (KM-4126 in DAOM, K.A.H.).

Entoloma lividum (Fr.) Quél. in Champ. Jura et Vosges, tab. 6. fig. 1. 1872.

Rhodophyllus lividus (Bull. ex Fr.) Sing.

Rhodophyllus sinuatus (Bull. ex Fr.) Sing.

On humus under *Abies* spp. (fir) and *Picea* spp. (spruce). Colchester and Richmond Co. 4 Sept. 1931-A.H.S., L.E.W. (W-872) (KM-4127 in DAOM, K.A.H.).

Entoloma luteum Pk. in Annu. Rep. N.Y. State Mus. 54:146. 1901.

Under *Acer* sp. (maple) and *Fagus* sp. (beech) woods. Colchester and Halifax Co. 30 July 1931-A.H.S., L.E.W. (W-715, 715a).

Entoloma madidum (Fr.) Gill. in Hymén. Fr., tab. 268. 1874.

On humus in woods of *Picea* sp. (spruce). Colchester Co. 22 Aug. 1931-A.H.S., L.E.W. (W-812).

Entoloma nidorosum (Fr.) Quél. in Champ. Jura et Vosges:116. 1872.

Rhodophyllus nidorosus (Fr.) Quél. (1886).

From Kings Co. 30 Aug. 1930-K.A.H. (KM-272 in DAOM).

Entoloma porphyrophaeum (Fr.) Karst. in Hattsvampar 1:259. 1879.

Rhodophyllus porphyrophaeus (Fr.) Quél.

From Kings Co. 12 Sept. 1931-K.A.H. (KM-273 in DAOM).

Entoloma rhodopolium (Fr.) Kummer in Führ. in Pilzkd.:98. 1871.

Rhodophyllus rhodopolius (Fr.) Quél.

In mixed woods. Kings Co. 1978-K.R.S.Q. (K.S.Q.-2, 4, 7, 16, 23, 42, 43 in ACAD).

Entoloma sericatum (Britz.) Sacc. in Syll. Fung. 11:45. 1895.

On needles under *Picea* spp. (spruce). Colchester and Kings Co. 23 July 1931-A.H.S., L.E.W. (W-693, 693a,b) (KM-275 in DAOM, K.A.H.).

Entoloma sericellum (Fr.) Quél. *in Champ. Jura et Vosges*, tab 5, fig 5. 1872.

Rhodophyllus sericellus (Bull. ex Fr.) Quél.

Under hardwoods. Colchester Co. 21 July 1931-A.H.S., L.E.W. (W-808).

Entoloma strictius (Pk.) *in Syll. Fung.* 5:698. 1887, var. **strictius**.

Rhodophyllus strictior (Pk.) Sing.

From Kings Co. 2 Sept. 1930-K.A.H. (KM-276, 988 *in DAOM*).

Entoloma sp.

On decaying log in mixed woods. Kings Co. 1978-K.R.S.Q. (K.S.Q. 14 *in ACAD*, as *Rhodophyllus bruneogriseus* nom. prov., *in Survey of Genus Rhodophyllus in N.S., B.Sc. Thesis, Acadia Univ., 1978*).

Entoloma sp.

On soil under conifers. Kings Co. 1978-K.R.S.Q. (K.S.Q.-30 coll. H.S., 36 coll. B.J.M., 37 coll. K.A.H., 72 *in ACAD*, as *Rhodophyllus bullateombonatus* nom. prov., *in Survey of Genus Rhodophyllus in N.S., B.Sc. Thesis, Acadia Univ., 1978*).

Entoloma sp.

On soil in mixed deciduous woods. Annapolis Co. 1978-K.R.S.Q. (K.S.Q. 66 coll. K.A.H. *in ACAD*, as *Rhodophyllus sublividus* nom. prov., *in Survey of Genus Rhodophyllus in N.S., B.Sc. Thesis, Acadia Univ., 1978*).

Entomophthora muscae (Cohn) Fr. *in Bot. Z.* 14:882. 1856.

On houseflies. Pictou Co. 1913-A.H.M. (reported as common around Pictou by W.P.F.).

Entomosporium thumenii (Cke.) Sacc. *in Syll. Fung.* 3:657. 1884.

On *Crataegus oxyacantha* L. (English hawthorn). Digby, Hants, Kings, Lunenburg and Victoria Co. 31 July 1938-K.A.H. (O-147, 4497, 5996) (L.E.W.-4014).

* **Entyloma calendulae** (Oud.) de Bary *in Oesterr. Bot. Z.* 32:105. 1874.

On leaves of *Calendula officinalis* L. (pot marigold). Kings Co. 17 July 1963-K.A.H., C.O.G., D.B.O.S.

Entyloma compositarum Farl. *in Bot. Gaz.* 8:275. 1883.

On *Bidens* sp. (beggar-ticks) 1939-G.L.I.Z.

Entyloma lineatum (Cke.) Davis *in Trans. Wis. Acad. Sci. Arts Lett.* 9:162. 1893.

On *Zizania aquatica* L. (wild rice). Pictou Co. 1913-A.H.M. (DAOM 15238, W.P.F.).

Entyloma nymphaeae (Cunn.) Setch. *in Bot. Gaz.* 19:189. 1894.

On *Nymphaea tuberosa* Paine (white water lily). 1939-G.L.I.Z.

* **Entyloma polysporum** (Pk.) Farl. *in Bot. Gaz.* 8:275. 1883.

On leaves of *Calendula officinalis* L. (pot marigold). Kings Co. 17 July 1963-K.A.H., D.B.O.S.

Eccrinostrium muscicola (Fr.) Fitzp. *in Phytopathology* 8:197. 1918.

On *Drepanocladus uncinatus* (Hedw.) Warnst. (moss). Colchester Co. 1 July 1933-L.E.W. (W-1567).

Epicoccum neglectum Desm. *in Ann. Sci. Nat. Bot., Sér. 2,* 17:95. 1842.

On *Zea mays* L. (corn). Yarmouth Co. 26 June 1933-K.A.H., I.L.C.

Epicoccum nigrum Link *in Mag. Ges. Naturforsch. Freunde, Berl.* 7:32. 1815.

Epicoccum purpurascens Ehrenb. ex Schlecht.

On *Solanum tuberosum* L. (potato) and *Zea mays* L. (corn). Kings Co. 15 Aug. 1960-C.O.G.

Erysiphe aggregata (Pk.) Farl. *in Bull. Bussey Inst.* 2:227. 1878.

On *Alnus crispa* (Ait.) Pursh (downy alder), *A. crispa* var. *mollis* Fern. (downy alder) and *A. rugosa* (DuRoi) Spreng. (speckled alder). General. 1909-W.P.F.

Erysiphe cichoracearum DC. ex Mérat *in Nouv. Flore Env. Paris*, 2nd ed. 1:132. 1821.

Powdery mildew on species of *Aster*, *Begonia*, *Cucumis sativus* L. (cucumber), *C. melo* L. (melon), *Cucurbita maxima* Duchesne (squash), *Eupatorium maculatum* L. (joe-pye-weed), *Helianthus tuberosus* L. (Jerusalem artichoke), *Myosotis sylvatica* Hoffm. (forget-me-not), *Phlox* sp., *Plantago* spp. (plantain), *Saintpaulia ionantha* Wendl. (Africa violet), *Scutellaria lateriflora* L. (skullcap), *Solidago* spp. (goldenrod) and *Zinnia* sp. General. 30 Sept. 1927-J.F.H. (DAOM 1931, 164950, 170939, 170940).

Erysiphe galeopsidis DC. ex Mérat in Nouv. Flore Env. Paris, ed. 2, 1:134. 1821.
On leaves of *Chelone glabra* L. (turtlehead or balmony). Colchester, Digby and Pictou Co. 1909-H.H.M., E.T.P. (L.E.W.-1420, 1682).

Erysiphe graminis DC. ex Mérat in Nouv. Flore Env. Paris, ed. 2, 1:133. 1821.
General on *Agropyron repens* (L.) Beauv. (couchgrass), *Hordeum vulgare* L. (barley), *Secale cereale* L. (rye), *Triticum aestivum* L. (wheat) and other grass hosts. 10 July 1925-J.F.H.

Erysiphe polygoni DC. ex St. Aman. in Flora Agen.:614. 1821.

On species of *Beta* (beet), *Brassica* (rutabaga), *Clematis* (virgins-bower), *Delphinium* (larkspur), *Lathyrus* (sweet pea), *Lycopersicon* (tomato), *Phaseolus vulgaris* (kidney bean), *Pisum* (pea), *Polygonum* (knotweed), *Ranunculus* (buttercup and *Trifolium* (clover). General. 1909-H.H.M., E.T.P. (L.E.W.-1423, 1497).

* **Eudarluca caricis** (Fr.) O. Erikss. in Bot. Nat. 119:35. 1966.

Stat. conid. *Sphaerellopsis filum* (Biv.-Bern. ex Fr.) Sutton.

With *Frommea obtusa* (Strauss) Arth. on leaves of *Potentilla canadensis* L. (cinquefoil). Kings Co. 8 Aug. 1951-D.W.C.

Eutypa millaria (Fr.) Sacc. in Syll. Fung. 1:175. 1882.

On decorticated wood of *Acer* sp. (maple), *Alnus* sp. (alder) and *Cornus alternifolia* L.f. (alternate-leaved dogwood). Colchester Co. 2 Sept. 1931-L.E.W. (W-152, 1458).

Eutypa spinosa (Pers.) Tul. in Sel. Fung. Carp. 2:59. 1863.

On weathered wood of *Fagus grandifolia* Ehrh. (beech). Colchester Co. 12 Aug. 1931-L.E.W. (W-1284 leg. A.H.S.).

Eutypella alnifraga (Wahl.) Sacc. in Syll. Fung. 1:150. 1882.

On *Alnus* spp. (alder). Colchester Co. 1 Aug. 1931-L.E.W. (W-1211, 1781).

* **Exidia alba** (Lloyd) Burt in Ann. Mo. Bot. Gard. 8:366. 1921.

On *Betula lutea* Michx. f. (yellow birch). Kings Co. 26 Nov. 1952-K.A.H. (KM-2082 in DAOM, det. D.W.C.).

Exidia glandulosa (Bull.) Fr. in Syst. Mycol. 2:224. 1822.

On *Alnus crispa* (Ait.) Pursh var. *mollis* Fern. (downy alder) and *Fagus grandifolia* Ehrh. (beech). Annapolis, Colchester and Kings Co. 1913-A.H.M. (KM-92, 5158 in DAOM, K.A.H.) (O-F8499).

Exidia nucleata (Schw.) Burt in Ann. Mo. Bot. Gard. 8:371. 1921.

On *Acer* sp. (maple), *Populus* sp. (poplar) and *Sambucus* sp. (elder). Colchester Co. 19 Aug. 1931-L.E.W. (W-1359) KM-5152 in DAOM, K.A.H. det. D.W.C.).

Exidia recisa (S.F. Gray) Fr. in Syst. Mycol. 2:223. 1822.

On *Prunus serotina* Ehrh. (black cherry) and *Quercus* sp. (oak). Kings Co. 3 May 1928-K.A.H. (KM-5154 in DAOM) (DAOM 95719) (O-F7668).

Exidia saccharina Fr. in Syst. Mycol. 2:225. 1822.

On *Pinus resinosa* Ait. (red pine). Kings Co. 20 Nov. 1952-K.A.H. (KM-1703 in DAOM).

* **Exidia villosa** Neuhoff in Die Pilze Mitteleuropas 2(2):22. 1935.

On *Betula lutea* Michx. f. (yellow birch). Kings Co. 3 Nov. 1953-K.A.H. (KM-5156 in DAOM).

Exidiopsis calcea (Pers.) Wells in Mycologia 53:348. 1961.

Corticium abietis (Fr.) Romell.

Sebacina calcea (Pers.) Bres.

On *Picea mariana* (Mill.) BSP. (black spruce) and *Picea* sp. (spruce). Colchester and Kings Co. Aug. 1935-L.E.W. (W-1764 fide H.S.J.) (KM-1866 in DAOM, K.A.H. as *S. calcea*).

Exidiopsis grisea (Pers.) Bourd. & Maire in Bull. Soc. Mycol. Fr. 36:71. 1920.

Sebacina grisea (Pers.) Bres.

On wood, often corticated. 4 April 1953-K.A.H. (Mycologia 53:341. 1961).

Exidiopsis macrospora (Ell. & Ev.) Wells in Mycologia 53:351. 1961.

On *Alnus rugosa* (DuRoi) Spreng. var. *americana* (Regel) Fern. (speckled alder). 26 Oct. 1953-K.A.H.

Exobasidium canadense Savile in Can. J. Bot. 37:651. 1959.

On *Rhododendron canadense* (L.) Torr. (*Rhodora canadense* L.) (bull's tongue). Cumberland, Hants and Kings Co. 1 Aug. 1934-H.T.G. (as *E. vaccinii*).

Exobasidium vaccinii (Fckl.) Woron. var. *vaccinii* in Naturforsch. Ges. Freiburg Verh. 4:397. 1867.

On *Chamaedaphne calyculata* (L.) Moench var. *angustifolia* (Ait.) Rehd. (leatherleaf), *Gaylussacia baccata* (Wang.) K. Koch (black huckleberry), *Vaccinium angustifolium* Ait. (blueberry), *V. angustifolium* Ait. var. *nigrum* (Wood) Dole, *V. corymbosum* L. (highbush blueberry), *V. macrocarpon* Ait. (cranberry) and *V. myrtilloides* Michx. (blueberry). General. 26 Aug. 1930-J.F.H. (O-3054, 4562) (L.E.W.-1540).

* **Exopodium caespitosum** Ell. & Barth. in J. Mycol.:178. 1902.

On wood of *Betula alba* L. (white birch). Kings Co. 16 Apr. 1953-K.A.H., D.W.G.

Fabrea maculata Atk. in Science (N.S.) 30:452. 1909.

Stat. conid. *Entomosporium maculatum* Lév.

On *Amelanchier canadensis* (L.) Medic. (wild pear), *Crataegus* sp. (hawthorn), *Chaenomeles japonica* Lindl. (Japanese quince) and *Sorbus americana* Marsh. (mountain ash). Digby and Kings Co. 24 July 1928-D.E.M. (O-4989, 5122 det. I.L.C.).

Farella tsugae (Farl.) Kirschst. subsp. *tsugae* in Hedwigia 80:131. 1941. (Mycologia 54:28. 1962).

On *Tsuga canadensis* (L) Carr. (hemlock). 1975-L.P.M., J.M.M.

Favolus alveolaris (DC. ex Fr.) Quél. in Ench. Fung.:185. 1886.

See *Polyporus alveolarius* (Bosc) Fr.

* **Fayodia bisphaerigera** (Lange) Sing. in Ann. Mycol. Berl. 34:331. 1936.

Mycena bisphaerigera (Lange) A.H. Smith (1947).

Omphalia bisphaerigera Lange (1936).

In moss on soil in coniferous woods. Kings. Co. 21 Sept. 1981-E. Hadjisterkoti conf. K.A.H. (ACAD E.H. specimen).

Femsjonia luteo-alba, Fr. in Summa Veg. Scand.:341. 1849.

On *Betula lutea* Michx. f. (yellow birch), *Betula* spp. (birch) and *Fagus grandifolia* Ehrh. (beech). Colchester and Kings Co. 5 Sept. 1931-L.E.W. (W-1466a,b) (KM-1093, 1096 in DAOM, K.A.H.).

Femsjonia pezizaeformis (Lév.) Karst. in Mycol. Fenn. 3:353. 1876.

On *Betula lutea* Michx. f. (yellow birch) and *Fagus grandifolia* Ehrh. (beech). 1975-L.P.M., J.M.M.

Fenestella minor Tul. in Sel. Fung. Carp. 2:207. 1863.

On *Alnus* sp. (alder). Colchester Co. 14 July 1931-L.E.W. (W-1017).

- Fistulina hepatica** Schaeff. ex Fr. in Syst. Mycol. 1:396. 1821.
The beefsteak fungus. 1908-A.H.M. (1st supplementary list).
- Flammula alnicola** (Fr.) Quél. in Mém. Soc. Émul. Montbéliard (2)5 (Champ. Jura et Vosges 1:233):252. 1872.
On *Betula lutea* Michx. f. (yellow birch). 1952. (For. Insect Dis. Surv.:20. 1952).
- Flammula decorata** (Murr.) Murr., in Mycologia 4:262. 1912.
On moss and debris. Colchester Co. 15 July 1931-A.H.S., L.E.W. (W-636).
- Flammula lenta** (Pers. ex Fr.) Kummer in Führ. in Pilzkd.:85. 1882.
See *Pholiota lenta* (Fr.) Sing.
- Flammula sapinea** (Fr.) Kummer in Führ. in Pilzkd.:86. 1882.
See *Gymnopilus sapineus* (Fr.) Maire.
- Flammula spumosa** (Fr.) Sacc. in Syll. Fung. 5:817. 1887.
See *Pholiota spumosa* (Fr.) Sing.
- Flammulina velutipes** (Curt. ex Fr.) Karst. in Symb. Mycol. Fenn. 30, Medd. Soc. Fauna Flora Fenn. 18:62. 1891.
Collybia velutipes (Fr.) Kummer.
On *Ulmus americana* L. (white elm) and other buried wood. Kings Co. 9 Nov. 1932-K.A.H. (KM-245, 529 in DAOM).
- Fomes annosus** (Fr.) Cke. in Grevillea 14:20. 1885.
See *Heterobasidion annosum* (Fr.) Bref. Commonw. Mycol. Inst. Descr. Pathol. Fungi Bact.:192).
- Fomes conchatus** (Pers. ex Fr.) Gill. in Hymén. Fr. 1:685. 1878.
See *Phellinus conchatus* (Pers. ex Fr.) Quél.
- Fomes connatus** (Weinm.) Gill. in Hymén. Fr. 1:684. 1878.
See *Oxyporus populinus* (Schw. ex Fr.) Donk.
- Fomes fomentarius** (L. ex Fr.) Kickx in Flore Crypt. Flandres 2:237. 1867.
On *Acer pensylvanicum* L. (striped maple), *A. saccharum* Marsh. (sugar maple), *Betula lutea* Michx. f. (yellow birch), *B. papyrifera* Marsh. (white birch), *B. populifolia* Marsh. (wire birch), *Fagus grandifolia* Ehrh. (beech), *Populus grandidentata* Michx. (largetooth aspen) and other species of *Acer* and *Populus*. General, 1880-J.S. (L.E.W.-13, 57, 1053 coll. A.R.P.) (KM-18 in DAOM, K.A.H.).
- Fomes igniarius** (L. ex Fr.) Kickx in Flore Crypt. Flandres 2:237. 1867.
See *Phellinus igniarius* (L. ex Fr.) Quél.
- Fomes pini** (Thore ex Fr.) Karst. in Hattsvampar 2:79. 1882.
See *Phellinus pini* (Brot. per Fr.) Bond. & Sing.
- Fomes pinicola** (Swartz ex Fr.) Cke. in Grevillea 14:17. 1885.
See *Fomitopsis pinicola* (Schw.) Karst.
- Fomes ribis** (Schum ex Fr.) Gill. in Hymén. Fr. 1:685. 1878.
See *Phellinus ribis* (Schum. ex Fr.) Quél.
- Fomes scutellatus** (Schw.) Cke. in Grevillea 14:19. 1885.
See *Fomitopsis scutellata* (Schw.) Bond. & Sing.
- Fomitopsis cajanderi** (Karst.) Kotl. & Pouz. in Ceská Mykol. 11:157. 1957.
Fomes cajanderi Karst.
Fomes subroseus (Weir) Overh.
On *Abies balsamea* (L.) Mill. (balsam fir), *Picea glauca* (Moench) Voss (white spruce), *Tsuga canadensis* (L.) Carr. (hemlock) and other species of *Picea*. General. 1908-A.H.M. (KM-24, 24b, 747, 4217 in DAOM, K.A.H.) (L.E.W.-399, 1507).
- Fomitopsis pinicola** (Schw.) Karst. in Medd. Soc. Fauna Flora Fenn. 6:9. 1881.
Fomes pinicola (Swartz ex Fr.) Cke.
On *Abies balsamea* (L.) Mill. (balsam fir), *Betula lutea* Michx. f. (yellow birch),

B.papyrifera Marsh. (white birch), *Fagus grandifolia* Ehrh. (beech), *Picea glauca* (Moench) Voss (white spruce), *P. mariana* (Mill.) BSP. (black spruce), *P. rubens* Sarg. (red spruce), *Populus tremuloides* Michx. (trembling aspen), *Tsuga canadensis* (L.) Carr. (hemlock) and other species of *Betula*, *Malus*, (apple), *Picea*, *Pinus* (pine) and *Populus*. 1908-A.H.M. (KM-20, 51, 1270 in DAOM, K.A.H.) (O-F2197) (L.E.W.-34, 6255, 6258 coll. A.R.P.).

Fomitopsis rosea (Alb. & Schw. ex Fr.) Karst. in Medd. Soc. Fauna Flora Fenn. 6:9. 1881.

Fomes roseus (Alb. & Schw. ex Fr.) Cke.

Polyporus roseus Alb. & Schw. ex Fr.

On *Picea rubens* Sarg. (red spruce) and other *Picea* species. Kings Co. and others. 1950-L.E.W. (O-F2202, 3087) (KM-5237 in DAOM, K.A.H.).

Fomitopsis scutellata (Schw.) Bond. & Sing. in Ann. Mykol. 39:55. 1941.

Fomes scutellatus (Schw.) Cke.

Polyporus scutellatus Schw.

On *Alnus crispa* (Ait.) Pursh var. *mollis* Fern. (downy alder), *A. rugosa* (DuRoi) Spreng. var *americana* (Regel) Fern. (speckled alder) and *Alnus* sp. Annapolis and Colchester Co. 27 June 1931-L.E.W. (W-305, 1508) (KM-4270 in DAOM, K.A.H. det. R.M.).

Frommea obtusa (Strauss) Arth. in Bull. Torrey Bot. Club 44:503. 1917.

On *Potentilla canadensis* L. (five-fingered jack) and *P. simplex* Michx. (old field cinquefoil). Annapolis, Colchester, Kings and Pictou Co. 1913-W.P.F. (O-4936, 7741).

Fuligo muscorum Alb. & Schw. in Consp. Fung.:86. 1805.

On moss. Colchester Co. 1 Sept. 1931-L.E.W. (W-1486).

Fuligo septica (L.) Wiggers in Prim. Fl. Holsat. 112. 1780.

On various substrata. General. 1882-J.S. (A.H.M.) (L.E.W.-186, 450, 1028, 1052, 1391 as *F. septica* var. *laevis* Pers.).

Fulvia fulva (Cke.) Cif. in Atti Ist. Bot. Univ. Lab. Critt. Pavia, Ser. 5, 10:245-246. 1954.

Cladosporium fulvum Cke.

On *Lycopersicon esculentum* Mill. (tomato). 1924. (Can. Plant Dis. Surv. 4:58. 1924).

Funalia gallica (Fr.) Bond. & Sing. in Ann. Mykol. 39:62. 1941.

Trametes hispida Bagl.

On *Populus* sp. (poplar). Colchester Co. 3 July 1931-L.E.W. (W-361).

Funalia trogii (Berk. apud Trog) Bond. & Sing. in Ann. Mykol. 39:62. 1941.

Trametes trogii Berk.

On *Populus* sp. (poplar) and *Salix* sp. (willow). Kings Co. 1953. (For. Insect Dis. Surv.:27. 1953) (KM-3103, 3104 in DAOM, K.A.H.).

***Fusarium aquaeductuum** Lagerh. in Z. Parasitkd. 2:655. 1891, var. **medium** aggr.

Booth in The Genus *Fusarium*:60. 1971.

In polluted water, clogging pipes and submersible pump at 24-meter depth in bored well. Kings Co. 29 June 1978-C.O.G. (DAOM 169250 coll. R.S., det. G.A.N.).

Fusarium avenaceum (Cda. ex Fr.) Sacc. in Syll. Fung. 4:713. 1886.

See stat. perf. *Cibberella avenacea* Cook.

***Fusarium coeruleum** (Lib.) Sacc. in Syll. Fung. 4:705. 1886.

Fusarium solani (Mart.) Sacc. var. *coeruleum* (Sacc.) Booth.

On tuber of *Solanum tuberosum* L. (potato). Kings Co. 5 May 1963-C.O.G., W.L.G.

Fusarium culmorum (W.G. Smith) Sacc. in Syll. Fung. 11:651. 1895.

General on *Triticum* sp. (wheat). 1938-J.F.H.

Fusarium equiseti (Cda) Sacc. in Syll. Fung. 4:707-708. 1886.

See stat. perf. *Gibberella intricans* Wollenw.

Fusarium graminearum Schw. in Fl. Anhaltina 2:285. 1838.

See stat. perf. *Gibberella zeae* (Schw.) Petch.

Fusarium lateritium Nees in Syst. Pilze Schwämme:31. 1817; Link, Sp. Plant 6(2): 106. 1824; emend. Snyder & Hansen in Am. J. Bot. 32:664. 1945 pro parte.

See stat perf. *Gibberella baccata* (Wallr.) Sacc.

Fusarium nivale (Fr.) Ces. in Rabenhorst, Herb. Mycol., ed. 1, 1439. 1850.

See *Gerlachia nivalis* (Ces. ex Sacc.) W. Gams & E. Müller var. *nivalis*.

Fusarium oxysporum Schl. in Flora Berol. 2:139. 1824, emend. Snyder & Hansen pro parte. Am. J. Bot. 27:64. 1940.

From *Hordeum vulgare* L. (barley) and *Lupinus hirsutus* L. (blue lupine). Kings Co. 1936-W.L.G. (DAOM 149425, 149426 on barley, C.O.G., R.A.S.).

Fusarium oxysporum Schl. f. sp. **betae** (Stewart) Snyder & Hansen in Am. J. Bot. 27:66. 1940.

On *Beta vulgaris* L. (beet, mangel). Kings Co. 1942-W.L.G.

Fusarium oxysporum Schl. f. sp. **callistephi** (Beach) Snyder & Hansen in Am. J. Bot. 27:66. 1940.

Wilt of *Callistephus chinensis* Nees (China aster). Kings Co. 1938-J.F.H.

Fusarium oxysporum Schl. f. sp. **cepa** (Hanz.) Snyder & Hansen in Am. J. Bot. 27:66. 1940.

On *Allium cepa* L. (onion). Kings Co. 1943-J.F.H.

Fusarium oxysporum Schl. f. sp. **chrysanthemi** G.M. & J.K. Armstrong & Littrell in Phytopathology 60:498. 1970.

On roots of *Tagetes erecta* L. (marigold). Kings Co. 25 June 1974-C.O.G.

Fusarium oxysporum Schl. f. sp. **conglutinans** (Wollenw.) Snyder & Hansen in Am. J. Bot. 27:66. 1940.

On *Brassica* spp. (cabbage, cauliflower, rutabaga, etc.), Aster, etc. Annapolis and Kings Co. 24 July 1935-J.F.H.

***Fusarium oxysporum** Schl. f. sp. **gladioli** (Massey) Snyder & Hansen in Am. J. Bot. 27:66. 1940.

On corms of *Gladiolus hortulanus* Bailey (gladiolus). Kings Co. 18 Nov. 1963-K.A.H., W.C.M., C.O.G.

Fusarium oxysporum Schl. f. sp. **lycopersici** (Sacc.) Snyder & Hansen in Am. J. Bot. 27:66. 1940.

Causing wilt of *Lycopersicon esculentum* Mill. (tomato). Cape Breton Co. 24 July 1942-J.F.H.

***Fusarium oxysporum** Schl. f. sp. **phaseoli** Kendrick & Snyder in Phytopathology 32:1010-1014. 1942.

Causing dry root rot of *Phaseolus vulgaris* L. (kidney bean or pole bean). Kings Co. 21 June 1960-K.A.H.

Fusarium oxysporum Schl. f. sp. **pisi** (van Hall) Snyder & Hansen in Am. J. Bot. 27:66. 1940.

Root rot of *Pisum sativum* L. (garden pea). Kings and Annapolis Co. 13 July 1939-D.W.C., W.L.G.

***Fusarium oxysporum** Schl. f. sp. **spinaciae** (Sherb.) Snyder & Hansen in Am. J. Bot. 27:66. 1940.

Root rot of *Spinacia oleracea* L. (spinach). Kings Co. 10 June 1974-C.O.G.

Fusarium poae (Pk.) Wollenw. in Bull. Me. Agric. Exp. Stn. 219:254-258. 1913.

From head blight of *Hordeum vulgare* L. (barley), on husks of nuts from *Juglans nigra* L. (black walnut) and from *Rhododendron*. General 1950-L.E.W. (barley,

DAOM 5095, 5096, 5480, W.L.G.) (rhododendron, DAOM 145905, 145906, R.A.S., C.O.G.).

Fusarium sambucinum Fckl. var. **sambucinum** in Symb. Mycol.:167. 1869.

See stat. perf. *Cibberella pulicaris* (Fr.) Sacc.

Fusarium sambucinum Fckl. var. **coeruleum** Wollenw. in Ann. Mycol. 15:55. 1917.

See stat. perf. *Cibberella pulicaris* var. *minor* Wollenw.

Fusarium solani (Mart.) Sacc. in Michelia 2:296. 1881, emend Snyder & Hansen pro. parte in Am. J. Bot. 28:740. 1941.

See stat. perf. *Nectria haematococca* Berk. & Br.

Fusarium solani (Mart.) Sacc. f. sp. **phaseoli** (Burk.) Snyder & Hansen in Am. J. Bot. 28:740. 1941.

Root rot of *Phaseolus vulgaris* L. (bean). Kings Co. 5 June 1936-J.A.B.

Fusarium solani (Mart.) Sacc. f. sp. **pisi** (Jones) Snyder & Hansen in Am. J. Bot. 28:740. 1941.

From *Pisum sativum* L. (garden pea). Kings Co. 22 July 1946-K.A.H.

Fusarium sulphureum Schlecht. in Flora Berol.:139. 1824.

Fusarium sambucinum Fckl. f. 6 Wollenw.

See stat. perf. *Cibberella cyanogena* (Desm.) Sacc.

Fuscoboletinus glandulosus (Pk.) Pomerleau & Smith in Brittonia 14:162. 1962.

Boletinus glandulosus Pk.

Suillus glandulosus (Pk.) Sing.

Under mixed confiers and on *Thuja occidentalis* L. (white cedar). Antigonish, Guysborough, Hants and Kings Co. 14 Aug. 1953-K.A.H. (KM-2424, 2982, 2983, 3775-3779 in DAOM) (ACAD 11194, D.W.G., K.A.H.).

Fuscoboletinus paluster (Pk.) Pomerleau in Mycologia 56:708. 1964.

Boletinus paluster (Pk.) Pk.

Boletus paluster Pk.

Under *Larix laricina* (DuRoi) K. Koch (larch). Colchester, Halifax, Pictou, Richmond, Shelburne and Victoria Co. 1881-J.S. (L.E.W.-712) (KM-3726, 3727, 5356 in DAOM, K.A.H.) (ACAD 11216, D.W.G., K.A.H.).

Fuscoboletinus serotinus (Frost) Smith & Thiers in Boletes of Mich.:85. 1971.

Boletus serotinus Frost.

Under *Larix laricina* (DuRoi) K. Koch (larch). Guysborough and Kings Co. 1976-D.W.G., K.A.H. (MICH 8247, K.A.H.).

Fuscoboletinus sinuspaulianus Pomerleau & Smith in Brittonia 14:165. 1962.

Suillus sinuspaulianus (Pomerleau & Smith) Dick & Snell.

On ground. 1975-L.P.M., J.M.M.

Fuscoboletinus viscidus (L. ex Fr. & Hök) Grund & Harrison in Nova Scotian Boletes:134. 1976.

Boletus aeruginascens Secr.

Boletus viscidus L. ex Fr. & Hök.

Fuscoboletinus aeruginascens (Secr.) Pomerleau & Smith.

Suillus aeruginascens (Secr.) Snell.

Under conifers. Antigonish, Colchester and Kings Co. 8 July 1931-A.H.S., L.E.W. (KM-1744, 2969, 3735, 3736 in DAOM, K.A.H.) (ACAD 11164, D.W.G., K.A.H.).

Fusicoccum abietinum (Hart.) Prill. & Del. in Bull. Soc. Mycol. Fr. 6:98. 1890.

Phoma abietina Hartig.

Phomopsis abietina Wils. & Hahn.

On *Abies balsamea* (L.) Mill. (balsam fir). 1958. (For. Insect Dis. Surv.:27. 1958.

* **Fusicoccum amygdali** Delacr. in Bull. Soc. Mycol. Fr. 21:180-185. 1905.

In wood cankers of *Prunus persica* (L.) Batsch (peach). Annapolis, Digby and Kings Co. 30 June 1966-C.O.G.

Fusicoccum obtusulum (Died.) Grove in Br. Stem and Leaf Fungi 1:246. 1935.

On Acer sp. (maple). 1975-L.P.M., J.M.M.

Gaeumannomyces graminis (Sacc.) v. Arx & Oliver in Trans. Br. Mycol. Soc. 35:29.

1952, var. tritici Walker in Trans. Br. Mycol. Soc. 58:439. 1972.

Mycol. Soc. 58:439. 1972.

Ophiobolus graminis Sacc.

On basal parts of culms of *Triticum aestivum* L. (wheat). Digby Co. 8 July 1954-

K.A.H., D.W.C.

Galera ovalis (Fr.) Gill in Hymén. Fr.:554. 1876.

Agaricus ovalis Fr.

On cattle dung. Halifax Co. 1880-J.S. (A.H.M.).

Galerina hypnorum (Schrank ex Fr.) Kühner in Encycl. Mycol. 7:194. 1935.

Galera hypnorum (Fr.) Kummer.

Galerula hypnorum (Fr.) Atk.

From Halifax Co. 1908-A.H.M. (J.S.).

* **Galerina lateritia** (Murr.) Sing. in Tr. Bot. Inst. Akad. Nauk S.S.S.R., Ser. 2(6):466. 1950.

On rotten wood. Kings Co. 27 May 1981-K.A.H. (ACAD 13639).

Galerina leucobryicola Smith & Sing. in Monogr. on the Genus *Galerina* Earle:177. 1964.

From Annapolis Co. 29 Aug. 1953-J.W.G.

Galerina tibiicystis (Atk.) Kühner in Encycl. Mycol. 7:176. 1935.

On sphagnum bogs. Kings Co. 2 Sept. 1953-J.W.G. (in Monogr. on the Genus *Galerina* Earle).

Galerina vittaeformis (Fr.) Sing. in Tr. Bot. Inst. Akad. Nauk S.S.S.R., Ser. 2(6):472. 1950.

On mossy logs in coniferous wood. 1964-A.H.S., R.S. (in Monogr. on the Genus *Galerina* Earle).

* **Galiella rufa** (Schw.) Nannf. & Korf in Korf, Mycologia 49:108. 1957.

Bulgaria rufa Schw. (basionym).

On fallen limb of hardwood. Queens Co. 24 July 1981-K.A.H. (ACAD 13800 coll. Ken J. Harrison).

Ganoderma applanatum (Pers. ex S.F. Gray) Pat. in Bull. Soc. Mycol. Fr. 5:67. 1889.

See *Elvingia megaloma* (Lév.) Murr.

Ganoderma lucidum (Leyss. ex Fr.) Karst. in Rev. Mycol. 3:17. 1881.

On *Abies balsamea* (L.) Mill. (balsam fir), *Acer rubrum* L. (red maple), *Pinus strobus* L. (white pine), *Tsuga canadensis* (L.) Carr. (hemlock), species of *Picea* (spruce), *Tsuga* and other coniferous wood. General. 1950-V.J.N.

Ganoderma tsugae Murr. in Bull. Torrey Bot. Club 29:601. 1902.

Polyporus tsugae (Murr.) Overh.

On logs and stumps of *Picea* sp. (spruce), *Tsuga* sp. (hemlock) and other conifers. General. 8 Aug. 1929-L.E.W. (W-247) (KM-746, 796, 1269 in DAOM, K.A.H.) (O-F2203, 5978, 8131) (See Donk M.A., 1974. Check List of European Polypores, p. 70 for note on this species).

Gautieria graveolens (Trog) Zeller & Dodge in Ann. Mo. Bot. Gard. 21:695. 1937.

var. *otthii*.

Gautieria otthii Trog.

From Kings Co. 1977-S.F.M. (ACAD S.F. 24) (S.F.M.-405 in ACAD).

* **Gelasinospora tetrasperma** Dowd. in Can. J. Res. 9:294. 1933.

On fruit of *Vaccinium vitis-idaea* L. var. *minus* Lodd. (foxberry). Kings Co. Isolated at Kentville from fruit collected at Pouch Cove, Newfoundland, 12 Sept. 1977-M.P.C., C.O.G., I.V.H. (DAOM 166743).

Gelatinosporium abietinum Pk. in Annu. Rep. N.Y. State Mus. 25:84. 1873.

Foveostroma abietinum (Pk.) Di Cosmo.

See stat. perf. *Dermea balsamea* (Pk.) Seav.

Gelatinosporium fulvum Pk. in Annu. Rep. N.Y. State Mus. 38:97. 1885.

See stat. perf. *Dermea molliuscula* (Schw.) Cash.

Geoglossum affine (Durand) Lloyd in Mycol. Writ. 5, Geoglossaceae:9. 1916.

In mossy creek bottom. Cumberland Co. 29 Aug. 1931-L.E.W. (W-1436, leg. A.H.S.) (KM-1534 in DAOM, K.A.H.).

Geoglossum difforme Fr. in Syst. Mycol. 1:489. 1821.

On duff and humus in woods. Colchester, Cumberland, Hants and Kings Co. 22 Aug. 1931-L.E.W. (W-1386a,b) (KM-1014, 1015, 1047-1050 in DAOM, K.A.H.) (ACAD 1014a,b, K.A.H.).

Geoglossum fallax Durand in Ann. Mycol. 6:428. 1908.

On moss under hardwoods. Inverness Co. 6 Aug. 1931-L.E.W. (W-1219).

Geoglossum glabrum Pers. ex Fr. in Syst. Mycol. 1:488. 1821, var. **americanum**

Mains in Mycologia 46:600. 1954.

On soil, humus and mosses. General. 5 Sept. 1925-L.E.W. leg. A.R.P. (W-1130a,b, 1159, 6109, 6111) (KM-1009, 1053 in DAOM, K.A.H.) (ACAD 1009, 1010a, 1011a,b, K.A.H.).

Geoglossum glutinosum Pers. ex Fr. in Syst. Mycol. 1:489. 1821.

On soil and humus. Colchester, Hants and Kings Co. 21 Aug. 1931-L.E.W. (W-1381, leg. A.H.S.) (KM-1016, 1054, 1055a in DAOM, K.A.H.) (ACAD 1016a,b,c,d, K.A.H.).

Geoglossum intermedium Durand in Ann. Mycol. 6:431. 1908.

From Kings Co. 6 Sept. 1931-K.A.H. (KM-1008 in KAOM) (ACAD 1008).

Geoglossum simile Pk. in Bull. Buffalo Soc. Nat. Sci. 1:70. 1873.

On humus rotten wood and in sphagnum and other mosses. 1954-E.B.M. (Mich. Herb.; Mycologia 46:603. 1954).

Geoglossum umbratile Sacc. in Michelia 1:444. 1878.

Geoglossum nigritum (Fr.) Cook var. *nigritum*.

On soil. General. 18 Aug. 1927-L.E.W. (W-6099 leg. A.R.P., A.H.S., 1363) (KM-1013, 1051, 1056, 1057, 1529-1533 in DAOM, K.A.H.) (ACAD 1013a,b,c,d, K.A.H.).

Geopyxis catinus (Holmsk.) Sacc. in Syll. Fung. 8:71. 1889.

See *Pustulina catinus* (Holmsk. ex Fr.) Eckbl.

Geopyxis cupularis (L.) Sacc. in Syll. Fung. 8:72. 1889.

See *Pustulina cupularis* (L. ex Fr.) Eckbl.

***Geotrichum candidum** Link ex Pers. emend. Carmichael in Mycologia 49:823. 1957.

From milled peat, *Sphagnum* sp. Kings Co. 1961-C.O.G., W.B.K.

Gerlachia nivalis (Ces. ex Sacc.) W. Gams & E. Müller var. **nivalis** in Neth. J. Plant Pathol. 86:49. 1980.

Fusarium nivale Ces. ex Sacc. (basionym).

See stat. perf. *Monographella nivalis* (Schaff.) E. Müller var. *nivalis*.

Gerronema chrysophyllum (Fr.) Sing. in Mycologia 51:380. 1959 (1960).

Agaricus chrysophyllum Fr.

Armillariella chrysophylla (Fr.) Sing. (1951).

Clitocybe chrysophylla Fr.

On rotten log. Kings Co. 9 Aug. 1936-K.A.H. (KM-2043 in DAOM as *C. chrysophylla* det. H.E.B.).

Gerronema fibula (Bull. ex Fr.) Sing. in Publ. Inst. Micol. Univ. Recife, 304:13. 1961.

Mycena fibula (Bull. ex Fr.) Kühner (1938).

Omphalia fibula (Bull. ex Fr.) Quél.

On moss. Colchester, Halifax and Kings Co. 1881-J.S. (L.E.W.-566, 567) (KM-943 in DAOM, K.A.H.).

Gerronema setipes (Fr.) Sing. in Sydowia 15:51. 1961 (sensu Ricken).

Crinipellis setipes (Pk.) Sing.

Marasmius setipes (Pk.) Atk. & House.

In moss under conifers. Kings Co. 30 Aug. 1968-K.A.H. (MICH 7815).

***Gibbera cassandrae** (Pk.) Barr in Can. J. Bot. 39:313. 1961.

On *Arctostaphylos uva-ursi* (L.) Spreng. (bearberry), *Gaultheria procumbens* L. (teaberry) and *Pyrola elliptica* Nutt. (shinleaf). Queens and Shelburne Co. 16 June 1953-J.F.H., C.O.G.

Gibbera compacta (Pk.) Shear in U.S. Dep. Agric. Tech. Bull. 258:13. 1931.

See *Stigmea conferta* (Fr.) Fr.

Gibbera gaultheriae (Ell. & Ev.) Barr in Can. J. Bot. 46:841. 1968.

Venturia gaultheriae Ell. & Ev.

On leaves of *Gaultheria procumbens* L. (teaberry). Colchester Co. 14 July 1929-L.E.W. (W-48).

Gibbera kalmiae (Pk.) Barr in Can. J. Bot. 39:315. 1961.

Leptosphaeria kalmiae Pk.

On *Kalmia angustifolia* L. (lambkill). Colchester Co. 7 Aug. 1933-L.E.W. (W-1616, 1621).

Gibberella avenacea Cook in Phytopathology 57:732-736. 1967.

Stat. conid. *Fusarium avenaceum* (Cda. ex Fr.) Sacc.

From *Avena* sp. (oat), *Glycine max* (L.) Merr. (soybean), *Hordeum* sp. (barley), *Triticum* sp. (wheat) and other ornamental and cultivated plants. Kings Co. 1937-J.F.H. (DAOM 171075, soybean).

***Gibberella baccata** (Wallr.) Sacc. in Syll. Fung. 2:553. 1883.

Stat. conid. *Fusarium lateritium* Nees.

Causing small pit type lesions (3-5 mm diam.) on fruit of *Malus pumila* Mill. (apple) and fruit rot of *Pyrus communis* L. (pear). Annapolis and Kings Co. 21 July 1974-C.O.G., R.G.R., R.A.S., G.A.N. (DAOM 149895, 169042).

Gibberella cyanogena (Desm.) Sacc. in Syll. Fung. 2:555. 1883.

Stat. conid. *Fusarium sulphureum* Schlecht.

Fusarium sambucinum Fckl. f. 6, Wollenw.

From decayed stems of *Satureja hortensis* L. (summer savory) and from tuber of *Solanum tuberosum* L. (potato). Kings and Lunenburg Co. 5 May 1963-C.O.G., R.A.S., W.L.G. (DAOM 166631).

Gibberella intricans Wollenw. in Z. Parasitkd. 3(3):332. 1931.

Stat. conid. *Fusarium equiseti* (Cda) Sacc.

From *Brassica oleracea* L. var. *gemmifera* Zenker (Brussels sprouts), *Cucumis sativus* L. (cucumber) and subcrown internodes of *Hordeum vulgare* L. (barley). Kings Co. 3 May 1954-K.A.H.

Gibberella pulicaris (Fr.) Sacc. var. **pulicaris** in Michelia 1:43. 1877.

Stat. conid. *Fusarium sambucinum* Fckl.

Storage rot of *Solanum tuberosum* L. (potato) and *Daucus carota* L. var. *sativa* DC. (carrot). Kings Co. January 1958-K.A.H., C.O.G.

Gibberella pulicaris (Fr.) Sacc. var. **minor** Wollenw. in Z. Parasitkd. 3:356. 1931.

Stat. conid. *Fusarium sambucinum* Fckl. var. *coeruleum* Wollenw.

From crown of *Fragaria* sp. (cultivated strawberry). Kings Co. 14 May 1963-C.O.G., W.L.G.

Gibberella zeae (Schw.) Petch *in Ann. Mycol.* 34:260. 1936.

Stat. conid. *Fusarium graminearum* Schw.

On *Avena sativa* L. (oat), *Hordeum vulgare* L. (barley), *Triticum aestivum* L. (wheat), *Trifolium repens* L. (white clover) and *Zea mays* L. (corn). General. 7 June 1937-J.F.H.

Gibberidea abundans (Dobr.) Shear *in Mycologia* 29:361. 1937.

On *Lycopus americanus* Mühl. (water-horehound), *Prunella vulgaris* L. (self-heal or heal-all) and on dead stems of various *Labiatae* sp. (mint). Colchester and Kings Co. 26 June 1926-L.E.W. (P373, W-1400).

Gibberidea alnea (Pk.) Wehm. *in Can. J. Res. C*, 20:586. 1942.

Cucurbitaria alnea Pk.

On stems of *Alnus* sp. (alder). Colchester Co. 12 July 1929-L.E.W. (W-180).

Gliocladium atrum Gilman & Abbott *in Iowa State Coll. J. Sci.* 1:305. 1927.

From soil. Cumberland Co. 1980-D.B., A.T.

Gliocladium catenulatum Gilman & Abbott *in Iowa State Coll. J. Sci.* 1:303. 1927.

Isolated from soil. Cumberland Co. 1971-D.B. et al.

Gliocladium deliquescent Sopp *in Monogr. Penicill. Norw.*:89. 1912.

From soil. Cumberland Co. 1980-D.B., A.T.

Gliocladium roseum (Link) Bain. *in Bull. Soc. Mycol. Fr.* 23:111. 1907.

See stat. perf. *Nectria gliocladioides* Smalley & Hansen.

***Gliocladium viride** Matr. *in Bull. Soc. Mycol. Fr.* 9:249. 1893.

From tuber of *Solanum tuberosum* L. (potato). Kings Co. 18 Sept. 1969-C.O.G.

***Gliomastix muorum** (Cda.) Hughes var. **muorum** *in Can. J. Bot.* 36:769. 1958.

From roots of *Fragaria* sp. (cultivated strawberry). Cumberland Co. 20 May 1971-C.O.G.

***Gliomastix muorum** (Cda.) Hughes var. **felina** (Marchal) Hughes *in Can. J. Bot.* 36:769. 1958.

Gliomastix felina (Marchal) Hammill (*Mycologia* 73:231. 1981).

On calyx of *Fragaria* sp. (cultivated strawberry). Kings Co. 25 July 1962-C.O.G.

***Gloeocystidiellum citrinum** (Pers.) Donk *in Fungus* 26:9. 1956.

Corticium radiosum Fr.

On *Abies balsamea* (L.) Mill. (balsam fir), *Fagus grandifolia* Ehrh. (beech), *Picea* sp. (spruce) and *Tsuga* sp. (hemlock). Kings Co. 31 Oct. 1952-K.A.H. (KM-1827 in DAOM).

Gloeocystidiellum leucoxanthum (Bres.) Boid. *in C.R. Acad. Sci. Paris* 233:825. 1951.

Corticium leucoxanthum Bres.

On *Acer saccharum* Marsh. (sugar maple). Colchester Co. 15 July 1929-L.E.W. (W-58 det. M.A.D.).

Gloeocystidiellum porosum (Berk. & Curt.) Donk *in Meded. Ned. Mycol. Verh.* 18-20:156. 1931.

Corticium porosum Berk. & Curt.

On wood and bark of *Alnus* sp. (alder). Colchester Co. Aug. 1935-L.E.W. (W-1782 det. H.S.J. as *C. porosum*).

Gloeodes pomigena (Schw.) Colby *in Trans. Ill. Acad. Sci.* 13:158. 1920.

Phyllachora pomigena (Schw.) Sacc.

Causing sooty blotch on fruit of *Malus* sp. (apple), *Prunus domestica* L. (plum) and *Pyrus* sp. (pear). Annapolis, Digby, Hants and Kings Co. Sept. 1930-J.F.H.

Gloeocephalum abietinum (Bull. ex Fr.) Karst. *in Hattsvampar* 2:79. 1882.

Daedalea abietina Bull. ex Fr.

Lenzites abietina (Bull. ex Fr.) Fr.

On *Larix laricina* (DuRoi) Koch (larch). Halifax and Pictou Co. 1908-A.H.M.

(may have been *Lenzites sepiaria* (Wulf. ex Fr.) Fr. fide L.E.W.).

Gloeophyllum protractum (Fr.) Imaz. in Bull. Tokyo Sci. Mus. 6:75. 1943.

Trametes americana Overh.

On *Picea* sp. (spruce). Kings Co. 4 Nov. 1933-K.A.H. (KM-115 in DAOM) (O-F5500).

Gloeophyllum sepiarium (Wulf. ex Fr.) Karst. in Hattsvampar 2:79. 1882.

Daedalea sepiaria Wulf. ex Fr.

Lenzites sepiaria (Wulf. ex Fr.) Fr.

On *Abies balsamea* (L.) Mill. (balsam fir), *Picea glauca* (Moench) Voss (white spruce), *P. mariana* (Mill.) BSP. (black spruce), *P. rubens* Sarg. (red spruce), *Pinus strobus* L. (white pine), *Populus tremuloides* Michx. (trembling aspen), *Prunus* sp. (cherry or plum) and *Tsuga canadensis* (L.) Carr. (hemlock). General. 1881-J.S. (A.H.M.) (L.E.W.-34, 309 and 6164 coll. A.R.P.) (KM-3113, in DAOM, K.A.H.).

Gloeoporus dichrous (Fr.) Bres. in Ann. Mycol. 10:506. 1912.

Polyporus dichrous Fr.

On *Fagus grandifolia* Ehrh. (beech), *Picea* sp. (spruce), *Pinus* sp. (pine), *Populus* sp. (poplar), *Ulmus* sp. (elm) and other coniferous and deciduous wood. Annapolis, Colchester, Halifax and Kings Co. 6 Aug. 1933-K.A.H. (KM-102, 4251-4253 in DAOM).

Gloeoporus pannocinctus (Rom.) Erikss. in Symb. Bot. Upsal. 16(1):136. 1958.

Poria pannocincta (Rom.) Lowe.

On *Betula lutea* Michx. f. (yellow birch). 1975-L.P.M., J.M.M.

Gloeosporidiella ribis (Lib.) Petrak in Hedwigia 62:318. 1921.

Gloeosporium ribis (Lib.) Mont. & Desm.

See stat. perf. *Drepanopeziza ribis* (Kleb.) Höhn.

Gloeosporidiella variabilis (Laub.) Nannf. in Nova Acta Reg. Soc. Sci. Upsal., Ser. 4, 8:171. 1932.

Gloeosporium variabile Laub.

Gloeosporidella variabilis (Laub.) v. Arx.

See stat. perf. *Drepanopeziza variabilis* Müller, Hüttner & Schüpp.

Gloeosporium album Osterw. in Zentralbl. Bakt. 2(18):826. 1907.

See *Phlyctaena vagabunda* Desm.

Gloeosporium alni Ell. & Ev. in Field Columb. Mus. 9:123. 1896.

See *Monostichella alni* (Ell. & Ev.) v. Arx.

Gloeosporium betulincola Sacc. & Dearn. in Ann. Mycol. 13:125. 1915.

See *Discula betulina* (Westend.) v. Arx.

Gloeosporium cinerescens Bubák in Ann. Mycol. 2:399. 1904.

See *Cryptocline cinerescens* (Bubák) v. Arx.

Gloeosporium coryli (Desm.) Sacc. in Michelia 2:117. 1880.

See *Monostichella coryli* (Desm.) Höhn.

Gloeosporium decolorans Ell. & Ev. in J. Mycol. 1:133. 1882.

On *Acer saccharum* Marsh. (sugar maple). 1958. (For. Insect Dis. Surv.:28. 1958).

Gloeosporium malicorticis Cordley in Bot. Gaz. 30:57. 1900.

See *Cryptosporiopsis curvispora* (Pk.) Gremmen.

Gloeosporium minus Sheat in Bull. Torrey Bot. Club 34:315. 1907.

On fruit of *Vaccinium macrocarpon* Ait. (cranberry). Kings Co. 28 Nov. 1969-C.O.G. (DAOM 147608).

Gloeosporium perennans Zeller & Childs in Bull. Ore. Agric. Coll. Exp. Stn. 217:14. 1925.

See *Cryptosporiopsis curvispora* (Pk.) Gremmen.

Gloeosporium phomoides Sacc. *in Michelia* 2:540. 1882.

Phomopsis phomoides (Sacc.) v. Arx.

On fruit of *Capsicum frutescens* L. (red pepper) and *Lycopersicon esculentum* L. (tomato). Kings Co. 7 Nov. 1949-K.A.H.

Gloeosporium ribis (Lib.) Mont. & Desm. *in Kickx, Flore Crypt. Flandres* 2:95. 1867.

See *Gloeosporidiella ribis* (Lib.) Petrak.

Gloeosporium salicis Westend. *in Herb. Crypt. Belg.* No. 1269. 1859.

See *Monostichella salicis* (Westend.) v. Arx.

★ **Gloeosporium spadiceum** Dearn. & Bisby *in The Fungi of Manitoba*:133. 1929.

Sporonema spadiceum (Dearn. & Bisby) v. Arx.

On leaves of *Trifolium pratense* L. (red clover). Annapolis Co. 13 June 1973-C.O.G., J.A.P. (DAOM 145549).

Gloeosporium ulmeum Miles *in Bot. Gaz.* 71:161. 1921.

See *Asteroma ulmeum* (Miles) Sutton.

Glomerella cingulata (Stonem.) Spauld. & Schrenk *in Bull. U.S. Dep. Agric. Bur. Plant Ind.* 44:29. 1903.

Stat. conid. *Colletotrichum gloeosporioides* Penz.

General. On many hosts, including *Cydonia oblonga* Mill. (quince), *Fragaria* sp. (cultivated strawberry), *Juglans nigra* L. (black walnut), *Lycopersicon esculentum* Mill. (tomato), *Malus pumila* Mill. (apple), *Prunus serotina* Ehrh. (wild black cherry), *Pyrus communis* L. (pear fruit), *Rhododendron* spp., *Vaccinium angustifolium* Ait. (lowbush blueberry), *V. macrocarpon* Ait. (cranberry) and *Vitis vinifera* L. (grape) and others. 1903-B.D.H., J.A.K.

Glomerularia corni Pk. *in Annu. Rep. N.Y. State Mus.* 32:43. 1879.

On *Cornus canadensis* L. (bunchberry). Colchester Co. 24 July 1936-J.F.H. det. I.L.C. (O-4504) (L.E.W.-502, 1749).

Glonium lineare (Fr.) de Not. *in G. Bot. Ital.* 2:594. 1846.

On *Fagus* sp. (beech). Kings Co. 20 Nov. 1952-K.A.H. (KM-1846 *in DAOM*).

Gnomonia errabunda (Rob.) Auersw. *in Mycol. Eur. Pyren.*:25. 1849.

See *Apiognomonia errabunda* (Rob.) Höhn.

★ **Gnomonia fragariae** Kleb. *in Haupt- und Nebenfruchtformen der Ascomyceten*.

1. Gebrüder Borntraeger, Leipzig.:285-288. 1918.

On petiole of *Fragaria* sp. (cultivated strawberry). Kings Co. Aug. 1966-C.O.G. (DAOM 159720) (IMI 213849).

Gnomonia fructicola (Arn.) Fall *in Can. J. Bot.* 29:309. 1951.

Stat. conid *Zythia fragariae* Laibach.

On *Fragaria* sp. (cultivated strawberry). General. 20 June 1952-C.O.G., D.W.C., D.B.O.S.

Gnomonia leptostyla (Fr.) Ces. & de Not. *in Comm. Soc. Critt. Ital.* 1(4):232. 1863.

Stat. conid. *Marssonina juglandis* (Lib.) Magn.

On *Juglans cinerea* L. (butternut). Kings Co. 10 Sept. 1938-J.F.H.

Gnomonia rostellata (Fr.) Wehm. *in The Genus Diaporthe* Nitschke and its Segregates, Univ. Mich. Stud. Sci., Ser. 9:266. 1933.

On stems of *Rubus* sp. Colchester Co. 21 July 1929-L.E.W. (W-109).

★ **Gnomonia setacea** (Pers. ex Fr.) Ces. & de Not. *in Comm. Soc. Critt. Ital.* 1(4):252. 1863.

On leaves of *Rhododendron* sp. Kings Co. 19 Sept. 1970-C.O.G., K.A.P. (DAOM 148130).

Gnomonia ulmea (Schw.) Thüm *in Flora*:178. 1878.

Stat. conid. *Asteroma ulmeum* (Miles) Sutton.

On leaves of *Ulmus americana* L. (white elm) and *U. pumila* L. (Siberian elm).

Annapolis, Colchester and Kings Co. July 1931-L.E.W. (W-1024).

Gnomoniella coryli (Batsch ex Fr.) Sacc. in Syll. Fung. 1:419. 1882.

On *Corylus americana* Walt. (American hazelnut) and *C. cornuta* Marsh. (beaked hazelnut). Kings Co. 7 July 1943-R.M.L. (O-1888).

Godronia cassandrae Pk. in Annu. Rep. N.Y. State Mus. 39:50. 1887, f. **vaccinii** Groves in Can. J. Bot. 43:1214. 1965.

Gondronia cassandrae Pk. f. sp. **vaccinii** (Groves) Boerema & Verhoeven.

Stat. conid. *Fusicoccum putrefaciens* Shear.

Topospora myrtilli (Feltg.) Boerema.

On wood of *Vaccinium angustifolium* Ait. (lowbush blueberry), *V. corymbosum* L. (highbush blueberry) and on fruit of *V. macrocarpon* Ait. (cranberry).

Colchester, Kings and Pictou Co. 27 July 1947-K.A.H., E.L.E., D.W.C., C.O.G. (DAOM 89151, 93054).

Godronia spiraeae (Rehm) Seav. in Mycologia 37:342. 1945.

On *Spiraea tomentosa* L. (steeple bush) and *Spiraea* sp. Colchester and Halifax Co. 5 Sept. 1929-L.E.W. (W-276, 1171 det. E.K.C. as *Scleroterris spiraeae* Rehm).

Godronia turbinata (Schw.) Farl. in Mycologia 14:101. 1922.

Tympanis turbinata Schw.

On dead stems of *Diervilla lonicera* Mill. (bush honeysuckle). Colchester and Kings Co. 6 July 1931-L.E.W. (W-408, 1525, 1613) (DAOM 87929, 87930).

Godronia urceolus (Alb. & Schw.) Karst. in Acta Soc. Fauna Flora Fenn. 2:144.

21885, var. **conferta** Hone in Minn. Bot. Stud. 4:111. 1909.

Godronia conferta (Hone) Groves.

On *Prunus* sp. (stone fruit). Colchester Co. 14 July 1931-L.E.W. (W-1020 det. E.K.C.).

Godroniopsis nemopanthis Groves in Mycologia 29:71. 1937.

See stat. conid. *Sphaeronema peckii* Sacc. & Syd.

***Goidanichiella** sp.

From seedlings of *Fragaria* sp. (cultivated strawberry) damping off under mist propagation and from callus growth of *Vaccinium angustifolium* Ait. (lowbush blueberry). Kings Co. 14 June 1972-C.O.G. (DAOM 145402 an undescribed species).

Gomphidius glutinosus (Schaeff. ex Fr.) Fr. var. **glutinosus** in Epicr. Syst. Mycol.: 319. 1838.

From Halifax and Kings Co. 1880-J.S. (A.H.M.) (KM-279 in DAOM, K.A.H.).

Gomphidius maculatus (Scop. ex Fr.) Fr. in Epicr. Syst. Mycol.: 319. 1838.

Under *Abies* sp. (fir) and *Picea* sp. (spruce). Colchester, Guysborough, Hants and Kings Co. 2 Sept. 1930-K.A.H. (KM-280, 982, 4104-4106, 5387 in DAOM) (L.E.W.-708).

Gomphidius subroseus Kauff. in Mycologia 17:120. 1925.

Comphidus septentrionalis Sing.

Under *Abies* sp. (fir) and *Picea* sp. (spruce). Colchester and Halifax Co. 1886-J.S. (A.H.M.) (L.E.W.-848, 1769).

Gomphus clavatus (Pers. ex Fr.) S.F. Gray in Nat. Arr. Br. Pl. 1:638. 1821.

Cantharellus brevipes Pk.

Cantharellus clavatus Fr.

Craterellus clavatus (Fr.) Fr.

Under *Abies* sp. (fir) and *Picea* sp. (spruce). Colchester, Hants, Kings and Richmond Co. 11 Aug. 1931-A.H.S., L.E.W. (W-732) (KM-180, 526, 4096, 4123, 5303, 5304 as *Nevrophylloclavatum* (Pers.) Pat., in DAOM, K.A.H.).

- Gomphus floccosus** (Schw.) Sing. in *Lloydia* 8:140. 1945.
Cantharellus floccosus Schw.
 On humus under conifers. General. 1908-A.H.M. (KM-181, 929, 961, 2554, 3991,
 3992, 5383 in DAOM, K.A.H.) (L.E.W.-224, 581).
- ***Gomphus kauffmanii** (A.H. Smith) Corner in *Ann. Bot. Mem.* 2:122. 1966.
Cantharellus kauffmanii A.H. Smith.
 From Kings Co. 26 Aug. 1972-K.A.H. (MICH 11849).
- Gonatobotrys simplex** Cda. in *Pracht-Flora*, tab. 5:9. 1839.
 From crowns of *Fragaria* sp. (cultivated strawberry). Kings Co. 14 Dec. 1966-
 C.O.G.
- Gonatobotryum apiculatum** (Pk.) Hughes in *Can. J. Bot.* 31:594. 1953.
 On *Hamamelis virginiana* L. (witch-hazel). 1975-L.P.M., J.M.M.
- Gongronella butleri** (Lendl.) Pery. & Dal Vesco in *Allionia* 2:370. 1955.
Absidia butleri Lendl.
 Isolated from forest soil. Cumberland Co. 1971-D.B. et al.
- Grandinia farinacea** (Pers. ex Fr.) Bourd. & Galz. in *Bull. Soc. Mycol. Fr.* 30:253.
 1914.
 On decayed conifer and hardwoods. Colchester Co. 22 Aug. 1931-L.E.W., K.C.
 (W-1425 det. K.C., 1644 det. M.A.D.).
- ***Graphiothecium parasiticum** (Desm.) Sacc. in *Syll. Fung.* 4:624. 1886.
 From decaying fruit of *Prunus cerasus* L. (sour cherry). Kings Co. 28 July 1969-
 C.O.G.
- Graphis scripta** (L.) Ach. var. *scripta* in *Vetensk. Akad. Nya. Handl.*:145. 1809.
 Lichen on bark of *Abies balsamea* (L.) Mill., (balsam fir). Victoria Co. 5 Aug.
 1931-L.E.W. (W-1245).
- Graphis scripta** (L.) Ach. var. *topographica* (Willd.) Zahlbr. in *Cat. Lich. Univ.*
 2:350-352. 1924.
 Lichen on bark of *Betula* spp. (birch) and common on bark of various tree
 species. Colchester Co. 16 July 1929-L.E.W. (W-42, 405, 1107) det. M.L.L.
- Graphium** sp.
 In culture from crown of *Fragaria* sp. (cultivated strawberry). Kings Co. Jan.
 1968-C.O.G.
- Gremmeniella abietina** (Lagerb.) Morelet in *Bull. Soc. Sci. Nat. Archeol. Toulon*
 183:9. 1969.
Lagerbergia abietina (Lagerb.) J. Reid.
Scleroderris lagerbergii Gremmen.
 Stat. conid. *Brunchorstia pinea* (Karst.) Höhn.
 Causing cankers on branches of *Pinus resinosa* Ait. (red pine). Pictou Co. 1971.
 (For. Insect Dis. Surv.).
- Grifola frondosa** (Dicks. ex Fr.) S.F. Gray in *Nat. Arr. Br. Pl.* 1:643. 1821.
Polyporus fondosus Dicks. ex Fr.
 On *Quercus rubra* L. (red oak). Kings Co. Sept. 1927-K.A.H. (KM-7, 7a, 4359 in
 DAOM).
- ***Grifola umbellata** (Pers. ex Fr.) Pilát in *Beih. Bot. Centralbl.* (B) 52:25. 1934.
Polyporus umbellatus Pers. ex Fr.
 On soil in woods. Kings Co. 27 July 1980-K.A.H. (ACAD 13559 coll. Pam Hanic).
- Guignardia aesculi** (Pk.) Stewart in *Phytopathology* 6:9. 1916.
 Stat. conid. *Phyllosticta paviae* Desm.
 Leaf blight of *Aesculus hippocastanum* L. (horse chestnut). General. Sept.
 1919-J.D.
- Guignardia bidwellii** (Ell.) Viala & Rav. in *Bull. Soc. Mycol. Fr.* 8:63. 1892.
 Stat. conid. *Phyllosticta viticola* (Berk. & Curt.) Thüm.

On fruit of *Vitis* sp. (grape). Annapolis Co. 10 Aug. 1951-J.F.H.

Guignardia populi G.E. Thompson in Mycologia 46:658. 1954.

Stat. conid. *Septogloeum rhopaloideum* Dearn. & Bisby.

On leaves of *Populus grandidentata* Michx. (large-toothed aspen) and *P. tremuloides* Michx. (trembling aspen). Kings Co. 17 June 1953-D.W.C., I.L.C.

Guignardia vaccinii Shear in Bull. Torrey Bot. Club 34:316. 1907.

See *Botryosphaeria vaccinii* (Shear) Barr.

Gymnoconia peckiana (Howe) Trott. in Sydow, Monogr. Ured. 3:84. 1912.

On cultivated and wild *Rubus* spp. General. 4 June 1925-J.F.H.

***Gymnopilus aeruginosus** (Pk.) Sing. in Lilloa 22:560. 1951.

Pholiota aeruginosa Pk.

From Kings Co. Oct. 1977. Recognized as this species by A.H. Smith from color transparency taken by Ken J. Harrison, Maritime Forestry Research Centre, Fredericton, New Brunswick.

Gymnopilus junonius (Fr.) Orton in Trans. Br. Mycol. Soc. 43:176. 1960.

Gymnopilus spectabilis (Fr.) Sing. (1951).

Pholiota spectabilis (Fr.) Kummer (1871).

On wood of *Abies* sp. (fir), *Acer* sp. (maple), *Betula* sp. (birch), *Malus* sp. (apple) and *Salix* sp. (willow). Colchester, Guysborough, Kings, Lunenburg and Queens Co. 1927-K.A.H. (KM-435-437, 4039, 5295 in DAOM) (L.E.W.-738) (O-F6627).

Gymnopilus sapineus (Fr.) Maire in Publ. Junta Cienc. Nat. Barcelona, Treb. Mus. Cienc. Nat. Barcelona 15(2):96. 1933.

Flammula sapinea (Fr.) Kummer.

On *Abies balsamea* (L.) Mill. (balsam fir). 1975-L.P.M., J.M.M.

Gymnosporangium clavariiforme (Pers.) DC. in Flore Fr. 2:217. 1805.

On *Amelanchier canadensis* (L.) Medic. (shadbush), *A. laevis* Weig. (smooth shadbush), *A. stolonifera* Wieg., *A. wiegandii* Niels., *Crataegus oxyacantha* L. (hawthorn), *Cydonia oblonga* Mill. (quince), *Juniperus communis* L. (common juniper), *J. communis* var. *depressa* Pursh (ground juniper), *Malus pumila* Mill. (apple) and *Pyrus communis* L. (pear). Kings and Lunenburg Co. 20 May 1925-J.F.H. (O-3604, 4509, 5857, DAOM 75330, 75349).

Gymnosporangium clavipes (Cke. & Pk.) Cke. & Pk. in Peck., Annu. Rep. N.Y. State Mus. 25:89. 1873.

On *Amelanchier canadensis* (L.) Medic. (shadbush), *A. lucida* Fern., *Aronia melanocarpa* (Michx.) Elliott (black chokeberry), *A. prunifolia* Rehd. (purple chokeberry), *Crataegus oxyacantha* L. (hawthorn), *Cydonia oblonga* Mill. (quince), *Juniperus communis* L. (common juniper), *J. communis* var. *depressa* Pursh, *J. communis* var. *hibernica* Gord., *Malus pumila* Mill (apple), *Pyrus angustifolia* Ait. (southern crabapple), *P. communis* L. (pear) and *Sorbus aucuparia* L. (rowan tree). General. July 1899-John Macoun. (DAOM 3785, 5923, 14509, 105626, 165027 from Sable Island).

Gymnosporangium connersii Parmelee in Can. J. Bot. 43:245. 1965.

On *Crataegus* sp. (hawthorn) and *Juniperus horizontalis* Moench (creeping savin). Antigonish Co. 23 May 1964-J.A.P. (DAOM 105638, 137845).

Gymnosporangium corniculans Kern in Mycologia 2:236. 1910.

On *Juniperus horizontalis* Moench (creeping savin). 1965-J.A.P.

Gymnosporangium cornutum Arth. ex Kern in Bull. N.Y. Bot. Gard. 7:444-445. 1911.

On *Juniperus communis* L. var. *depressa* Pursh (common juniper) and *Sorbus americana* Marsh. (mountain ash). Annapolis Co. 10 Sept. 1952-J.F.H. (DAOM 35056, 44005).

Gyromitra esculenta (Pers.) Fr. in Summa Veg. Scand.:346. 1849.

On soil. General. 1908-A.H.M. (10 June 1925-L.E.W. leg. A.R.P., W-236, 1098) (KM-1151, 5167, 5168 in DAOM, K.A.H.).

Gyromitra infula (Schaeff. ex Fr.) Quél. in Ench. Fung.:272. 1886.

Helvella infula Schaeff. ex Fr.

On duff under conifers. Cape Breton, Colchester and Kings Co. 27 Aug. 1931-L.E.W. (W-1416 leg. A.H.S.) (KM-1144, 1146, 4183, 5166 in DAOM, K.A.H.) (DAOM 112639, K.A.H.).

Gyroporus castaneus (Bull. ex Fr.) Quél. in Ench. Fung.:161. 1886.

Boletus castaneus Fr.

In mixed and hardwood forests. Colchester, Kings and Queens Co. 29 July 1931-A.H.S., L.E.W. (W-671) (KM-552, 992, 994, 2985, 5336 in DAOM, K.A.H.) (ACAD 10444, D.W.G., K.A.H.).

Gyroporus cyanescens (Bull. ex Fr.) Quél. in Ench. Fung.:161. 1886 var. *violaceotinctus* Watling in Notes R. Bot. Gard. Edinb. 29(1):63. 1969.

In mixed woods on bare ground. Colchester, Hants and Kings Co. 11 Aug. 1931-A.H.S., L.E.W. (W-734, 734a, as *Boletus cyanescens* Fr.) (KM-555, 3764, 3765 in DAOM, K.A.H.) (ACAD 555, 7992, 8003, 10425, D.W.G., K.A.H.).

* **Haematostereum rugosum** (Pers. ex Fr.) Pouz. in Česká Mykol. 13(1):12. 1959.

Stereum rugosum (Pers. ex Fr.) Fr.

On *Acer rubrum* L. (red maple), *Aesculus hippocastanum* L. (horse chestnut), *Alnus* sp. (alder), *Betula papyrifera* Marsh. (white birch), *B. populifolia* Marsh. (wire birch), *Fagus grandifolia* Ehrh. (beech), *Malus* sp. (apple), *Populus* sp. (poplar) and *Prunus pensylvanica* L.f. (pin cherry). Kings Co. 18 June 1942-R.M.L. (KM-2129 in DAOM, R.M.L.).

Haematostereum sanguinolentum (Alb. & Schw. ex Fr.) Pouz. in Česká Mykol. 13(1):12. 1959.

Stereum sanguinolentum (Alb. & Schw. ex Fr.) Fr.

On *Abies balsamea* (L.) Mill. (balsam fir), *Fagus grandifolia* Ehrh. (beech), *Larix laricina* (DuRoi) K. Koch (tamarack), *Pinus glauca* (Moench) Voss (white spruce), *P. rubens* Sarg. (red spruce), *Pinus banksiana* Lamb. (jack pine) and *Tsuga canadensis* (L.) Carr. (hemlock). General. 1930-J.F.H. (L.E.W.-1045, 1300, 1331) (KM-2781, 2782, 2784, 3088, 3090 in DAOM, K.A.H.).

Haligena spartinae Jones in Trans. Br. Mycol. Soc. 45:245. 1962.

On salt marsh material. Kings Co. 1979-G.J.B.

Halosphaeria appendiculata Linder in Barghoorn & Linder, Farlowia 1:412. 1944.

On driftwood. Digby, Lunenburg, Queens and Shelburne Co. 1970-G.A.N.

Halosphaeria hamata (Höhnk) Kohlm. in Can. J. Bot. 50:1956. 1972.

Ceriosporopsis hamata Höhnk.

Remispora hamata (Höhnk) Kohlm.

On intertidal wood. Shelburne Co. 1970-G.A.N.

Halosphaeria mediosetigera Cribb & Cribb in Pap. Univ. Queensl. Dep. Bot. 3:100. 1956.

On *Spartina alterniflora* Loisel. (cord-grass) and on wood. Kings Co. 9 Aug. 1975-G.J.B., D.W.G.

* **Hamigera striata** (Raper & Fennell) Stolk & Samson in Persoonia 6(3):347-349. 1971.

Stat. conid. *Penicillium striatum* Raper & Fennell.

From crown of *Fragaria* sp. (cultivated strawberry), callus tissue of *Vaccinium angustifolium* Ait. (lowbush blueberry) and decaying fruit of *V. macrocarpon* Ait. (cranberry). Kings Co. June 1968-C.O.G., D.M. (DAOM 145847).

Hansfordia pulvinata (Berk. & Curt.) Hughes in Can. J. Bot. 36:771. 1958.

Hansfordia grisella (Sacc.) Hughes.

With *Cladosporium fulvum* Cke. on leaves of *Lycopersicon esculentum* Mill. (tomato). Kings Co. 15 Nov. 1963-C.O.G.

Hapalopilus nidulans (Fr.) Karst. in Rev. Mycol. 3(9):18. 1881.

Polyporus nidulans Fr.

On *Abies balsamea* (L.) Mill. (balsam fir), *Acer rubrum* L. (red maple), *Betula lutea* Michx. f. (yellow birch), *Fagus grandifolia* Ehrh. (beech). Colchester Co. 25 July 1931-L.E.W. (W-1134, 1184).

Haploporus suaveolens (L. per Fr.) Donk in Proc. K. Ned. Akad. Wet., Ser. C, Biol. Med. Sci. 74(1):20. 1971.

Daedalea suaveolens Fr.

Polyporus suaveolens Fr.

Trametes suaveolens (L. ex Fr.) Fr.

On *Salix* sp. (willow). Kings Co. 9 Sept. 1930-K.A.H. (KM-67, 3105, 4318 in DAOM) (O-F2994).

Haptoglossa heterospora Drechsler in J. Wash. Acad. Sci. 30:246. 1940.

In association with nematodes from hay. Kings Co. 1980-M.E.A.

Haptoglossa zoospora Davidson & Barron in Can. J. Bot. 51:1322. 1973.

In association with nematodes from compost and dung (cow). Kings Co. 1980-M.E.A.

Harknessia sp.

On *Fragaria* sp. (cultivated strawberry) and *Rhododendron* sp. Kings Co. 1962-C.O.G., S.J.H. (DAOM 88678).

Harposporium arcuatum Barron in Can. J. Bot. 58:447. 1980.

In association with nematodes from compost, dung (chicken, cow, horse, sheep), old stump and straw. Kings Co. 1980-M.E.A.

Harposporium bysmatosporum Drechsler in Bull. Torrey Bot. Club 273:563. 1946.

In association with nematodes from compost and barnyard soil. Kings Co. 1980-M.E.A.

Harposporium cocleatum Drechsler in Mycopathologia 27:285-288. 1965.

Isolated from dung (horse). Kings Co. 1979-G.L.B. coll. M.E.A.

Harposporium crassum Shepherd in Trans. Br. Mycol. Soc. 38:47. 1955.

In association with nematodes from compost, dung (chicken, cow, horse), soil (apple orchard, greenhouse), stump and wood chips. Kings Co. 1980-M.E.A.

Harposporium crassum Shepherd (a variety).

In association with nematodes from compost and dung (cow, horse). Kings Co. 1980-M.E.A. (MSc Thesis, Acadia Univ., plate viii, var. prov. *longisporum*).

Harposporium cyclindrosporum Barron in Can. J. Bot. 58:2195. 1980.

From soil, wood of *Acer* sp. (maple). Kings Co. 15 Oct. 1979-G.L.B. (OAC 10798 coll. M.E.A.).

Harposporium cycloides Drechsler in Am. J. Bot. 55(10):1251. 1968.

In association with nematodes from compost, dung (cow, hog, horse, sheep) and straw. Kings Co. 1980-M.E.A.

Harposporium lilliputianum Dixon in Trans. Br. Mycol. Soc. 35:144-148. 1952.

In association with nematodes from soil in deciduous woods and old stumps in coniferous woods. Kings Co. 1980-M.E.A.

Harposporium sp.

In association with nematodes from compost, dung (chicken) and hay. Kings Co. 1980-M.E.A. (MSc Thesis, Acadia Univ., plate xx, *H. lunasporum* nom prov.).

- Hebeloma crustuliniforme** (Bull. ex St. Amans) Quél. *in Champ. Jura et Vosges*: 128. 1872.
On humus under *Acer* sp. (maple) and *Fagus* sp. (beech). Colchester and Lunenburg Co. 1913-A.H.M. (L.E.W.-853).
- Hebeloma fastibile** (Pers. ex Fr.) Kummer *in Führ. in Pilzkd.*:83. 1882.
From Halifax Co. 1908-A.H.M.
- Hebeloma glutinosum** (Lindgr.) Sacc. *in Syll. Fung.* 5:793. 1887.
Reported from Lunenburg Co. 1913-A.H.M. (Hesler's grouping excludes this species as too poorly known. Probably *Pholiota lenta*, fide A.H. Smith).
- Hebeloma mesophaeum** (Pers. ex Fr.) Quél. *in Champ. Jura et Vosges*:128. 1872.
On lawn beneath shrubs. Kings Co. 1950-L.E.W. (KM-284 *in DAOM*, K.A.H., fide A.H.S.).
- Helicobasidium holosporum** Bourd. *in C.R. Assoc. Fr. Sci.* 45^e Sess., Rouen (1921): 575. 1922.
On *Dryopteris spinulosa* (O.F. Müll.) Watt. var. *intermedia* (Muhl.) Underw. (wood fern). 1975-L.P.M., J.M.M.
- Helminthosphaeria clavariarum** (Tul.) Fckl. *in Symb. Mycol.*:166. 1870.
Stat. conid. *Scolecotrichum clavariarum* (Desm.) Sacc.
As a parasite on *Clavaria cristata* (Holmsk. ex Fr.) Pers. and *Clavaria rugosa* Bull. Colchester and Queens Co. 27 July 1931-L.E.W. (W-1164, 1669, 1374 leg. A.H.S.) (KM-1231, 1232, 1463, 5375 *in DAOM*, K.A.H.).
- Helminthosporium solani** Dur. & Mont. *in Flore d'Algérie Crypt.*:356. 1849.
Helminthosporium atrovirens (Harz.) Mason & Hughes.
Spondylocladium atrovirens (Harz.) Harz. ex Sacc.
Silver scurf disease of *Solanum tuberosum* L. (potato). 1934. (Can. Plant Dis. Surv. 14:43. 1934).
- Helotium epiphyllum** (Pers. ex Fr.) Fr. *in Summa Veg. Scand.*:356. 1849.
On leaves of *Acer* sp. (maple) and *Fagus* sp. (beech). Colchester Co. 17 Aug. 1931-L.E.W. (W-1330, 1330a, leg. A.H.S.).
- ***Helotium fructigenum** (Bull. ex Mérat) Fckl. *in Jahrb. Nass. Vereins Naturkd.* 23-24:314. 1870.
On acorns of *Quercus borealis* Michx f. (red oak). Kings Co. 2 Sept. 1946-K.A.H. (KM-1650 *in DAOM*).
- Helvella acetabulum** (Fr.) Quél. *in Ench. Fung.*:275. 1886.
Acetabula sulcata (Pers.) Fckl.
Helvella sulcata (Afz.) Fr.
Paxina sulcata (Pers.) Kuntze.
On soil under conifers. Colchester Co. July 1933-L.E.W. (W-1581).
- Helvella crispa** (Scop.) Fr. *in Syst. Mycol.* 2:14. 1822.
On old stump. Colchester and Queens Co. 22 Aug. 1931-L.E.W. (W-1387) (KM-5164 *in DAOM*, K.A.H.).
- Helvella elastica** Bull. *in Herb. Fr.*, pl. 242. 1785.
On soil in mixed woods. Colchester Co. 21 Aug. 1931-L.E.W. (W-1378).
- Helvella lacunosa** Afz. ex Fr. *in Syst. Mycol.* 2:15. 1822.
Helvella mitra L.
In mixed woods. Colchester Co. 4 July 1931-L.E.W. (W-381, 381a).
- Helvella macropus** (Pers. ex Fr.) Karst. *in Not. Sällsk. Fauna Flora Fenn. Förh.* 11:224. 1870.
Macropodia macropus (Pers.) Fckl.
Macropodia subclavipes (Phill. & Ell.) Rehm.
Peziza macropus Pers. ex Fr.

Peziza subclavipes Phill. & Ell.

On moist soil and decaying logs. Colchester, Inverness, Kings and Pictou Co. 17 July 1931-L.E.W. (W-240 as *M. subclavipes*, 1075a,b, leg. A.H.S.) (KM-1105, 1106, 1172, 1514, 5165 in DAOM, K.A.H.).

***Helvella pezizoides** Afz. in Vetensk. Akad. Handl., tab. 10, fig. 2:308. 1783.

On lawn under *Ulmus* sp. (elm). Queens Co. July 1981-K.A.H. (ACAD 13791).

Helvella pulla Holmsk. in Fungi. Dan. 2:49, tab. 26. 1799.

From Kings Co. 4 Sept. 1932-K.A.H. (KM-1148 in DAOM, and states close to *H. elastica* and probably that species).

***Helvella queletii** Bres. in Rev. Mycol. 4:211. 1882.

In mixed woods. Kings Co. July 1968-K.A.H. (MICH 7623, 7648 det. Nancy (Smith) Weber).

***Helvella sulcata** Afz. in Vetensk. Akad. Handl.:305. 1783.

Under conifers. Kings Co. 8 July 1980-K.A.H. (ACAD 13509).

Hemitrichia stipitata (Massee.) Macbr. in North Am. Slime-Moulds:207. 1899.

On decayed wood of *Fagus* sp. (beech) and *Populus* sp. (poplar). Colchester and Pictou Co. 1906-C.L.M. (L.E.W.-156 as *H. clavata* (Pers.) Rost., 1078).

***Hendersonia mali** Thüm. in Contrib. Flore Litor., 138, tab. 1, fig. 27:1878-1881.

On leaves of *Malus pumila* Mill. (apple). Kings Co. 17 July 1951 C.L.L.

Hendersonia pinicola Wehm. in Mycologia 38:312. 1945.

On *Pinus banksiana* Lamb. (jack pine). Cumberland Co. 1975. (For. Insect Dis. Surv.:28. 1975).

Hendersonia sarmentorum Westend. in Bull. Brux. 18, No. 60. 1851.

On *Acer pensylvanicum* L. (striped maple) and *Malus pumila* Mill. (apple). Kings Co. June 1926-L.E.W. (W-104).

Hendersonia sp.

On *Abies balsamea* (L.) Mill. (balsam fir). 1975-L.P.M., J.M.M.

***Henningsomyces candidus** (Pers.) Kuntze in Rev. Gen. Pl. 3(2):483. 1898.

Solenia candida Hoffm. ex Fr.

Solenia polyporoidea Pk.

On *Abies* sp. (fir) and *Picea* sp. (spruce). Kings Co. 7 Nov. 1952-K.A.H. (KM-1838 det. W.B.C. as *S. candida*, 1873 in DAOM) (ACAD 1838).

Hericium coralloides (Scop. ex Fr.) S.F. Gray in Nat. Arr. Br. Pl. 1:652. 1821.

Hydnnum coralloides Fr.

On *Betula* sp. (birch) and *Fagus grandifolia* Ehrh. (beech). Annapolis, Cumberland and Kings Co. 29 Aug. 1931-L.E.W. (W-1427 coll. A.H.S.) (KM-3436 in DAOM, K.A.H.).

Hericium ramosum (Bull. ex Mérat) Letellier in Hist. Descr. Champ:43. 1826.

Hericium caput-ursi (Fr.) Banker.

Hericium laciniatum (Leers) Banker.

On *Betula lutea* Michx. f. (yellow birch) and *Fagus grandifolia* Ehrh. (beech). Colchester and Kings Co. 15 Aug. 1931-L.E.W. (W-1310, 1310a, coll. A.H.S.) (KM-4385 in DAOM, K.A.H.).

Herpobasidium deformans Gould in Iowa State Coll. J. Sci. 19:317. 1945.

Stat. conid. *Glomerularia lonicerae* (Pk.) Dearn. & House.

On *Lonicera canadensis* Bartr. (fly-honeysuckle) and *L. tatarica* L. (honeysuckle). Digby and Kings Co. 17 Aug. 1948. J.F.H., D.W.C. (A.E.R.-35).

Herpobasidium filicinum (Rostr.) Lind in Ark. Bot. 7(8):7. 1908.

Gloeosporium filicinum Rostr.

On *Dryopteris disjuncta* (Ledeb.) Morton (oak fern). Kings Co. 1950-L.E.W. (A.E.R.-359, fide H.S.J.).

Herpotrichia nigra Hartig in Allg. Forst- Jagdztg, Frankfort, N.F., 64:15. 1888; also Hedwigia 27:13. 1888.

Herpotrichia juniperi (Duby) Petrak.

On *Picea glauca* (Moench) Voss (white spruce). 1975-L.P.M., J.M.M.

Herpotrichia pezizula (Berk. & Curt.) Ell. & Ev. in North Am. Pyren.:160. 1892.

Stat. conid. *Helicoma curtisii* Berk.

On *Acer spicatum* Lamb. (mountain maple). Colchester Co. 12 Aug. 1931-L.E.W. (W-1288).

Heterobasidion annosum (Fr.) Bref. in Unters. Gesamtgeb. Mykol. 8:154. 1888.

Fomes annosus (Fr.) Cke.

Fomitopsis annosa (Fr.) Bond & Sing.

Polyporus annosus Fr.

On stumps and trunks of trees. Colchester Co. 1880-J.S. (A.H.M.) as *F. annosus*.

Heterochaetella dubia (Bourd. & Galz.) Bourd. & Galz. in Hymén. Fr.:51. 1928 (Figs. 23-36).

On *Fomes fomentarius* (L. ex Fr.) Kickx. 1975-L.P.M., J.M.M.

Heterosporium phlei Gregory in Phytopathology 9:576-580. 1919.

On leaves of *Phleum pratense* L. (timothy). Colchester Co. 15 July 1955-J.E.M., D.W.C.

***Heyderia abietis** (Fr.) Link in Maas Geesteranus, Persoonia 3:87. 1964.

Mitrula abietis Fr.

On needles of *Abies* sp. (fir) and *Picea* sp. (spruce). Annapolis and Kings Co. 7 Oct. 1979-K.A.H. (ACAD 13446).

Hirschioporus abietinus (Dicks. ex Fr.) Donk in Meded. Bot. Mus. Herb. Univ. Utrecht, No. 9:162. 1933.

Polyporus abietinus (Dicks.) Fr.

On *Abies balsamea* (L.) Mill. (balsam fir), *Picea rubens* Sarg. (red spruce), *Pinus* sp. (pine) and *Tsuga canadensis* (L.) Carr. (hemlock). Colchester and Kings Co. 8 Aug. 1929-L.E.W. (W-222) (KM-44, 44a, 45 in DAOM, K.A.H.). (O-F2899, 2923, 7206).

Hirschioporus pargamenus (Klotzsch) Bond. & Sing. in Ann. Mykol. 39:63. 1941.

Polyporus pargamenus Fr.

On *Acer pensylvanicum* L. (striped maple), *A. rubrum* L. (red maple), *Betula lutea* Michx. f. (yellow birch), *B. papyrifera* Marsh. (white birch), *B. populifolia* Marsh. (wire birch), *Fagus grandifolia* Ehrh. (beech), *Populus tremuloides* Michx. (trembling aspen) and *Prunus* sp. (stone fruit). Colchester and Pictou Co. 1908-A.H.M. (L.E.W.-1503).

***Hohenbuehelia geogenius** (DC. ex Fr.) Sing. in Lilloa 22:255. 1951.

Pleurotus geogenius (DC. ex Fr.) Gill.

On soil near new construction site. Kings Co. 21 July 1961-K.A.H. (KM-5513).

Hohenbuehelia grisea (Pk.) Sing. in Lilloa 22:255. 1951.

Pleurotus griseus Pk.

On deciduous wood. Colchester Co. 29 June 1931-A.H.S., L.E.W. (as *Pleurotus atrocaeruleus* (Fr.) Gill. var. *griseus* Pk.) (W-521, 1646).

Hohenbuehelia petalooides (Bull. ex Fr.) Schulz. apud Schulz., Kanitz & Knapp. in Lilloa 22:255. 1951.

Pleurotus petalooides (Fr.) Quél.

From Lunenburg Co. 1913-A.H.M.

Hohenbuehelia serotina (Schrad. ex Fr.) Sing. in Lilloa 22:254. 1951.

See *Panellus serotinus* (Schrad. ex Fr.) Kühner.

***Holwaya gigantea** (Pk.) Durand in Bull. Torrey Bot. Club 28:354. 1901.

Patellaria leptosperma Pk.

On *Ulmus* sp. Kings Co. 9 Nov. 1953-K.A.H. (KM-5112 in DAOM).