	Data				Field	Field	Fo	rmat	Ter	minol	ogy E	mplo	yed
High Level	Element	Data Element	Character	PHC QOC	Exists	Populated	Free	Codified					
Concept	Name	Description	Code	Indicator	(Y/N)	(Y/N)	Text	Report	ICD-9	ICD-10	SNOMed	LOINC	Other
Service Recipient		A value used to uniquely identify a service recipient	Character, Code (20)	13, 63, 64, 50, 41, 42, 55, 56, 57, 39, 40, 61									
Service Recipient	Service Recipient Identifier	A descriptor of the service recipient's type of identifier (for example, health card number) represented in Service Recipient Identifier Number	Character, Code	13, 63, 64, 50, 41, 42, 55, 56, 57, 39, 40, 61									
Service Recipient	Service Recipient Identifier	A code representing the organization (including authority and jurisdiction) responsible for assigning the identifier number to the service recipient	Character, Code	13, 63, 64, 50, 41, 42, 55, 56, 57, 39, 40, 61									
Service Recipient	Service Recipient Homeless	Homelessness refers to the condition and societal category of people who lack housing, live intransitional housing orspend most nights in asupervised public or private facility providing temporary living quarters or in a public or private place not designed for regular sleeping accommodation for human beings	Character, Code, C (Y, N, 8 [not applicable])	N/A									
Service Recipient/ Demographics	Service Recipient Birthdate	The year, month and day on which the service recipient was born.	Date, YYYYMMDD	13, 63, 64, 50, 41, 42, 55, 56, 57, 39, 40, 61									
Service Recipient/ Demographics		Indicates whether or not the service recipient's date of birth is estimated	Character, Code, C (Y, N, 9 [unknown])	N/A									

		T	1	1	1			 -	
	Service Recipient Gender	A reported sexual category of the service recipient at a given point in time used for administrative purposes	Character, Code, C (M, F, U [undifferentiated] , 9 [unknown])	50, 41, 42,					
	Service Recipient Ethnicity	A person's ethnic origin is the ethnic or cultural group(s) to which his or her ancestors belonged. Therefore, the ethnic origin refers to a person's "roots" and should not be confused with his or her citizenship or nationality	Character, Code, ANANAN	N/A					
Service Recipient/	Service Recipient Primary Language	The language the service recipient is fluent in and uses in everyday conversation	Character, Code,	N/A					
Service Recipient/	Service Recipient Rostered Indicator	Indicates whether or not the service recipient is a registered/rostered patient in the PHC practice/clinic	Character, Code, C (Y, N, 9 [unknown])	N/A					
Service Recipient/	Service Recipient Province/ Territory of Residence	The province or territory associated with the service recipient's residential address	Character, Code,	13, 63, 64, 50, 41, 42, 55, 56, 57, 39, 40, 61					
Service Recipient/	Service Recipient Postal Code of Residence	address	Character, Code ANANAN	13, 63, 64, 50, 41, 42, 55, 56, 57, 39, 40, 61					
Provider	Provider Name	A descriptor of the provider's name	Free Text C (100)	N/A					

Provider	Provider Identifier Number	A value assigned by an organization, including authority and jurisdiction, used to uniquely identify a provider within a specified context (as described in Provider Identifier Type).	Character, Code (length to be jurisdictionally determined)	13, 63, 64, 50, 41, 42, 55, 56, 57, 39, 40, 61					
Provider	Provider Identifier Type	A descriptor of the provider's type of identifier represented in Provider Identifier Number.	Character, Code, CCC	13, 63, 64, 50, 41, 42, 55, 56, 57, 39, 40, 61					
Provider	Provider Identifier Issuer	A code representing the organization (including authority and jurisdiction) responsible for assigning the identifier number to the provider	Character, Code, C (9)	13, 63, 64, 50, 41, 42, 55, 56, 57, 39, 40, 61					
Provider	Provider Role Type	A provider's primary function/role within the health care system	Character, Code,	13, 63, 64, 50, 41, 42, 55, 56, 57, 39, 40, 61					
Provider	Provider Expertise	Skill or knowledge in a particular area or field. Providers may claim expertise in a particular area if they completed specific training for that area. The expertise may or may not be licensed by a governing or regulating body	Character, Code, CCC	13, 63, 64, 50, 41, 42, 55, 56, 57, 39, 40, 61					
Service Delivery	Service Delivery Location (SDL) Identifier Number	Used to uniquely identify a PHC practice (SDL)	Assigned code by CIHI	13, 63, 64, 50, 41, 42, 55, 56, 57, 39, 40, 61					
Service Delivery Information (SDL)	SDL Type	Where PHC-related services were delivered by the provider to the service recipient	Character, Code,	13, 63, 64, 50, 41, 42, 55, 56, 57, 39, 40, 61					

Service Delivery Information (SDL)	SDL Postal Code	The postal code of the PHC practice (SDL) where provision of care to service recipient (patient), for the encounter, is delivered	Character, Code, ANANAN	13, 63, 64, 50, 41, 42, 55, 56, 57, 39, 40, 61					
Service Delivery Information (SDL)	SDL Name	The name of the PHC practice (SDL) where provision of care to the service recipient (patient), for the encounter, is delivered	Free text C (100)	N/A					
	Date of Initial Encounter With PHC Provider	The date of the very first visit, when the service recipient (patient) was initially assessed by the health provider	Date, YYYYMMDD	13, 63, 64, 50, 41, 42, 55, 56, 57, 39, 40, 61					
	Estimated Date of Initial Encounter With PHC Provider Indicator	Indicates whether or not the date of the very first visit, when the service recipient (patient) was initially assessed by the health provider or PHC organization as captured by Date of Initial Encounter With PHC Provider, is estimated	Character, Code, C (Y, N, 9 [unknown])	N/A					
Encounter	Encounter Mode of Visit	A description of the type of contact between the provider and the service recipient for a registered encounter or visit	Character, Code,	N/A					
	Encounter Booking Date	The date that the service recipient's (patient) encounter was booked in the PHC provider's scheduling system.	Date, YYYYMMDD	N/A					
Encounter	Encounter Date	The actual date that the encounter occurred (service recipient was seen by health provider)	Date, YYYYMMDD	13, 63, 64, 50, 41, 42, 55, 56, 57, 39, 40, 61					-
Encounter	Encounter Payor Source	The source of payment for the encounter	Character, Code,	N/A					

	•	T	1	1			1	- 1	-	
Encounter/ Referred To	Referred To Provider Identifier Number	The identifier number of the health provider to whom the service recipient is referred	Character, Code (length to be jurisdictionally determined)	63, 64						
Encounter/ Referred To	Referred To Provider Role Type	The role type of the provider to whom the service recipient was referred	Character, Code,	63, 64						
Encounter/ Referred To	Referred To Provider Expertise	The expertise of the provider to whom the service recipient was referred	Character, Code,	63, 64						
Encounter/ Referred To	Referred To Encounter Occurred Indicator	Indicates whether or not the referred to encounter occurred	Character, Code, C (Y, N, 8 [not applicable], 9 [unknown])	63, 64						
Encounter	Antidepressant Treatment Follow-Up and Indicator	Indicates whether or not the health provider followed up with the service recipient for antidepressant treatment prescribed during an encounter that occurred within the previous two weeks	Character, Code, C (Y, N, 8 [not applicable])	63						
Observation History Health Issue(s)	Observation History Health Issue(s)	A past health issue(s), which may include resolved issue(s) and/or managed chronic disease(s).	Character, Code,	13, 63, 64, 50, 41, 42, 55, 56, 57, 39, 40, 61						
Observation History Health Issue(s)	Observation History Health Issue Diagnosed Date	The date the Observation History Health Issue(s) was diagnosed	Date, YYYYMMDD	13, 63, 64, 50, 41, 42, 55, 56, 57, 39, 40, 61						

								I	$\overline{}$
Observation History Health Issue(s)	Observation History Health Issue Estimated Diagnosed Date Indicator	Indicates whether or not the date that the service recipient was diagnosed with the past health issue as captured by Observation History Health Issue Diagnosed Date is estimated	Character, Code, C (Y, N, 9 [unknown])	N/A					
Observation/ History/ Intervention	History of	A past intervention(s) that may include medical/surgical, diagnostic, cognitive and psychosocial (includes behavioral) therapy	Character, Code, CCCCC	13, 63, 64, 50, 41, 42, 55, 56, 57, 39, 40, 61					
Observation/ History/ Intervention	History of	The date the observation history intervention was performed	Date, YYYYMMDD	13, 63, 64, 50, 41, 42, 55, 56, 57, 39, 40, 61					
Observation/ History/ Intervention	Observation History Estimated Intervention Date Indicator	Indicates whether or not the date that the service recipient received a past medication intervention as captured by Observation History of Intervention Date is estimated	Character, Code, C (Y, N, 9 [unknown])	N/A					
Observation History		Indicates whether or not the service recipient has been determined by a health provider to be at the end of life	Character, Code, C (Y, N, 9 [unknown])	13, 63, 64, 50, 41, 42, 55, 56, 57, 39, 40, 61					
Observation History	Observation History End- of- Life Date	Date when end-of-life indicator for service recipient was determined.	Character, Code, C (Y, N, 9 [unknown])	13, 63, 64, 50, 41, 42, 55, 56, 57, 39, 40, 61					

		T	1	1	ı	1	1			
Observation History	Observation History Estimated Endof- Life Date Indicator	Indicates whether or not the date that the service recipient was determined to be at the end of life, as captured by Observation History End-of-Life Date, is estimated	Character, Code, C (Y, N, 9	N/A						
Observation History	Observation Family Health History	Record of the medical history of a group of persons sharing common ancestry	Character, Code,	N/A						
Observation History	Observation History of Systolic Blood Pressure Value	Service recipient's previously measured systolic blood pressure value (in mmHg).	BP measurement standard, CCC	55, 56, 57, 40						
Observation History	Observation History of Systolic Blood Pressure Value Date	The date of the service recipient's previously measured systolic blood pressure value (in mmHg).	Date, YYYYMMDD	55, 56, 57, 40						
Observation History	Observation History of Systolic Blood Pressure Estimated Value Date Indicator	Indicates whether or not the date that the service recipient's systolic blood pressure value was measured, as captured by Observation History of Systolic Blood Pressure Value Date, is estimated.	Character, Code, C (Y, N, 9 [unknown])	N/A						

		1	1	I	1	1			
Observation History	Observation History of Diastolic Blood Pressure Value	Service recipient's previously measured diastolic blood pressure value (in mmHg).		55, 56, 57, 40					
Observation History	Observation History of Diastolic Blood Pressure Value Date	The date of the service recipient's previously measured diastolic blood pressure value (in mmHg).	Date, YYYYMMDD	55, 56, 57, 40					
Observation History	Observation History of Diastolic Blood Pressure Estimated Value Date Indicator	Indicates whether or not the date that the service recipient's diastolic blood pressure value was measured, as captured by Observation History of Diastolic Blood Pressure Value Date, is estimated	Character, Code, C (Y, N, 9 [unknown])	N/A					
Observation History	Observation History Lab Test Code(s)	A lab test code value that identifies the type of lab test performed	Character, Code, C (6 to 8)	50, 55, 56, 57, 39, 61					
Observation History	Observation History Lab Test(s) Value	Identifies the results of the observation history lab test performed	Character, Code, C (6 to 8)	50, 55, 56, 57, 39, 61					

	Observation History Lab								
	Test(s)	Identifies the date that the							
Observation			Date,	50, 55, 56,					
History	Date			57, 39, 61					
	Observation								
	History								
	Estimated	Indicates whether or not the date							
	Lab	that the observation history lab							
	Test(s) Performed	test was performed, as captured by Observation History Lab	Character, Code,						
Observation	Date		C (Y, N, 9						
History	Indicator			N/A					
	Observation								
	History of								
	Influenza								
Observation			Character, Code,						
History	on Indicator		C (Y, N, 9 [unknown])	41					
riiotory	maioator	Vaccinic	[driidiowrij)	71					
	Observation								
	History of								
	Influenza	The date of the service							
		recipient's observation							
Observation		,	Date,						
History	Date	immunization	YYYYMMDD	41					
	Observation								
	History Estimated	Indicates whether or not the date							
		that the observation history							
		influenza immunization was							
	on	administered, as captured by	Character, Code,						
Observation		Observation History of Influenza	C (Y, N, 9						
History	Indicator	Immunization Date, is estimated	[unknown])	N/A					

		1	T	T		1		 	-	
Observation History	Observation History of Pneumococ cal Immunizati on Indicator	Indicates whether the service recipient received the	Character, Code, C (Y, N, 9 [unknown])	42						
Observation History	on	The date of the service recipient's observation history of	Date, YYYYMMDD	42						
Observation History	Pneumococ cal Immunizati on Date	Indicates whether or not the date that the observation history pneumococcal immunization was administered, as captured by Observation History of Pneumococcal Immunization	Character, Code, C (Y, N, 9	N/A						
Observation History	s)	The medication(s) prescribed to the	Character, Code	61, 63, 64						
Observation History	Medication			N/A						

			T	T			1	1	 ,
Observation History	Observation History Prescribed Medication Dose	The measured portion of a drug taken at any one time reported as a metric unit	Selection options may include: – 500 mg – 0.25 mcg	61, 63, 64					
Observation History	Observation History Prescribed Medication Frequency	The number of occurrences within a given time period that a dose of a drug is administered	Selection options may include: – Twice daily – Every six hours – Once weekly – Once monthly						
Observation History	Observation History Prescribed Medication Route	Indicates the part of the body on which, through which or into which a drug product is to be introduced. A drug product can have more than one route of administration	Selection options may include: – Oral – Topical – Intramuscular – Rectal – Intravenous – Intramuscular – Intramuscular	N/A					
Observation History	Observation History Prescribed Medication Strength	This refers to the amount of the active (medicinal) ingredient(s) contained in a product	Selection options may include: – Gram – Millilitre – Milligram	61, 63, 64					
Observation History	Observation History Allergy Type	Indicates the type of allergy service recipients have that may make them susceptible to physiological reactions	Character, Code, C (3 to 5)	41, 42, 61, 63, 64					
Current Encounter/ Health Issue	Health Issue(s)	The observation by a provider of a service recipient's diagnosis or administrative reason for encounter	Character, Code, C (3 to 5)	13, 63, 64, 50, 41, 42, 55, 56, 57, 39, 40, 61					

Current Encounter Service Recipient Height Value	Service recipient's height (in centimetres) measured during the current encounter	Centimetres,	13, 55, 56, 57					
Current Encounter Service Recipient Weight Value	Service recipient's weight (in kilograms) measured during the current encounter	Kilograms, CCC	13, 55, 56, 57					
Current Encounter Service Recipient Hip Circumfere- nce Value	Service recipient's hip circumference (in centimetres) measured during the current encounter	Centimetres, CCC	55, 56, 57, 13					
Current Encounter Service Recipient Waist Circumference Value	Service recipient's waist circumference (in centimetres) measured during the current encounter	Centimetres,	55, 56, 57, 13					
Current Encounter Service Recipient Systolic BP Value	Service recipient's systolic blood pressure value (in mmHg) measured during the current encounter	BP measurement standard, CCC	55, 56, 57, 40					
Current Encounter Service Recipient Diastolic BP Value	Service recipient's diastolic blood pressure value (in mmHg) measured during the current encounter	BP measurement standard, CCC	55, 56, 57, 41					

	ı	T	I	I	1			1	
	Current Encounter Service Recipient	Indicates whether the service	Character, Code,						
Current Encounter	Smoker Indicator		C (Y, N, 9 [unknown])	13					
Current Encounter	Current Encounter Service Recipient Eating Habits Screening Indicator		Character, Code, C (Y, N, 9 [unknown])	13					
Current Encounter	Current Encounter Service Recipient Physical Activity Screening Indicator		Character, Code, C (Y, N, 9 [unknown])	13					
	Current Encounter Service Recipient Unsafe Sexual Practice Screening Indicator	Indicates whether the service recipient's unsafe sexual	Character, Code, C (Y, N, 9 [unknown])						
Current Encounter	Current Encounter Unsafe Sexual Practice Screening Tool	Identifies the screening tool that is used to assess the service recipient's involvement in unsafe sexual practices	Character, Code	N/A					

	•		T.	ī	Ī	,			
	Current Encounter Service Recipient Unmanage d Psychosoci al Stress Screening Indicator	Indicates whether the service recipient is assessed for his or her inability to manage psychosocial stress during the current encounter	Character, Code, C (Y, N, 9 [unknown])	13, 63, 64					
Current Encounter	Current Encounter Unmanage d Psychosoci al Stress Screening Tool	Identifies the screening tool that is selected and used to assess if the service recipient exhibits unmanaged psychosocial stress or symptoms associated with biochemical imbalances	Character, Code (Perceived Stress Scale	N/A					
Current Encounter	Current Encounter Service Recipient Unsafe Drug Use Screening Indicator	Indicates whether the service recipient is assessed for acute or chronic dependence on drug use (legal or illicit) during the time of current encounter		13					
Current Encounter	Current Encounter Service Recipient Unsafe Drug Use Screening Tool	Identifies the screening tool used to assess the service recipient's acute or chronic dependence on drug use (legal or illicit) at the time of current encounter	Character, Code (CRAFFT, ASSIST, CAGE- AID, DAST, other, unknown, not applicable)	N/A					
Current Encounter	Current Service Recipient Unintention al Falls Screening Indicator	Indicates whether the service recipient is assessed for unintentional falls during the current encounter	Character, Code, C (Y, N, 9 [unknown])	13					

		1	ı	I	1				-	
	Current Encounter									
	Papanicola									
	ou Test	Indicates whether or								
	(Pap)	not a Pap smear was	Character, Code,							
	Screening	performed in the last	C (Y, N, 9							
Current Encounter	Indicator	three years	[unknown])	50						
	Current	,	[
	Encounter									
	Unsafe									
	Drinking	Indicates whether the service	Character, Code,							
	Screening		C (Y, N, 9							
Current Encounter	Indicator	drinking	[unknown])	13						
	Current	Identifies the screening	1,							
	Encounter	tool that is used to	Character, Code							
	Unsafe	assess the service	(CAGE, AUDIT,							
	Drinking	recipient's unsafe	MAST, other, not							
	Screening	drinking during the	applicable,							
Current Encounter	Tool	current encounter		N/A						
			,							
	Current									
	Encounter									
	Service									
	Recipient	Indicates whether the service								
		recipient is assessed for	Character, Code,							
	Screening		C (Y, N, 9							
Current Encounter	Tool		[unknown])	13, 63, 64						
			Character, Code							
			(PHQ-9, Kessley							
			Psychological							
			Distress							
	Current		Scale [K10],							
	Encounter		Hospital Anxiety							
	Service		and Depression							
	Recipient		Scale							
		is used to assess if the service	[HADS], other,							
	Screening		unknown, not							
Current Encounter	Indicator	depression	applicable)	N/A						

		I	ı	I	ı	I	ı		1	
	Current Encounter									
	Lab	The type of lab test ordered by								
	Test	the health provider during the	Character, Code,							
Lab	Code(s)	current encounter	C (6 to 8)	57, 39, 61						
	Current									
	Encounter									
	Lab Test Date	The date when a lab test is	Date,	50, 55, 56,						
Lab	Ordered	ordered for the service recipient	YYYYMMDD	57, 39, 61						
	Current	ordered for the dervice recipions	111111111111111111111111111111111111111	07, 00, 01						
	Encounter									
	Lab									
	Test									
	Performed	Identifies the date that the lab	Date,	50, 55, 56,						
Lab	Date	test is performed	YYYYMMDD	57, 39, 61						
	Current									
	Encounter Lab	Identifies the results of the lab								
	Test(s)	result report for the performed	Character, Code,	50 55 56						
Lab	Value	lab test	C (6 to 8)	57, 39, 61						
		Identifies the type of								
		diagnostic imaging								
		ordered for the service								
		recipient by the health								
DI	DI Code	provider during the current encounter	Character, Code, C (6)	N/A						
DI	DI Code		C (6)	IN/A						
		The date that the diagnostic imaging								
		appointment is booked								
	DI Booking	in the provider's	Date,							
DI	Date	scheduling system	YYYYMMDD	N/A						
	DI	Identifies the date of								
	Performed	the performed	Date,							
DI	Date	diagnostic imaging	YYYYMMDD	N/A						
		Identifies result								
		associated with the								
DI	DI Result	diagnostic imaging performed	Character, Code	N/A						
0.	Di Nosuit	ponomica	Character, Code	1.4// \						

		T	I	I	ı	l		1		-	
	Current										
	Encounter										
	Intervention										
	Lifestyle	Indicates whether the service	Character, Code,								
	Advice	recipient is offered lifestyle	C (Y, N, 9								
Intervention	Indicator	advice for dyslipidemia	[unknown])	61							
	Current	Describes the interventions		13, 63, 64,							
	Encounter	performed by the provider for the		50, 41, 42,							
	Intervention	service recipient during the	Character, Code,								
Intervention	(s)	current encounter	C (5)	39, 40, 61							
	Current	Indicates whether the service		13, 63, 64,							
	Encounter	recipient is determined by a	Character, Code,	50, 41, 42,							
	End-of-Life	health provider to be at the end	C (Y, N, 9	55, 56, 57,							
Intervention	Indicator	of life at the time of encounter.	[unknown])	39, 40, 61							
	Current										
	Encounter	Identifies whether the service									
	Influenza	recipient is offered an influenza	Character, Code,								
	Vaccine	vaccine during the current	C (Y, N, 9								
Medication	Indicator	encounter	[unknown])	41							
	Current	Identifies the reason									
	Encounter	why the influenza									
	Influenza	vaccine that is offered									
	Vaccine	to the service recipient									
	"Not Given"	during the current									
Medication	Reason	encounter is not given	Character, Code	N/A							
	Current										
	Encounter	Identifies whether the service									
	Pneumococ	recipient is offered a	Character, Code,								
	cal Vaccine	pneumococcal vaccine during	C (Y, N, 9								
Medication	Indicator	the current encounter	[unknown])	42							
	Current	Identifies the reason									
	Encounter	why the pneumococcal									
		vaccine that is offered									
	cal Vaccine	to the service recipient									
		during the current									
Medication	Reason	encounter is not given	Character, Code	N/A							

		-							
	Current								
	Encounter	The medication(s) prescribed to							
	Medication(the service recipient during the							
	s)	current encounter by the health							
Medication	Prescribed	provider.	Character, Code	61, 63, 64					
	Current	The physical							
	Encounter	configuration,	Selections may						
	Prescribed	presentation or state of	include:						
	Medication	matter of any given	Capsules						
Medication	Form	drug product	Tablets	N/A					
	Current		Selection						
	Encounter		options may						
	Prescribed	The measured portion of a drug	include:						
	Medication	taken at any one time reported	– 500 mg						
Medication	Dose	as a metric unit	•	61, 63, 64					
	2000	ao a momo am	0.20 11109	0., 00, 0.					
			0-1						
	Ca.t		Selection options						
	Current Encounter		may include:						
	Prescribed	The number of occurrences	Twice dailyEvery six hours						
	Medication	within a given time period that a	Once weekly						
Medication	Frequency	dose of a drug is administered		61, 63, 64					
Medication	rrequericy	dose of a drug is administered	- Office monthly	01, 03, 04					
			Selection options						
		Indicates the part of the	may include:						
		body on which, through	- Oral						
		which or into which a	Topical						
	Current	drug product is to be	 Intramuscular 						
	Encounter	introduced. A drug	– Rectal						
	Prescribed	product can have more	 Intravenous 						
N.A. 11. 41	Medication	than one route of	- Intramuscular						
Medication	Route	administration	 Intraarticular 	N/A					
	Current		Selection options						
	Encounter		may include:						
	Prescribed	This refers to the amount of the	– Gram						
	Medication	active (medicinal) ingredient(s)	Millilitre						
Medication	Strength	contained in a product	Milligram	61, 63, 64					

Medication	Current Encounter Prescribed Medication Repeat	The value indicates the number of times the prescription can be used to refill the prescribed medication	Character, Code	61, 63, 64					
Medication	Current Encounter Service Recipient Medication(s) Non- Adherence Indicator	Indicates service recipient non-adherence to the prescribed medication(s)	Character, Code, C (Y, N, 8 [not applicable], 9 [unknown])	61, 63, 64					
Medication		Identifies the reason why the medication prescribed to the service recipient during the current encounter is not given	Character, Code	61, 63, 64					